



Price List

EFFECTIVE May 2, 2011


TERMS: NET 30

Prices Subject to Change Without Notice

***Return merchandise may not be returned without prior authorization.
Approved returns are subject to a minimum of 20%
restocking charge plus applicable freight costs.***

Complete Installation and Maintenance Instructions, as well as Specifications and Safety Data are available on the Johnsonite website: www.johnsonite.com.

www.johnsonite.com or www.safe-t-first.com



Page A1-	Item
4	201 New Product Introductions
49-50	Adhesives & Power Tape Systems
3	Colors, ColorMatch®
12-13	Contoured Millwork Chair Rails & Corner Guard
	Finishing Accessories
17	<i>Adaptors</i>
25	<i>Corner Guards, flexible vinyl</i>
20	<i>Cove Caps </i>
21	<i>Cove Filler Strips</i>
21	<i>Edge Guards</i>
18	<i>Feature Strips</i>
22	<i>Quarter Round</i>
19	<i>Reducers</i>
19	<i>Replay Interlock Reducer</i>
22	<i>Shoe Moulding</i>
23	<i>Slim-Line™ Transitions</i>
26	<i>Sub-floor Leveler System</i>
18	<i>"T" Mouldings</i>
22	<i>Thresholds </i>
20	<i>Track Base for "T" Mouldings</i>
18	<i>Transitions </i>
21	<i>Tub Mouldings</i>
	Flooring, Rubber - Multi-Functional and Sport
44	<i>Replay® Commotion® -- Square Edge, Rolls, Interlocking</i>
45	<i>Triumph™ - Square Edge, Interlock, and Underlock</i>
46	<i>Inertia™ -- Square Edge and Underlock</i>
47	<i>Underlock Multi-Functional Sports Flooring</i>
29-30	Flooring, Roundel® Rubber Tile - Solid Colors
32	Flooring, Roundel® Rubber Tile - Prima™ Marbleized, Prima™ Olio™
29-30	Flooring, Roundel® Rubber Tile - Speckled Collections - 1/8" (3.2mm) - Artisan®, Matera®, Vibrance®
32	Flooring, Metallury Rubber Tile Collection
33	Flooring, Mesto & Mesto Configurations 2mm Enhanced Marbleized Rubber Flooring
34	Flooring, Modularities™ -- Circulinity and Folio -- Rubber Tile - Solid Colors
35	Flooring, Rubber Tile Defiant Oil and Grease Resistant
31	Flooring, Roundel® Rubber Tile - Speckled Collections - .080" (2mm) - CityScape™
48	Matting, Entrance - Terra Turf®
59	Matting, Entrance Barrier - FloorKeeper™
12-13	Millwork, Chair Rails and Corner Guards
42	Photoluminescent Vinyl Nosings, Vinyl Stair Treads, & Rubber Stair Treads
51-52	Samples and Promotional Material

)

Page A1-	Item
Stairwell Systems	
24	Nosings, flexible vinyl
42	Nosings, flexible vinyl Photoluminescent
23	Nosings, flexible vinyl Slim Line
39	Risers, rubber
27	Risers, vinyl
39	Stringers, rubber
27	Stringers, vinyl
27	Tactile Warning Surface, Vinyl
39-41	Treads, Rubber - Solid Color and Speckled
42	Treads, Rubber - With Photoluminescent Insert for Visually Impaired Solid Colors
39-41	Treads, Rubber - With Abrasive Insert for Visually Impaired - Solid Color and Speckled
39-41	Treads, Rubber - With 2" Solid Insert for Visually Impaired - Solid Color and Speckled
40-43	Treads, Rubber - With Marbleized Insert for Visually Impaired
27	Treads, Vinyl - Household Residential Treads
42	Treads, Vinyl - With Photoluminescent Insert for Visually Impaired
27	Treads, Vinyl - Without Insert for Visually Impaired
27	Treads, Vinyl - With Insert for Visually Impaired
26	Subfloor Leveler System™
Wallbase -- Finishing Borders	
5 & 9	Wall Base - Vinyl Standard - .080", 1/8" Toe and Toeless - Corners - Solid Color
8	Wall Base - Perceptions™ Designer Rubber Base - (Recess™, Spire™, Quad™) - 1/8" Toe and Toeless - Corners - Solid Color
6 & 9	Wall Base - Rubber Standard - 1/8" Toe and Toeless - Corners - Solid Color
7	Wall Base - Rubber 4 - 1/2" x 1/8" Toe -Corners - Solid Colors
11-9	Wall Base - TightLock™ Carpet and Resilient Profiles - Rubber and Vinyl
12-13	Wall Base - Millwork® Solid Color (For Millwork with Wall Art, see page 15)
14	Wall Base - rePLACE® Demountable - Solid Color
15	Wall Base - Wall Art™ - Millwork - Tightlock - Standard Rubber Toe Base
6	Wall Base, Sanitary Butt-to-Wall Base
48	Vent Cove®
53-54	Warranty

Johnsonite COLORMATCH® SYSTEM

The COLORMATCH® SYSTEM is a designer palette of 32 leading colors that match Johnsonite's Rubber and Vinyl Specialty Flooring Products and Finishing Accessories.

01 Snow White	42 Sable
09 Clay	45 Sandalwood
18 Navy Blue	47 Brown
20 Charcoal	48 Grey
21 Platinum	49 Beige
22 Pearl	55 Silver Grey
24 Grey Haze	58 Windsor Blue
28 Medium Grey	59 Heather Green
29 Moon Rock	63 Burnt Umber
31 Zephyr	71 Storm Cloud
32 Pebble	76 Cinnamon
33 Adobe Peach	80 Fawn
34 Almond	85 Burgundy
38 Pewter	86 Hunter Green
40 Black	92 Blue Lagoon
41 Sea Breeze	130 Sisal

JOHNSONITE VINYL WALL BASE
.080" and 1/8" (.125) Thickness (CB/CBT)

Effective May 2, 2011

Page A1 - 5

Traditional 1/8" Toe or Toeless Vinyl Base in 2-1/2", 4", and 6"					.080" TOE OR TOELESS VINYL BASE			1/8" TOE OR TOELESS VINYL BASE		
					CB or CBT			CB or CBT		
Available Colors					CM = ColorMatch Color					
CHART 1					2 1/2"	4"	6"	2 1/2"	4"	6"
40 Black <i>CM</i>										
CHART 2										
44 Dark Brown		47 Brown	<i>CM</i>	76 Cinnamon	<i>CM</i>					
45 Sandalwood	<i>CM</i>	63 Burnt Umber	<i>CM</i>	167 Fudge						
CHART 3										
01 Snow White	<i>CM</i>	58 Windsor Blue	<i>CM</i>	132 Espresso				197 Shaded	NEW	
05 Stone		59 Heather Green	<i>CM</i>	133 Mahogany				198 Clementine	NEW	
07 Wood Violet		60 Taupe		134 Gold Rush				199 Dockside	NEW	
08 Icicle		62 Tangerine Tango		135 Chinese Jade				259 Terra Firma		
09 Clay	<i>CM</i>	68 White Sand		136 Beachy	NEW			260 Deep Water		
11 Canvas		70 Bluest		137 Veiled Violet				261 Autumn		
12 Hard Rock		71 Storm Cloud	<i>CM</i>	139 Glacier				262 Drizzle		
14 Tropical Storm		72 Harbour		140 Carrot				263 Leafy		
15 Cabernet		73 Palm Leaf		141 Lipstick				264 Grounded		
18 Navy Blue	<i>CM</i>	74 Iris		142 Aquatic				270 Skydive		
19 Desert Camel		75 Lemon		143 Marine				271 Seedling		
20 Charcoal	<i>CM</i>	79 Bone White		146 Butternut				272 Buff		
21 Platinum	<i>CM</i>	80 Fawn	<i>CM</i>	147 South Seas				273 Copper Penny		
22 Pearl	<i>CM</i>	83 Midnight		148 Paprika				274 Gold Digger		
23 Vapor Grey		84 Blue Jeans		149 Milk Chocolate				275 Vegetate		
24 Grey Haze	<i>CM</i>	85 Burgundy	<i>CM</i>	150 Wetlands				276 Mystical		
27 Mist		86 Hunter Green	<i>CM</i>	151 Iguana				280 Shoreline		
28 Medium Grey	<i>CM</i>	92 Blue Lagoon	<i>CM</i>	152 Shamrock				281 Grizzly		
29 Moon Rock	<i>CM</i>	101 Seaweed		162 Sovereign				282 Vaporize		
30 Ink		103 Sprout		163 Salsa				283 Toast		
31 Zephyr	<i>CM</i>	104 Pinkie		165 Squashed				284 Ganache		
32 Pebble	<i>CM</i>	105 Aquablu		166 Sienna				285 Morning Light		
33 Adobe Peach	<i>CM</i>	106 Skinny Dip		168 Thunder				286 Fortune Cookie		
34 Almond	<i>CM</i>	107 Neutrality		173 Auburn				287 Rustic		
36 Manatee		111 Honeycomb		184 Daffy Dil				288 Rouge		
38 Pewter	<i>CM</i>	112 Oakley		186 Mousi				289 Jaded		
41 Sea Breeze	<i>CM</i>	113 Chestnutty		190 Greege				290 Tea Green		
42 Sable	<i>CM</i>	121 Cement		191 Lazuli				291 Laguna		
43 Hyacinth		123 Mineral Springs		192 Tidewater				292 Evening Shower		
48 Grey	<i>CM</i>	127 Vanilla		194 Antique White				293 Peacock		
49 Beige	<i>CM</i>	129 Silk		195 Ash				294 Big Top		
50 White		130 Sisal	<i>CM</i>	196 Frappaccino	NEW					
55 Silver Grey	<i>CM</i>	SEE PAGE A1-9 FOR NON-PROMOTED COLORS								
Feet per Carton					120'	120'	120'	120'	120'	100'
Lbs. per Carton - Tls./Toe					17 / 18	29 / 29	39 / 41	27 / 28	40 / 41	45 / 48
Corner Pricing					4" Return (8" overall)			Price per Corner		
Note: Johnsonite corners are longer than the industry standard										
Pieces/Lbs. per Ctn.					25 / 3#	25 / 6#	25 / 8#	25 / 5#	25 / 8#	25/10#

SPECIAL NOTES:

- All .080" and 1/8" Vinyl wall base available in 4' lengths and 120' coils (100' coils in 1/8" x 6")
- All .080" or 1/8" Vinyl wall base sold in full cartons only
- All .080" or 1/8" Vinyl wall base corners are sold in full cartons only

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BOND ADHESIVE ON NONPOROUS SURFACES (i.e. steel, figerglass,etc.).

FOR HOW TO ORDER INSTRUCTIONS, SEE PAGE A1 - 10, TABLE 1.

JOHNSONITE RUBBER WALL BASE
1/8" (.125) Thickness (DC/DCT)

Effective May 2, 2011

Page A1 - 6

Traditional 1/8" Toe or Toeless Rubber Base in 2-1/2", 4", and 6"					1/8" TOE OR TOELESS TRADITIONAL RUBBER BASE			
Available Colors CM = ColorMatch Color					DC or DCT			
					2 1/2"	4"	6"	
CHART 1								
40 Black	<i>CM</i>							
CHART 2								
44 Dark Brown		47 Brown	<i>CM</i>	76 Cinnamon	<i>CM</i>			
45 Sandalwood	<i>CM</i>	63 Burnt Umber	<i>CM</i>	167 Fudge				
CHART 3								
01 Snow White	<i>CM</i>	58 Windsor Blue	<i>CM</i>	132 Espresso		197 Shaded	NEW	
05 Stone		59 Heather Green	<i>CM</i>	133 Mahogany		198 Clementine	NEW	
07 Wood Violet		60 Taupe		134 Gold Rush		199 Dockside	NEW	
08 Icicle		62 Tangerine Tango		135 Chinese Jade		259 Terra Firma		
09 Clay	<i>CM</i>	68 White Sand		136 Beachy	NEW	260 Deep Water		
11 Canvas		70 Bluest		137 Veiled Violet		261 Autumn		
12 Hard Rock		71 Storm Cloud	<i>CM</i>	139 Glacier		262 Drizzle		
14 Tropical Storm		72 Harbour		140 Carrot		263 Leafy		
15 Cabernet		73 Palm Leaf		141 Lipstick		264 Grounded		
18 Navy Blue	<i>CM</i>	74 Iris		142 Aquatic		270 Skydive		
19 Desert Camel		75 Lemon		143 Marine		271 Seedling		
20 Charcoal	<i>CM</i>	79 Bone White		146 Butternut		272 Buff		
21 Platinum	<i>CM</i>	80 Fawn	<i>CM</i>	147 South Seas		273 Copper Penny		
22 Pearl	<i>CM</i>	83 Midnight		148 Paprika		274 Gold Digger		
23 Vapor Grey		84 Blue Jeans		149 Milk Chocolate		275 Vegetate		
24 Grey Haze	<i>CM</i>	85 Burgundy	<i>CM</i>	150 Wetlands		276 Mystical		
27 Mist		86 Hunter Green	<i>CM</i>	151 Iguana		280 Shoreline		
28 Medium Grey	<i>CM</i>	92 Blue Lagoon	<i>CM</i>	152 Shamrock		281 Grizzly		
29 Moon Rock	<i>CM</i>	101 Seaweed		162 Sovereign		282 Vaporize		
30 Ink		103 Sprout		163 Salsa		283 Toast		
31 Zephyr	<i>CM</i>	104 Pinkie		165 Squashed		284 Ganache		
32 Pebble	<i>CM</i>	105 Aquablu		166 Sienna		285 Morning Light		
33 Adobe Peach	<i>CM</i>	106 Skinny Dip		168 Thunder		286 Fortune Cookie		
34 Almond	<i>CM</i>	107 Neutrality		173 Auburn		287 Rustic		
36 Manatee		111 Honeycomb		184 Daffy Dil		288 Rouge		
38 Pewter	<i>CM</i>	112 Oakley		186 Mousi		289 Jaded		
41 Sea Breeze	<i>CM</i>	113 Chestnutty		190 Greege		290 Tea Green		
42 Sable	<i>CM</i>	121 Cement		191 Lazuli		291 Laguna		
43 Hyacinth		123 Mineral Springs		192 Tidewater		292 Evening Shower		
48 Grey	<i>CM</i>	127 Vanilla		194 Antique White		293 Peacock		
49 Beige	<i>CM</i>	129 Silk		195 Ash		294 Big Top		
50 White		130 Sisal	<i>CM</i>	196 Frappaccino	NEW			
55 Silver Grey	<i>CM</i>	SEE PAGE A1-9 FOR NON-PROMOTED COLORS						
CHART 3 - METALLICS AND PEARLESCENTS								
65 Coronado		69 Sterling Silver		176 Brass	NEW	179 Steel		
66 Either Ore		77 White Pearl		177 Copper	NEW			
67 Old Gold		82 Black Pearl		178 Ironstone	NEW			
Feet per Carton						120'	120'	100'
Lbs. per Carton - Tls./Toe						28 / 29	41 / 42	47 / 50
Corner Pricing		4" Return (8" overall)		Price per Corner				
Pieces/Lbs. per Ctn.		Note: Johnsonite corners are longer than the industry standard				25 / 5#	25 / 8#	25 / 10#

SPECIAL NOTES:

- All 1/8" Rubber wall base available in 4' lengths and 120' coils (100' coils in 1/8" x 6")
- All 1/8" Rubber wall base and corners sold in full cartons only

SANITARY BUTT-TO-WALL BASE

Code	Size	Price per Foot		
		Chart 1	Chart 2	Chart 3
SB - XX	4" high x 2" toe x .110" gauge			
Available in ColorMatch colors only. All other colors Special Order. Not available in Metallics, Pearlescents or Perceptions Rubber Base.				

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BOND ADHESIVE ON NONPOROUS SURFACES (i.e. steel, figerglass,etc.).

FOR HOW TO ORDER INSTRUCTIONS, SEE PAGE A1 - 10, TABLE 2.

JOHNSONITE RUBBER WALL BASE
4-1/2", 8" or 10" x 1/8" (.125) Thickness

Effective May 2, 2011

Page A1-7

Rubber 4-1/2" Toe and Toeless, Rubber 8" and 10" x 1/8" Base - with TOE only			
AVAILABLE COLORS	DC with Toe or DCT without Toe 4-1/2"	DC 8" with Toe	DC 10" with Toe
	no minimum	1500 If minimum order no returns	
DC 09 Clay <i>CM</i>			
DC 18 Navy Blue <i>CM</i>			
DC 20 Charcoal <i>CM</i>			
DC 22 Pearl <i>CM</i>			
DC 29 Moon Rock <i>CM</i>			
DC 32 Pebble <i>CM</i>			
DC 38 Pewter <i>CM</i>			
DC 40 Black <i>CM</i>			
DC 45 Sandalwood <i>CM</i>			
DC 47 Brown <i>CM</i>			
DC 49 Beige <i>CM</i>			
DC 55 Silver Grey <i>CM</i>			
DC 63 Burnt Umber <i>CM</i>			
DC 76 Cinnamon <i>CM</i>			
DC 80 Fawn <i>CM</i>			
Feet per Carton	120'	50'	50'
Lbs. per Carton - Toe	42 lbs.	42 lbs.	42 lbs.
Corner Pricing		N/A	N/A
Pieces/Lbs. per Carton	25/8#	N/A	N/A
NOTE: Johnsonite corners are longer than the industry standard 4" Return (8" overall)			

**NEW
8" & 10"**

SPECIAL NOTES:

- All 4 1/2" x 1/8" Rubber Wall Base available in 4' lengths and 120' coils
- Other colors available by special order; metallics not available in 8" and 10" Rubber Wall Base
- DC 8" and DC 10" available with toe only (NO toeless)
- Consult Johnsonite Representative on quantities less than 1500 lineal feet on DC 8" and DC 10"

HOW TO ORDER:

To Order Rubber Wall Base 4 1/2", 8" or 10" Use:
 DC - Color Code - Height (4 1/2") - Length (4' or 120' for 4 1/2") or (50' for 8" or 10")
Example: DC - 40 4-1/2" x 4'

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BOND ADHESIVE ON NONPOROUS SURFACES (i.e. steel, fiberglass).

JOHNSONITE PERCEPTIONS DESIGNER RUBBER WALL BASE
1/8" (.125) Thickness

Effective May 2, 2011

Page A1-8

Johnsonite's Perceptions Designer Rubber Base in 4-1/4" x 1/8" x 120' coils					1/8" Recess™ 1/8" SPIRE™ 1/8" QUAD™			
					Rubber Base - 4-1/4" x 120' Coils			
Available Colors CM = ColorMatch Color					With Toe Standard	Toeless Standard	With Toe Standard	With Toe Standard
					RWDC	RWDCT	RWDC-A	RWDC-C
CHART 1								
40 Black CM								
CHART 2								
44 Dark Brown	47 Brown CM	76 Cinnamon CM						
45 Sandalwood CM	63 Burnt Umber CM	167 Fudge						
CHART 3								
01 Snow White CM	58 Windsor Blue CM	132 Espresso	197 Shaded NEW					
05 Stone	59 Heather Green CM	133 Mahogany	198 Clementine NEW					
07 Wood Violet	60 Taupe	134 Gold Rush	199 Dockside NEW					
08 Icicle	62 Tangerine Tango	135 Chinese Jade	259 Terra Firma					
09 Clay CM	68 White Sand	136 Beachy NEW	260 Deep Water					
11 Canvas	70 Bluest	137 Veiled Violet	261 Autumn					
12 Hard Rock	71 Storm Cloud CM	139 Glacier	262 Drizzle					
14 Tropical Storm	72 Harbour	140 Carrot	263 Leafy					
15 Cabernet	73 Palm Leaf	141 Lipstick	264 Grounded					
18 Navy Blue CM	74 Iris	142 Aquatic	270 Skydive					
19 Desert Camel	75 Lemon	143 Marine	271 Seedling					
20 Charcoal CM	79 Bone White	146 Butternut	272 Buff					
21 Platinum CM	80 Fawn CM	147 South Seas	273 Copper Penny					
22 Pearl CM	83 Midnight	148 Paprika	274 Gold Digger					
23 Vapor Grey	84 Blue Jeans	149 Milk Chocolate	275 Vegetate					
24 Grey Haze CM	85 Burgundy CM	150 Wetlands	276 Mystical					
27 Mist	86 Hunter Green CM	151 Iguana	280 Shoreline					
28 Medium Grey CM	92 Blue Lagoon CM	152 Shamrock	281 Grizzly					
29 Moon Rock CM	101 Seaweed	162 Sovereign	282 Vaporize					
30 Ink	103 Sprout	163 Salsa	283 Toast					
31 Zephyr CM	104 Pinkie	165 Squashed	284 Ganache					
32 Pebble CM	105 Aquablu	166 Sienna	285 Morning Light					
33 Adobe Peach CM	106 Skinny Dip	168 Thunder	286 Fortune Cookie					
34 Almond CM	107 Neutrality	173 Auburn	287 Rustic					
36 Manatee	111 Honeycomb	184 Daffy Dil	288 Rouge					
38 Pewter CM	112 Oakley	186 Mousi	289 Jaded					
41 Sea Breeze CM	113 Chestnutty	190 Greege	290 Tea Green					
42 Sable CM	121 Cement	191 Lazuli	291 Laguna					
43 Hyacinth	123 Mineral Springs	192 Tidewater	292 Evening Shower					
48 Grey CM	127 Vanilla	194 Antique White	293 Peacock					
49 Beige CM	129 Silk	195 Ash	294 Big Top					
50 White	130 Sisal CM	196 Frappaccino NEW						
55 Silver Grey CM		SEE PAGE A1-9 FOR NON-PROMOTED COLORS						
CHART 3 - METALLICS AND PEARLESCENTS								
65 Coronado	69 Sterling Silver	176 Brass NEW	179 Steel					
66 Either Ore	77 White Pearl	177 Copper NEW						
67 Old Gold	82 Black Pearl	178 Ironstone NEW						
Feet per Carton				120'	120'	120'	120'	
Lbs. per Carton - Tls./Toe				44	45	49	48	
Corner Pricing	4" Return (8" overall)			Price per Corner				
	Note: Johnsonite corners are longer than the industry standard							
Pieces/Lbs. per Ctn.				25 / 9#	25 / 9#	25 / 9#	25 / 9#	

**NEW
RWDCT -
Toeless**

SPECIAL NOTES:

- Recess, Spire, and Quad Toe Base available in coils only as standard.
- 4 foot lengths available in Recess, Spire and Quad by special order only.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BOND ADHESIVE ON NONPOROUS SURFACES (i.e. steel, figerglass,etc.).

FOR HOW TO ORDER INSTRUCTIONS, SEE PAGE A1 - 10, TABLE 2.

**JOHNSONITE VINYL and RUBBER WALL BASE
NON-PROMOTED COLORS
.080" and 1/8" (.125) Thickness**

Effective May 2, 2011

Page A1 - 9

	.080" TOE OR TOELESS VINYL BASE			1/8" TOE OR TOELESS VINYL BASE			1/8" TOE OR TOELESS RUBBER BASE			TIGHTLOCK VINYL OR RUBBER CARPET OR RESILIENT BASE			
	2 1/2"	4"	6"	2 1/2"	4"	6"	2 1/2"	4"	6"	Carpet	3 1/4"	4 1/2"	6 1/2"
NON-PROMOTED COLORS													
VINYL OR RUBBER													
02 Shitake	Special Order	95 Spearmint	Special Order	Special Order	Special Order	Special Order	Special Order	Special Order	Special Order	PERCEPTIONS DESIGNER RUBBER WALL BASE NOT AVAILABLE IN NON-PROMOTED COLORS			
03 Sahara Khaki		97 Plumage											
04 Spice		98 Woodrose											
06 Diablo Red		102 Verdant											
10 Malibu		122 Chamomile											
13 Sage		125 Blush											
16 Teal		126 Mocha											
25 Froth		128 Lavender											
26 Purple Shadow		131 Camel											
35 Cocoa		138 Celery											
37 Fog		144 Blueprint											
39 Antiqua Aqua		145 Safari											
46 Empire Green		164 Smolder											
51 Olive		182 Spa Blue											
54 Dusk		183 Citron											
56 Shrimp Bisque		184 Dreamside											
57 Flaxen	187 Pansy												
64 Keylime	188 Raisin												
88 Nassau Sea	189 Ocean												
89 Moss	193 Tangier												
94 Roasted Pepper													
NON-PROMOTED COLORS													
RUBBER 1/8 OR TIGHTLOCK ONLY													
180 Graphite													
Feet per Carton	120'	120'	120'	120'	120'	100'	120'	120'	100'		100'/75'	100'/75'	80'/75'
Lbs. per Carton - Tls./Toe	17 / 18	29 / 29	29 / 40	27 / 28	40 / 41	45 / 48	28 / 29	41 / 42	47 / 50		32/24	43/32	47/44
Corner Pricing - 4" Return (8" Overall)	Sp. Ord.		Sp. Ord.	Sp. Ord.		Sp. Ord.	Sp. Ord.		Sp. Ord.		Sp. Ord.		Sp. Ord.
Pieces/Lbs. per Carton	25 / 3#	25 / 6#	25 / 8#	25 / 5#	25 / 8#	25 / 10#	25 / 5#	25 / 8#	25 / 10#		25/5#	25/7#	25/11#

NOTE: Johnsonite corners are longer than the industry standard

SPECIAL NOTES:

- All 1/8" Vinyl or 1/8" Rubber Wall Base available in 4' lengths (120 lf) or 120' coils (100 lf coils in 1/8" x 6"; 25 pieces 4' in 1/8" x 6"
- All 1/8" vinyl or 1/8" Rubber Wall Base sold in full cartons only
- All 1/8" vinyl or 1/8" Rubber Wall Base corners sold in full cartons only

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BOND ADHESIVE ON NONPOROUS SURFACES (i.e.steel, fiberglass, etc.).

FOR HOW TO ORDER INSTRUCTIONS, SEE PAGE A1 - 10, TABLE 1 AND TABLE 2

**Other Wall Base Profiles Available by Special Request
Call for pricing and minimums, non-returnable**

Profile	Height	Thickness Gauge	Lengths		Minimum Order	Cost per lf	Additional Notes:
			48"	Coils			
CB-XX-8" - .080"	8"	.080"	Yes	Yes	Call	Call	metallic colors not available
CBT/DCT-XX-9" - 1/8"	9"	1/8"	Yes	Yes	Call	Call	metallic colors not available
CB-XX-4"x2" Toe L Shape	4"	.100"	6 Ft.	No	Call	Call	metallic colors not available
CB-XX-4"x3" Toe L Shape	4"	.100"	6 Ft.	No	Call	Call	metallic colors not available
SB-XX-B Sanitary Base 2 1/2" Toe x .080"	6"	.110"	6 Ft.	No	Call	Call	metallic colors not available

HOW TO ORDER INSTRUCTIONS
VINYL AND RUBBER WALL BASE AND CORNERS

Effective May 2, 2011

Page A1- 10

TABLE 1

▪ VINYL WALL BASE AND VINYL WALL BASE CORNERS
To Order Vinyl Wall Base Use: CB - Color Code - Height (2 1/2", 4", or 6") - Length 4' or 120' (100' in 1/8" x 6") - Thickness (.080" or 1/8"). Example: CB - 40 4" x 4' 1/8".
To Order Vinyl Toeless Wall Base Use: CBT - Color Code - Height (2 1/2", 4", or 6") - Length 4' or 120' (100' in 1/8" x 6") - Thickness (.080" or 1/8"). Example: CBT - 40 4" x 4' 1/8".
To Order Vinyl 4" Return Length Wall Base Corners Use: CB - Color Code - Size (2 1/2", 4", or 6") - LOC (Outside) or LIC (Inside) - Thickness (.080" or 1/8"). Example: CB - 22 4" LOC 1/8".
To Order Vinyl 4" Return Length Toeless Corners Use: CBT - Color Code - Size (2 1/2", 4", or 6") - LOC (Outside), or LIC (Inside) - Thickness (.080" or 1/8"). Example: CBT - 22 4" LOC 1/8".

TABLE 2

▪ TRADITIONAL RUBBER WALL BASE AND RUBBER WALL BASE CORNERS
To Order Rubber Wall Base Use: DC - Color Code - Height (2 1/2", 4", or 6") - Length 4' or 120' (100' in 6"). Example: DC - 40 4" x 4'.
To Order Rubber Toeless Wall Base Use: DCT - Color Code - Height (2 1/2", 4", or 6") - Length 4' or 120' (100' in 6"). Example: DCT - 40 4" x 4'.
To Order Rubber 4" Return Length Corners Use: DC - Color Code - Size (2 1/2", 4", or 6") - LOC (Outside) or LIC (Inside). Example: DC - 22 4" LOC.
To Order Rubber 4" Return Length Toeless Corners Use: DCT - Color Code - Size (2 1/2", 4", or 6") - LOC (Outside) or LIC (Inside). Example: DCT - 22 4" LOC.
▪ PERCEPTIONS RUBBER WALL BASE AND PERCEPTIONS RUBBER WALL BASE CORNERS
To Order Recess Rubber Wall Base with Toe Use: RWDC - Color Code - Height (4-1/4") - Length 120' Example: RWDC - 40 4-1/4" x 120'.
To Order Recess Rubber Toeless Wall Base Use: RWDCT - Color Code - Height (4-1/4") - Length 120' Example: RWDCT - 40 4-1/4" x 120'.
To Order Recess Rubber 4" Return Length Corners with Toe Use: RWDC - Color Code - Size (4-1/4") - LOC (Outside) or LIC (Inside). Example: RWDC - 22 4-1/4" LOC.
To Order Recess Rubber 4" Return Length Toeless Corners Use: RWDCT - Color Code - Size (4-1/4") - LOC (Outside) or LIC (Inside). Example: RWDCT - 22 4-1/4" LOC.
To Order Spire Rubber Wall Base with Toe Use: RWDC - Color Code - A - Height (4-1/4") - Length 120' Example: RWDC- 40-A 4-1/4" x 120'.
To Order Spire Rubber 4" Return Length Corners with Toe Use: RWDC - Color Code - A Size (4-1/4") - LOC (Outside) or LIC (Inside). Example: RWDC- 22-A 4-1/4" LOC.
To Order Quad Rubber Wall Base with Toe Use: RWDC - Color Code - C - Height (4-1/4") - Length 120' Example: RWDC- 40-C 4-1/4" x 120'.
To Order Quad Rubber 4" Return Length Corners with Toe Use: RWDC - Color Code - C Size (4-1/4") - LOC (Outside) or LIC (Inside). Example: RWDC- 22-C 4-1/4" LOC.

TABLE 3

▪ SANITARY BUTT-TO WALL BASE
To Order Sanitary Butt-to-Wall Base Use: SB - Color Code. Example: SB - 40 Black

JOHNSONITE TIGHTLOCK CARPET AND RESILIENT RUBBER AND VINYL WALL BASE

Effective May 2, 2011

Page A1-11

					TIGHTLOCK CARPET & RESILIENT VINYL			TIGHTLOCK CARPET & RESILIENT RUBBER					
					Carpet Overall Height			3 1/4"	4 1/2"	6 1/2"	3 1/4"	4 1/2"	6 1/2"
					Resilient Overall Height			3 1/8"	4 3/8"	6 3/8"	3 1/8"	4 3/8"	6 3/8"
Available Colors CM = ColorMatch Color													
CHART 1													
40 Black CM													
CHART 2													
44 Dark Brown CM													
45 Sandalwood CM													
47 Brown CM													
63 Burnt Umber CM													
76 Cinnamon CM													
167 Fudge													
CHART 3													
01 Snow White CM	58 Windsor Blue CM	132 Espresso	197 Shaded NEW										
05 Stone	59 Heather Green CM	133 Mahogany	198 Clementine NEW										
07 Wood Violet	60 Taupe	134 Gold Rush	199 Dockside NEW										
08 Icicle	62 Tangerine Tango	135 Chinese Jade	259 Terra Firma										
09 Clay CM	68 White Sand	136 Beachy NEW	260 Deep Water										
11 Canvas	70 Bluest	137 Veiled Violet	261 Autumn										
12 Hard Rock	71 Storm Cloud CM	139 Glacier	262 Drizzle										
14 Tropical Storm	72 Harbour	140 Carrot	263 Leafy										
15 Cabernet	73 Palm Leaf	141 Lipstick	264 Grounded										
18 Navy Blue CM	74 Iris	142 Aquatic	270 Skydive										
19 Desert Camel	75 Lemon	143 Marine	271 Seedling										
20 Charcoal CM	79 Bone White	146 Butternut	272 Buff										
21 Platinum CM	80 Fawn CM	147 South Seas	273 Copper Penny										
22 Pearl CM	83 Midnight	148 Paprika	274 Gold Digger										
23 Vapor Grey	84 Blue Jeans	149 Milk Chocolate	275 Vegetate										
24 Grey Haze CM	85 Burgundy CM	150 Wetlands	276 Mystical										
27 Mist	86 Hunter Green CM	151 Iguana	280 Shoreline										
28 Medium Grey CM	92 Blue Lagoon CM	152 Shamrock	281 Grizzly										
29 Moon Rock CM	101 Seaweed	162 Sovereign	282 Vaporize										
30 Ink	103 Sprout	163 Salsa	283 Toast										
31 Zephyr CM	104 Pinkie	165 Squashed	284 Ganache										
32 Pebble CM	105 Aquablu	166 Sienna	285 Morning Light										
33 Adobe Peach CM	106 Skinny Dip	168 Thunder	286 Fortune Cookie										
34 Almond CM	107 Neutrality	173 Auburn	287 Rustic										
36 Manatee	111 Honeycomb	184 Daffy Dil	288 Rouge										
38 Pewter CM	112 Oakley	186 Mousi	289 Jaded										
41 Sea Breeze CM	113 Chestnutty	190 Greege	290 Tea Green										
42 Sable CM	121 Cement	191 Lazuli	291 Laguna										
43 Hyacinth	123 Mineral Springs	192 Tidewater	292 Evening Shower										
48 Grey CM	127 Vanilla	194 Antique White	293 Peacock										
49 Beige CM	129 Silk	195 Ash	294 Big Top										
50 White	130 Sisal CM	196 Frappaccino NEW											
55 Silver Grey CM													
CHART 3 - METALLICS AND PEARLESCENTS													
65 Coronado	69 Sterling Silver	176 Brass NEW	179 Steel										
66 Either Ore	77 White Pearl	177 Copper NEW											
67 Old Gold	82 Black Pearl	178 Ironstone NEW											
SEE PAGE A1-9 FOR NON-PROMOTED COLORS													
Feet per Carton					100 / 75	100 / 75	80 / 75	100 / 75	100 / 75	80 / 75			
Lbs. per Carton					32 / 24	43 / 32	47 / 44	32 / 24	43 / 32	47 / 44			
Corner Pricing					Price per Corner								
Pieces/Lbs. per Carton					25 / 5#	25 / 7#	25 / 11#	25 / 5#	25 / 7#	25 / 11#			

SPECIAL NOTES:

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BOND ADHESIVE ON NONPOROUS SURFACES (i.e. steel, fiberglass).

HOW TO ORDER INSTRUCTIONS:

1. TIGHTLOCK CARPET VINYL WALL BASE

To Order TightLock Carpet Vinyl Wall Base Use:
TCB - Color Code and Name - Height (3.25", 4.50" or 6.50") - Length (4' or 75').
Example: TCB - 40 Black - 4.50" x 4'.

To Order TightLock Carpet Vinyl Corners Use:
TCB - Color Code and Name - Height (3.25", 4.50" or 6.50") - OC.
Example: TCB - 40 Black - 3.25" - OC.

2. TIGHTLOCK RESILIENT VINYL WALL BASE

To Order TightLock Resilient Vinyl Wall Base Use:
TCB - Color Code and Name - Height (3.25", 4.50" or 6.50") - Length (4' or 75').
Example: TCBR - 40 Black - 4.50" x 4'.

To Order TightLock Resilient Vinyl Corners Use:
TCBR - Color Code and Name - Height (3.25", 4.50" or 6.50") - OC.
Example: TCBR - 40 Black - 3.25" - OC.

2. TIGHTLOCK CARPET RUBBER WALL BASE

To Order TightLock Carpet Rubber Wall Base Use:
TDC - Color Code and Name - Height (3.25", 4.50" or 6.50")
Example: TDC - 40 Black - 4.50" x 4'.

To Order TightLock Carpet Rubber Wall Base Corners Use:
TDOC - Color Code and Name - Height (3.25", 4.50" or 6.50")
Example: TDOC - 40 Black - 3.25".

2. TIGHTLOCK RESILIENT RUBBER WALL BASE

To Order TightLock Carpet Rubber Wall Base Use:
TDC - Color Code and Name - Height (3.25", 4.50" or 6.50")
Example: TDC - 40 Black - 4.50" x 4'.

To Order TightLock Carpet Rubber Wall Base Corners Use:
TDOC - Color Code and Name - Height (3.25", 4.50" or 6.50")
Example: TDOC - 40 Black - 3.25".

l") - Length (4' or 75').

e:
50").

l") - Length (4' or 75').

e:
50").

JOHNSONITE MILLWORK® CONTOURED WALL BASE-CHAIR RAILS AND CORNER GUARD

Effective May 2, 2011

Page A1-12

Ref. No.	Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7	Column 8
Ref. No.	Product Code	Description	Height x Length x Thickness	Cost per Lineal Foot		Pieces per Carton	Feet per Carton	Weight per Carton
				Table A See Page A1-13 for Available Table A & B Colors	Table B			
MILLWORK CONTOURED WALL BASE								
1	MW xx A	Diplomat	4½" x 8' x 3/8"			6	48'	44 lbs.
2	MW xx D	Outline	3½" x 8' x 5/16"			10	80'	47 lbs.
3	MW xx F	Reveal 4 1/4"	4¼" x 8' x 1/4"			8	64'	50 lbs.
4	MW xx G	Inflection	5¼" x 8' x 3/8"			6	48'	65 lbs.
5	MW xx C	Overlook	7 1/2" x 8' x 1/4"			6	48'	56 lbs.
6	MW xx E	Attache	6" x 8' x 1/4"			8	64'	57 lbs.
7	MW xx F6	Reveal 6"	6" x 8' x 1/4"			8	64'	58 lbs.
8	MW xx F8	Reveal 8"	8" x 8' x 1/4"			4	32'	49 lbs.
9	MW xx J	Silhouette	4" x 8' x 1/2"			6	48'	42 lbs.
10	MW xx K	Ambassador	4" x 8' x 3/8"			6	48'	42 lbs.
11	MW xx H6	Mandalay 6"	6" x 8' x 3/8"		Minimums & Special Pricing May Apply; Contact your Johnsonite Representative for details.	4	32'	54 lbs.
12	MW xx H	Mandalay 4.5"	4 1/2" x 8' x 3/8"			5	40'	52 lbs.
13	MW xx H3	Mandalay 3"	3" x 8' x 3/8"			7	56'	48 lbs.
14	MW xx H25	Mandalay 2.5"	2 1/2" x 8' x 3/8"			5	40'	40 lbs.
15	MW xx L	Envoy	5 1/2" x 8' x 3/4"			4	32'	66 lbs.
16	MW xx M	Monarch	6" x 8' x 3/16"			6	48'	46 lbs.
17	MW xx M8	Monarch 8"	8" x 8' x 3/16"			6	48'	60 lbs.
18	MW xx N	Oblique	3" x 8' x 3/8"			7	56'	42 lbs.
19	MW xx P	Emissary - with Toe	4.5" x 8' x 3/8"			6	48'	50 lbs.
20	MW xx R	Equinox	4.5" x 8' x 3/8"			5	40'	50 lbs.
21	MW xx T	Delinate	4.25" x 8' x .375"			6	48'	41 lbs.
MILLWORK CONTOURED CHAIR RAIL								
22	CHR XX	Fortis	3" x 8' x 3/16"		Minimums & Special Pricing May Apply; Contact your Johnsonite Representative for details.	10	80'	32 lbs.
23	CHR xx B	Bastion	4" X 8' X 5/16"			6	48'	27 lbs.
24	CHR XX C	Rampart	4" x 8' x 3/16"			5	40'	36 lbs.
MILLWORK CONTOURED CORNER GUARD								
25	VBG xx C		1 1/4" x 8' x 1/4"	see pg A1-25 for Available Colors		10	80'	36 lbs.
MILLWORK QUARTER ROUND AND SHOE MOULDING								
26	QTR xx A		1/2"	see pg A1-22 for Available Colors		20	160'	24 lbs.
27	QTR xx A with Wall Art		1/2"			20	160'	24 lbs.
28	QTR xx D		3/4"			10	80'	30 lbs.
29	QTR xx D with Wall Art		3/4"			10	80'	30 lbs.
30	SHU xx A Shoe Moulding		1 1/2" x 1/4"			10	80'	21 lbs.
31	SHU xx A with Wall Art		1 1/2" x 1/4"			10	80'	21 lbs.

HOW TO ORDER:

To order Millwork Contoured Wall Base, Use: Product Code (Column 1 above in "BOLD"), Insert Color Code from page A1-13 in place of XX

For example: to order MW XX A Diplomat in color 55 Silver Grey use MW 55 A Diplomat.

SPECIAL NOTES:

- ALL MILLWORK WALL BASE SOLD IN FULL CARTONS ONLY
- FOR CUSTOM MILLWORK PROFILES, CONTACT YOUR JOHNSONITE REPRESENTATIVE. MINIMUMS MAY APPLY.
- ACCESSORIES: SEE PAGE A1-22 FOR QUARTER ROUND (QTR-XX-A AND QTR-XX-D) AND SHOE MOULDING (SHU-XX-A).
- BOTH QUARTER ROUND AND SHOE MOULDING ACCESSORIES MAY BE APPLIED TO OTHER SURFACES SUCH AS WOOD, METAL & STANDARD TOELESS WALL BASE PROVIDED THE SURFACE IS CLEAN, DRY AND FREE OF ANY COATINGS SUCH AS PAINT, GREASE, OIL, ETC.
- QTR-XX-A MAY BE APPLIED TO MILLWORK PROFILES: A, C, E, F, F6, F8, G, H, H3, J, K, L, M, M8, N, AND R.
- QTR-XX-D MAY BE APPLIED TO MILLWORK PROFILES: A, C, E, F, F6, F8, G, H, H3, K, L, M, M8, N, AND R.
- SHU-XX-A MAY BE APPLIED TO MILLWORK PROFILES: C, F, F6, F8, G, H, H6, L, M, M8 AND R.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BONDADHESIVE ON NONPOROUS SURFACES (i.e. steel, fiberglass).

JOHNSONITE MILLWORK® CONTOURED WALL BASE

Table A and Table B: Available Colors

Effective May 2, 2011

Page A1-13

(Available in 8 Foot Lengths Only)

Hgt. x Lgth. x Thickness

Table A - STANDARD SELECTS COLOR PALETTE

CM = COLORMATCH

00 Unfinished		29 Moon Rock	CM	50 White		80 Fawn	CM
01 Snow White	CM	34 Almond	CM	63 Burnt Umber	CM	101 Seaweed	
08 Icicle		40 Black	CM	66 Either Ore		129 Silk	
09 Clay	CM	44 Dark Brown		68 White Sand		130 Sisal	CM
11 Canvas		45 Sandalwood	CM	69 Sterling Silver		150 Wetlands	
20 Charcoal	CM	47 Brown	CM	76 Cinnamon	CM	167 Fudge	
22 Pearl	CM	49 Beige	CM	79 Bone White		194 Antique White	
27 Mist							

Table B - ALL OTHER COLORS

CM = COLORMATCH

05 Stone		72 Harbour		140 Carrot		199 Dockside	NEW
07 Wood Violet		73 Palm Leaf		141 Lipstick		259 Terra Firma	
12 Hard Rock		74 Iris		142 Aquatic		260 Deep Water	
14 Tropical Storm		75 Lemon		143 Marine		261 Autumn	
15 Cabernet		77 White Pearl		146 Butternut		262 Drizzle	
18 Navy Blue	CM	82 Black Pearl		147 South Seas		263 Leafy	
19 Desert Camel		83 Midnight		148 Paprika		264 Grounded	
21 Platinum	CM	84 Blue Jeans		149 Milk Chocolate		270 Skydive	
23 Vapor Grey		85 Burgundy	CM	151 Iguana		271 Seedling	
24 Grey Haze	CM	86 Hunter Green	CM	152 Shamrock		272 Buff	
28 Medium Grey	CM	92 Blue Lagoon	CM	162 Sovereign		273 Copper Penny	
30 Ink		103 Sprout		163 Salsa		274 Gold Digger	
31 Zephyr	CM	104 Pinkie		165 Squashed		275 Vegetate	
32 Pebble	CM	105 Aquablu		166 Sienna		276 Mystical	
33 Adobe Peach	CM	106 Skinny Dip		168 Thunder		280 Shoreline	
36 Manatee		107 Neutrality		173 Auburn		281 Grizzly	
38 Pewter	CM	111 Honeycomb		176 Brass	NEW	282 Vaporize	
41 Sea Breeze	CM	112 Oakley		177 Copper	NEW	283 Toast	
42 Sable	CM	113 Chestnutty		178 Ironstone	NEW	284 Ganache	
43 Hyacinth		121 Cement		179 Steel		285 Morning Light	
48 Grey	CM	123 Mineral Springs		184 Daffy Dil		286 Fortune Cookie	
55 Silver Grey	CM	127 Vanilla		186 Mousi		287 Rustic	
58 Windsor Blue	CM	132 Espresso		190 Greege		288 Rouge	
59 Heather Green	CM	133 Mahogany		191 Lazuli		289 Jaded	
60 Taupe		134 Gold Rush		192 Tidewater		290 Tea Green	
62 Tangerine Tango		135 Chinese Jade		195 Ash		291 Laguna	
65 Coronado		136 Beachy	NEW	196 Frappaccino	NEW	292 Evening Shower	
67 Old Gold		137 Veiled Violet		197 Shaded	NEW	293 Peacock	
70 Bluest		139 Glacier		198 Clementine	NEW	294 Bigtop	
71 Storm Cloud	CM						

Product Code				Price Per Foot			
				RBT-00 TRACK	RB-XX A BASE	RB-XX-F BASE	RB-XX-G BASE
Overall Height				Prominent™ 4-3/8"	Tempo™ 4-3/8"	Gepetto™ 4-3/8"	
TABLE A - STANDARD COLOR PALETTE CM = COLORMATCH							
01 Snow White	CM	33 Adobe Peach	CM	59 Heather Green	CM		
08 Icicle		34 Almond	CM	63 Burnt Umber	CM		
09 Clay	CM	38 Pewter	CM	68 White Sand			
18 Navy Blue	CM	40 Black	CM	71 Storm Cloud			
20 Charcoal	CM	41 Sea Breeze	CM	76 Cinnamon			
21 Platinum	CM	42 Sable	CM	79 Bone White			
22 Pearl	CM	45 Sandalwood	CM	80 Fawn	CM		
24 Grey Haze	CM	47 Brown	CM	85 Burgundy	CM		
28 Medium Grey	CM	48 Grey	CM	86 Hunter Green	CM		
29 Moon Rock	CM	49 Beige	CM	92 Blue Lagoon	CM		
31 Zephyr	CM	50 White		150 Wetlands			
32 Pebble	CM	55 Silver Grey	CM	129 Silk			
		58 Windsor Blue	CM	130 Sisal	CM		
				HOW TO ORDER--SEE BELOW			
TABLE B - ALL OTHER COLORS							
05 Stone		127 Vanilla		197 Shaded	NEW	Special Order	Special Order
07 Wood Violet		132 Espresso		198 Clementine	NEW	Special Order	Special Order
11 Canvas		133 Mahogany		199 Dockside	NEW		
12 Hard Rock		134 Gold Rush		259 Terra Firma			
14 Tropical Storm		135 Chinese Jade		260 Deep Water			
15 Cabernet		136 Beachy	NEW	261 Autumn			
19 Desert Camel		137 Veiled Violet		262 Drizzle			
23 Vapor Grey		139 Glacier		263 Leafy			
27 Mist		140 Carrot		264 Grounded			
30 Ink		141 Lipstick		270 Skydive			
36 Manatee		142 Aquatic		271 Seedling			
43 Hyacinth		143 Marine		272 Buff			
44 Dark Brown		146 Butternut		273 Copper Penny			
60 Taupe		147 South Seas		274 Gold Digger			
62 Tangerine Tango		148 Paprika		275 Vegetate			
70 Bluest		149 Milk Chocolate		276 Mystical			
72 Harbour		151 Iguana		280 Shoreline			
73 Palm Leaf		152 Shamrock		281 Grizzly			
74 Iris		162 Sovereign		282 Vaporize			
75 Lemon		163 Salsa		283 Toast			
83 Midnight		165 Squashed		284 Ganache			
84 Blue Jeans		166 Sienna		285 Morning Light			
101 Seaweed		167 Fudge		286 Fortune Cookie			
103 Sprout		168 Thunder		287 Rustic			
104 Pinkie		173 Auburn		288 Rouge			
105 Aquablu		184 Daffy Dil		289 Jaded			
106 Skinny Dip		186 Mousi		290 Tea Green			
107 Neutrality		190 Greege		291 Laguna			
111 Honeycomb		191 Lazuli		292 Evening Shower			
112 Oakley		192 Tidewater		293 Peacock			
113 Chestnutty		194 Antique White		294 Big Top			
121 Cement		195 Ash					
123 Mineral Springs		196 Frappaccino	NEW				
Length	Available in 4' Lengths Only			48"	48"	48"	48"
Pieces per Carton				20	20	20	20
Feet per Carton				80'	80'	80'	80'
Lbs. per Carton				30	30	28	37

ALL rePLACE WALL BASE AND TRACK SOLD IN FULL CARTONS ONLY.

PRODUCT CODES - SOLID COLOR ONLY	HOW TO ORDER - Use Product Code and Color Code
RB-XX-A = rePLACE Base 4-3/8" in Prominent Profile	To order use: RB-XX-A (XX Color Code) i.e. RB-40-A = Prominent profile in 40 Black
RB-XX-F = rePLACE Base 4-3/8" in Tempo Profile	To order use: RB-XX-F (XX Color Code) i.e. RB-40-F = Tempo profile in 40 Black
RB-XX-G = rePLACE Base 4-3/8" in Gepetto Profile	To order use RB-XX-G (XX Color Code) i.e. RB-40-G = Gepetto profile in 40 Black
RBOC XX = rePLACE Outside Corner (Universal)	To order use RBOC-XX (XX Color Code) i.e. RBOC 40 = rePLACE outside corner in 40 Black
RBT-00 = rePLACE Track	If not reusing track, track must be ordered along with the rePLACE Wall Base

rePLACE Corners and End Stops (for Profiles RB XX A, F, & G)				
	RBIC XX Inside Corner	RBOC XX Outside Corner	RBRs XX Right End Stop	RBLs XX Left End Stop
SPECIAL NOTE: RBIC, RBOC, RBRs, RBLs ARE UNIVERSAL CORNERS AND END STOPS FOR USE WITH RB XX A, F, AND G.				
Price per Corner				
Height	4 5/8"	4 5/8"	4 5/8"	4 5/8"
Piece per Carton	25	25	25	25
Weight per Carton	4 lbs.	6 1/4 lbs.	1 lb.	1 lb.

FOR JOHNSONITE WARRANTY TO APPLY, INSTALL ACCORDING TO JOHNSONITE INSTALLATION INSTRUCTIONS, SEE JOHNSONITE.COM FOR THE LATEST INFORMATION. NOTE: SCREWS REQUIRED FOR INSTALLATION AND ARE NOT PART OF BASE OR TRACK PACKAGE.

Johnsonite Wall Art™ Decorative Wall Base

Effective May 2, 2011

Page A1-15

COLOR CODE	DESIGN / COLOR	TightLock Base 48" Lengths		Cove Base With Toe 4" x 48" x 1/8"	Millwork			
		Resilient 4-3/8" x 48"	Carpet 4-1/2" x 48"		Outline MW-XX-D 3-1/2" x 8'	Reveal MW-XX-F 4-1/4" x 8'	Silhouette MW-XX-J 4" x 8'	Oblique MW-XX-N 3" x 8'
		APT	Medallion					
ACH	Amber Cherry							
BWG	Balsa							
CRW	Mission							
CWG	Shaker							
DOK	Dark Oak							
GGT	Ironware							
GSM	Bullion							
LOK	Light Oak							
MSA	Baroque							
MOK	Medium Oak							
NMP	Natural Maple							
PLF	Armor							
SLF	Silversmith							
WAL	Walnut							
WEN	Wenge Wood							
LBE	Light Beech							
MBE	Medium Beech							
DBE	Dark Beech							
WOK	Willow Oak							
POK	Pin Oak							
Feet per Carton		100'		120'	80'	64'	48'	56'
Pounds per Carton		43 lbs		26 lbs	47 lbs	51 lbs	42 lbs	42 lbs
Corner Price 4" Return (8" Overall)					N/A	N/A	N/A	N/A
Pieces/Lbs. per Carton		25 Pcs / 7 lbs		25 Pcs / 8 lbs	N/A	N/A	N/A	N/A

- NOTE:**
- Available in the 4-1/2" Carpet and 4-3/8" Resilient TightLock profiles, 4" traditional Cove Base and Millwork Profiles MW-XX-D, MW-XX-F, MW-XX-J, and MW-XX-N without minimum (full cartons only).
 - 3-1/4" Carpet and 3-1/8" Resilient styles of TightLock are available by special order. 5,000 foot minimum. Call for pricing.
 - 48" lengths for TightLock and Traditional Base. Millwork MW-XX-D, MW-XX-F, MW-XX-J and MW-xx-N available in 8 ft. lengths.
 - Quarter Rounds (QTR-XXX-A and D) and Shoe Moulding (SHU-XXX-A) also available with Wall Art in 19 Wall Art Designs see page A1-22 for ordering information.

PRODUCT CODES			
TWA =	TightLock Carpet	MW-XX-D =	Millwork Outline Profile
TWA-XX-OC =	TightLock Carpet Corners - Outside (OC)	MW-XX-F =	Millwork Reveal Profile
TWAR =	TightLock Resilient	MW-XX-J =	Millwork Silhouette Profile
TWAR-XX-OC =	TightLock Resilient Corners - Outside (OC)	MW-XX-N =	Millwork Oblique Profile
WA =	Cove Base with Toe		
WA-XX-LOC or LIC =	Cove Base with Toe Corners - Outside (LOC) or Inside (LIC)		

HOW TO ORDER	
Use Product Code, Color Code and Height:	
Example: To order Medallion in 4-3/8" TightLock Resilient, specify: TWAR-APT - 4-3/8"	
To order Corners in Medallion 4-3/8" TightLock Resilient, specify: TWAR-APT-OC - 4-3/8"	
To order Medallion in 4-1/2" TightLock Carpet, specify: TWA-APT - 4-1/2"	
To order Corners in Medallion 4-1/2" TightLock Carpet, specify: TWA-APT-OC - 4-1/2"	
To order Medallion in 4" Cove Base With Toe, specify: WA-APT - 4"	
To order Corners in Medallion 4" Cove Base with Toe, specify: WA-APT-LOC or (LIC) 4"	
To order Medallion in 3-1/2" Millwork, specify: MW-APT-D - 3-1/2"	
To order Medallion in 4-1/4" Millwork, specify: MW-APT-F - 4-1/4"	
To order Medallion in 4" Millwork, specify: MW-APT-J - 4"	

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BOND ADHESIVE ON NONPOROUS SURFACES (i.e. steel, fiberglass, etc.)

Johnsonite Masquerade Decorative Wall Base

No Minimums - Non Returnable

Effective May 2, 2011

Page A1-16

COLOR CODE	DESIGN / COLOR Hgt. x Lgth. x Thickness	Millwork	
		Viewpoint MW-XX-V 4" x 8' x 3/8"	Classic MW-XX-Z 5 1/4" x 8' x 3/8"
Woods			
302	Fine Cherry		
303	Rattan		
306	Red Mahogany		
307	Rift Oak		
308	Slender Walnut		
312	Soft Oak		
314	Buttery Cherry		
315	Dark Rosewood		
318	Stretched Bamboo		
319	Zebrano Medium		
321	Zebrano Dark		
322	Brown Maple		
Stones			
DB 1	Azul Travertine		
DB 2	Pearl Travertine		
DB 3	Coffee Sandstone		
DB 4	Veined Marble Brownd		
DB 5	Honed Marble Crème		
DB 6	Matchstick Stone		
DB 7	Clouded Sandstone		
DB 8	Greyish Veined Marble		
DB 9	Mahogany Limestone		
DC 1	Greyed Limestone		
DC 2	Tan Ceramic		
Feet per Carton		40'	48'
Pounds per Carton		46 lbs	54 lbs



- NOTE:**
- Available in 8' lengths only.
 - Available in MW xx F, MW xx F6, MW xx F8 and MW xx N by special order; minimums may apply. Contact Johnsonite for details.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BOND ADHESIVE ON NONPOROUS SURFACES (i.e. steel, fiberglass, etc.)

HOW TO ORDER

To Order Millwork Masquerade Wall Base Use: MW-XX (Color Code) - (Profile) For example, to order Fine Cherry, Viewpoint Profile V, Specify: MW 302 V

JOHNSONITE VINYL SPECIALTY FLOORING FINISHING ACCESSORIES

Effective May 2, 2011

Page A1-17

ADAPTORS, STANDARD AND WHEELED TRAFFIC TRANSITIONS

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER FOOT COLOR CHART 1	PRICE PER FOOT COLOR CHART 2	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
CTA - XX - A Carpet to Resilient Adaptor		1/4" carpet to 1/8" resilient adaptor			12 ft.	20	42 lbs
CTA - XX - C Junior Carpet to Resilient Adaptor		1/4" carpet to 1/8" resilient			12 ft.	20	25 lbs.
CTA - XX - D Carpet to Resilient Adaptor		5/16" carpet to 1/16" - 1/8" resilient			12 ft.	10	28 lbs.
CTA - XX - H * Carpet to Resilient Adaptor		1/4" carpet to 1/8" resilient. 2-1/2" gradual transition.			12 ft.	10	50 lbs.
CTA - XX - HL Carpet to Resilient Adaptor		1/4" carpet to 1/8" resilient. 4" gradual transition			12 ft.	5	45 lbs.
CTA - XX - HT 1/4" to .080"/2mm Adaptor		1/4" materials to .080"/2mm materials			12 ft.	10	42 lbs.
CTA - XX - J * Carpet to 0" Adaptor		1/4" carpet to floor. 2-1/2" gradual transition			12 ft.	10	50 lbs.
CTA - XX - K * 3/8" Materials to 1/8" Resilient Adaptor		3/8" carpet, wood or ceramic to 1/8" resilient. 2 1/2" gradual transition.			12 ft.	10	50 lbs.
CTA - XX - L * Wood, Carpet, Ceramic Adaptor		3/8" carpet, wood or ceramic to carpet 1/4". 2-1/2" gradual transition.			12 ft.	10	59 lbs.
CTA - XX - JL * Carpet to Floor Reducer		1/4" carpet to floor. 4" extra-long gradual transition.			12 ft.	10	66 lbs.
CTA - XX - M * Carpet to Carpet Adaptor		1/4" carpet to 1/4" carpet			12 ft.	10	60 lbs.
CTA - XX - N * Resilient to Resilient Adaptor		1/8" resilient to 1/8" resilient.			12 ft.	10	43 lbs.
CTA - XX - P 3/8" Wood, Ceramic or Carpet to Floor.		3/8" Wood, Ceramic or Carpet to Floor. 2-1/2" gradual transition.			12 ft.	10	45 lbs.
CTA - XX - PL 3/8" Wood, Ceramic or Carpet to Floor.		3/8" Wood, Ceramic or Carpet to Floor. 4" gradual transition.			12 ft.	6	55 lbs.
CTA - XX - Q 1/2" Wood, Ceramic or Carpet to Floor.		1/2" Wood, Ceramic or Carpet to Floor. 4" gradual transition.			12 ft.	5	51 lbs.
CTA - XX - X Resilient to Resilient Adapter		1/8" Resilient to .080" Resilient			12 ft.	10	44 lbs.
CTA - XX - Y Resilient to Resilient Adapter		.080" Resilient to .080" Resilient			12 ft.	10	36 lbs.
CTA - XX - Z 3/8" Materials to .080" Resilient		3/8" wood, ceramic or carpet to .080 resilient			12 ft.	10	47 lbs.

(*) Asterisk denotes Adaptors that are excellent for healthcare, hospitality, transportation, retail and most other commercial applications where gradual transitions are best.

HOW TO ORDER: To Order Vinyl Mouldings Use: Part Number - Color Code - Suffix. Example: CTA - 40 - A













NOTE: FOR COLOR CHART INFORMATION, PLEASE SEE PAGE A1-20

BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTON CHARGE ON CHART TWO COL

FOR JOHNSONITE WARRANTY TO APPLY:

USE JOHNSONITE 945 CONTACT BOND ADHESIVE OR JOHNSONITE 965 FLOORING AND TREAD ADHESIVE OR 975 TWO-PART URETHANE ADHESIVE OR 996 TWO-PART EPOXY ADHESIVE. SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

ADAPTORS/TRANSITIONS

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER FOOT COLOR CHART 1	PRICE PER FOOT COLOR CHART 2	LENGTH PER PIECE	PIECES PER CTN.	WEIGHT PER CARTON
CCA - XX Carpet to Ceramic Adaptor 3/8"		For joining 5/16" carpet to 3/8" ceramic flooring.			12 ft.	10	28 lbs.
CWA - XX Carpet to Wood Adaptor 1/2"		For joining 5/16" carpet to 1/2" wood flooring.			12 ft.	10	34 lbs.
CE - XX - A *** Carpet to Tile Adaptor		Regular edge - for 1/4" & 5/16" sponge back carpet to 1/8" tile; 1/4" leg.			12 ft.	20	27 lbs.
CE - XX - C *** Carpet to Ceramic Tile Adaptor		Ceramic edge - for 1/2" ceramic tile to 3/8" or 1/4" carpet; 1/2" leg.			12 ft.	20	39 lbs.
CD - XX *** Carpet to Carpet Transition		1-1/2" T for 1/4" and 5/16" sponge back; 1/4" leg.			12 ft.	20	31 lbs.
CD - XX - A *** Carpet to Carpet Adaptor		Snap-in T for joining 1/2" material; 1-1/2" width; 1/2" leg.			12 ft.	20	40 lbs.
CD - XX - B *** Carpet to Vinyl Adaptor		Joins 1/2" material to 1/8" resilient; 1/2" leg			12 ft.	20	38 lbs.
CD - XX - C *** Carpet to Carpet Transition		Joins 1/4" and 5/16" carpet. 3/4" wide; 1/4" leg.			12 ft.	20	20 lbs.
CD - XX - W Carpet to Carpet Adaptor		3" T for 1/4" and 5/16" Sponge-Back Carpet; 1/4" leg.			12 ft.	10	39 lbs.
FS-XX-DW1 Feature Strip		1/4" Wide x 1/8" Gauge			50 ft.	4	6 Lbs.
FS-XX-DW2 Feature Strip		1/2" Wide x 1/8" Gauge			50 ft.	2	6 Lbs.
FS-XX-DW3 Feature Strip		1" Wide x 1/8" Gauge			50 ft.	1	6 Lbs.

BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTON CHARGE ON CHART TWO COLORS.

NOTE: For color chart information refer to Page A1-20.

HOW TO ORDER: To Order Vinyl Mouldings Use: Part Number - Color Code - Suffix. Example: CE - 40 - A.

FOR JOHNSONITE WARRANTY TO APPLY:













USE JOHNSONITE 945 CONTACT BOND ADHESIVE CCA XX AND CWA XX CONSULT JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INSTRUCTIONS.

JOHNSONITE VINYL SPECIALTY FINISHING FLOORING ACCESSORIES

Effective May 2, 2011

Page A1-19

REDUCERS

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER FOOT COLOR CHART 1	PRICE PER FOOT COLOR CHART 2	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
CRS - XX - A Carpet Reducer 1/4"		Carpet reducer strip with 1/4" butting gauge.			12 ft.	10	26 lbs.
CRS - XX - B Carpet Reducer 3/8"		Carpet edge reducer for 3/8" flooring material including Terra Turf.			12 ft.	10	43 lbs.
CRS - XX - C Carpet Reducer 3/16"		Butts to 3/16" carpet.			50 ft.	6	27 lbs.
CRS - XX - D Carpet Reducer 1/2"		Carpet edge reducer for 1/2" materials.			12 ft.	10	55 lbs.
SSR - XX - B Vinyl Reducer		Binder bar edging for 1/16" to 1/8" resilient.			35 ft.	2	11 lbs.
SSR - XX - D Vinyl Reducer		.080" to 1/8" butt to transition.			12 ft.	25	37
RRS - XX - A Reducer Resilient Floor		An attractive finish for wherever resilient floors terminate. In 1/16".			3 ft.	50	5 lbs.
RRS - XX - B Reducer Resilient Floor		An attractive finish for wherever resilient floors terminate. In .080".			3 ft.	50	7 lbs.
RRS - XX - C Reducer Resilient Floor		An attractive finish for wherever resilient floors terminate. In 1/8".			3 ft.	50	10 lbs.
RRS - XX - D Reducer Resilient Floor		An attractive finish for wherever resilient floors terminate. In 1/8".			25 ft.	4	9 lbs.
REPLAY INTERLOCKING REDUCER							
RIR - 40 - A***		Reducer for Replay Interlocking Sports and Multi-Functional Flooring	per foot - BLACK ONLY	N/A	4 ft.	6	23 lbs.
RIR - 40 - B***		Reducer for Replay Interlocking Sports and Multi-Functional Flooring	per foot - BLACK ONLY	N/A	4 ft.	6	23 lbs.

HOW TO ORDER: To Order Vinyl Mouldings Use: Part Number - Color Code - Suffix. Example: CRS - 40 - A.

NOTE: For color chart information refer to Page A1-20.

*** See JOHNSONITE.COM for diagrams and installation instructions for Replay Interlocking Reducer.

BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTONS ON CHART TWO COLORS.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 945 CONTACT BOND ADHESIVE ON ALL ITEMS ON THIS PAGE except Replay Interlocking Reducers. See Johnsonite.com for complete adhesive and installation information.

JOHNSONITE VINYL SPECIALTY FLOORING FINISHING ACCESSORIES

Effective May 2, 2011

Page A1-20

TRACK BASE

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER FOOT COLOR CHART 1	PRICE PER FOOT COLOR CHART 2	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
CDB - 00 - A Single Flange Track Base		For carpet to tile transition. Neutral color only.		NEUTRAL ONLY	12 ft.	20	26 lbs.
MT - 00 - A		Aluminum Track - Pinless for glue-down installation.		ALUMINUM ONLY	12 ft.	12	15 lbs.
MT - 00 - B		Aluminum Track - Pin type for stretch-in installation.		ALUMINUM ONLY	12 ft.	12	15 lbs.
MTC - 00 - A		Aluminum Track - Pinless for glue - down installation contour.		ALUMINUM ONLY	12 ft.	12	15 lbs.
MTC - 00 - B		Aluminum Track - Pin type for stretch-in installation contour.		ALUMINUM ONLY	12 ft.	12	15 lbs.

NOTE: ALUMINUM TRACKS SOLD IN FULL CARTONS ONLY.

COVE CAPS

SCC - XX - A *** Resilient Cove Cap (Round)		Cap for covered sheet goods, 1/8" gauge; round top.			12 ft.	50	24 lbs.
SCC - XX - D *** Resilient Cove Cap Self Stick		Cap for covered sheet goods, 2mm gauge; round top			12 ft.	50	23 lbs.
SCC - XX - B *** Resilient Cove Cap (Square)		Cap for 1/8" covered sheet vinyl. Square top.			12 ft.	50	28 lbs.
CCC - XX - A *** Carpet Cove Cap (Round)		Flexible capping for 1/4" and 5/16" covered carpet installations. Round top.			12 ft.	20	25 lbs.
CCC - XX - B *** Carpet L Cap		Cap for covered carpet, paneling and ceramics 9/32" inside dimension.			12 ft.	50	46 lbs.
CCC - XX - C *** Carpet Cove Cap (Square)		Square cap for covered 1/4" carpets and wood panels			12 ft.	40	33 lbs.
CCC - XX - D *** Carpet Cove Cap (Round)		Cap for 3/16" covered glue-down carpet.			12 ft.	20	23 lbs.
RCC - XX Rollable Carpet Cove Cap		Cap for 1/4" covered glue-down carpet.			12 ft.	30	20 lbs.

BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTON CHARGE ON CHART TWO COLORS.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 945 CONTACT BOND ADHESIVE ON ALL ITEMS ON THIS PAGE EXCEPT SCC XX D SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INFORMATION

COLOR CHART 1		COLOR CHART 2			
COLORMATCH COLORS		COLORMATCH COLORS		ALL OTHER COLORS	
20 Charcoal	47 Brown	01 Snow White	31 Zephyr	59 Heather Green	14 Tropical Storm
28 Medium Grey	48 Ggrey	09 Clay	32 Pebble	63 Burnt Umber	15 Cabernet
40 Black	49 Beige	18 Navy Blue	33 Adobe Peach	71 Storm Cloud	60 Taupe
42 Sable	55 Silver Grey	21 Platinum	34 Almond	80 Fawn	129 Silk
45 Sandalwood	76 Cinnamon	22 Pearl	38 Pewter	85 Burgundy	132 Espresso
		24 Grey Haze	41 Sea Breeze	86 Hunter Green	150 Wetlands
		29 Moon Rock	58 Windsor Blue	92 Blue Lagoon	167 Fudge
				130 Sisal	








HOW TO ORDER: To Order Vinyl Mouldings Use: Part Number - Color Code - Suffix. Example: CCC - 40 - A.

JOHNSONITE VINYL SPECIALTY FINISHING FLOORING ACCESSORIES






Effective May 2, 2011

Page A1-21

EDGE GUARDS

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER FOOT COLOR CHART 1	PRICE PER FOOT COLOR CHART 2	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
EG - XX - G Edge Guard		1 - 11/32" transition reducer. For glue down carpet; 5/16" undercut.			12 ft.	20	48 lbs.
EG - XX - H Edge Guard		Same as EG-XX-G with smaller undercut for 1/4" carpet; 1-9/32" transition.			12 ft.	20	44 lbs.
EG - XX - J Edge Guard		Same as EG-XX-G. For 3/16" carpet; 1-1/16" transition			12 ft.	20	30 lbs.
EG - XX - K Edge Guard		Edge guard for 1/4" carpet or artificial grass.			12 ft.	20	28 lbs.
EG - XX - L Edge Guard		Bevel-edge reducer. For 5/16" carpet. Deep undercut.			12 ft.	25	43 lbs.
EG - XX - M Edge Guard		Bevel-edge reducer. For residential carpet over tackless. For 1/4" to 5/16" undercut.			12 ft.	25	75 lbs.
EG - XX - W Edge Guard		For 3/8" integral pad and carpet.			12 ft.	10	48 lbs.

FILLER/TUB MOULDINGS/FINISHING MOULDINGS

CFS - 00 Cove Filler Strip		1 - 3/4" radius filler strip for coved sheet goods. Neutral only.		NEUTRAL ONLY	12 ft.	12	45 lbs.
CFS - 00 - A Cove Filler Strip		1-1/4" radius filler strip for coved sheet goods. Neutral only.		NEUTRAL ONLY	12 ft.	32	54 lbs.
CFS - 00 - M Cove Filler Strip		1/2" radius filler strip for coved sheet goods. Neutral only.		NEUTRAL ONLY	5 ft.	50	31 lbs.
TM - 50 Tub Moulding △ (Self-stick) WHITE ONLY		Luster finish cove for bathtub, counter and shelves; 1-1/2" height. WHITE ONLY.		WHITE ONLY	5 ft.	24	16 lbs.
TM - 50 - A Tub Moulding △ (Self stick) WHITE ONLY		Luster finish cove for bathtub, counter and shelves; 1" height. WHITE ONLY.		WHITE ONLY	5 ft.	24	10 lbs.

COLOR CHART 1 COLORMATCH COLORS		COLOR CHART 2 COLORMATCH COLORS - CHART 2				NON COLORMATCH COLORS - CHART 2	
20 Charcoal	47 Brown	01 Snow White	32 Pebble	63 Burnt Umber	14 Tropical Storm	150 Wetlands	
28 Medium Grey	48 Grey	09 Clay	33 Adobe Peach	71 Storm Cloud	15 Cabernet	167 Fudge	
40 Black	49 Beige	18 Navy Blue	34 Almond	80 Fawn	50 White △		
42 Sable	55 Silver Grey	21 Platinum	38 Pewter	85 Burgundy	60 Taupe		
45 Sandalwood	76 Cinnamon	22 Pearl	41 Sea Breeze	86 Hunter Green	129 Silk		
		24 Grey Haze	58 Windsor Blue	92 Blue Lagoon	132 Espresso		
		29 Moon Rock	59 Heather Green	130 Sisal			
		31 Zephyr					

△ IS AVAILABLE IN TUB MOULDINGS ONLY

HOW TO ORDER: To Order Vinyl Mouldings Use: Part Number - Color Code - Suffix. Example: EG -40-G.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 945 CONTACT BOND ADHESIVE ON ALL ITEMS ON THIS PAGE. SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INFORMATION.




BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTON CHARGE ON CHART TWO COLORS.

JOHNSONITE VINYL SPECIALTY FINISHING ACCESSORIES

Effective May 2, 2011

Page A1 - 22



VINYL SPECIALTY FINISHING ACCESSORIES

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER FOOT COLOR CHART 1	PRICE PER FOOT COLOR CHART 2	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
QTR - XX - A + Quarter Round 1/2"		Self-stick; for use with MW-XX-A , C, E, F, F6, F8, G, H, H3, H6, J, K, L, M, M8, R Available in Color Chart 1 & 2 ColorMatch Colors and Chart 2 Non-ColorMatch Colors, see below.			8 ft.	20	24 lbs.
QTR - XX X - A with Wall Art	Available in 21 Wall Art Designs - See Page A1-15 for Designs To order: QTR-APT (Design Code) - A Example: QTR-APT (Medallion) - A			N/A	8 ft.	20	24 lbs
QTR-XX-D Quarter Round 3/4"		Self-stick; for use with MW-XX-A , C, E, F, F6, F8, G, H, H3, H6, J, K, L, M, M8, R Available in Color Chart 1 & 2 ColorMatch Colors and Chart 2 Non-ColorMatch Colors, see below.			8 ft.	10	30 lbs
QTR - XX X - D with Wall Art	Available in 21 Wall Art Designs - See Page A1-15 for Designs To order: QTR-APT (Design Code) - D Example: QTR-APT (Medallion) - D			N/A	8 ft	10	30 lbs
SHU - XX - A + Shoe Moulding		Self-stick; for use with MW-XX-A , C, E, F, F6, F8, G, H, H3, H6, J, K, L, M, M8, R Available in Color Chart 1 & 2 ColorMatch Colors and Chart 2 Non-ColorMatch Colors, see below.			8 ft.	10	21 lbs.
SHU - XXX - A with Wall Art	Available in 21 Wall Art Designs - See Page A1-15 for Designs To order: SHU-APT (Design Code) - A Example: SHU-APT (Medallion) - A			N/A	8 ft.	10	21 lbs.

BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTON CHARGE ON CHART TWO COLORS.
SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INSTRUCTIONS.

COLOR CHART 1		COLOR CHART 2			
COLORMATCH COLORS		COLORMATCH COLORS - CHART 2		NON COLORMATCH COLORS - CHART 2	
20 Charcoal	47 Brown	01 Snow White	34 Almond	▲ 00 Unfinished	▲ 68 White Sand
28 Medium Grey	48 Grey	09 Clay	38 Pewter	▲ 08 Icicle	▲ 69 Sterling Silver
40 Black	49 Beige	18 Navy Blue	41 Sea Breeze	▲ 11 Canvas	▲ 77 White Pearl
42 Sable	55 Silver Grey	21 Platinum	58 Windsor Blue	14 Tropical Storm	▲ 79 Bone White
45 Sandalwood	76 Cinnamon	22 Pearl	59 Heather Green	15 Cabernet	▲ 82 Black Pearl
		24 Grey Haze	63 Burnt Umber	▲ 27 Mist	129 Silk
		29 Moon Rock	71 Storm Cloud	▲ 50 White	132 Espresso
		31 Zephyr	80 Fawn	60 Taupe	150 Wetlands
		32 Pebble	85 Burgundy	▲ 65 Coronado	167 Fudge
		33 Adobe Peach	86 Hunter Green	▲ 66 Either Ore	▲ 179 Steel
			92 Blue Lagoon	▲ 67 Old Gold	▲ 194 Antique White
			130 Sisal		
				▲ THESE COLORS ARE UNIQUE TO THE ABOVE PROFILES ONLY.	

CARPET INSERT THRESHOLDS - 36" PIECES

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER 3 FT. PC. COLOR CHART 1 or 2	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
VT-XX-M2 5-1/2" Carpet Tack Strip Threshold				3 ft.	6	34 lbs.
VT-XX-M6 1-3/4" Carpet Tack Strip Threshold		Each size can be used with Stretch-in, Glue-down or Double Glue-down installation.		3 ft.	12	23 lbs.

NOTE: FOR COLOR CHART INFORMATION, PLEASE REFER TO COLOR CHART BELOW.

FOR JOHNSONITE WARRANTY TO APPLY:

USE JOHNSONITE 965 FLOORING AND TREAD ADHESIVE OR 975 TWO-PART URETHANE ADHESIVE OR 966 TWO-PART EPOXY ON CARPET TACK STRIP THRESHOLDS. SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INSTRUCTIONS.

BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTON CHARGE ON CHART TWO COLORS.

COLOR CHART 1		COLOR CHART 2			
COLORMATCH COLORS		COLORMATCH COLORS - CHART 2		NON COLORMATCH COLORS - CHART 2	
20 Charcoal	47 Brown	01 Snow White	32 Pebble	63 Burnt Umber	14 Tropical Storm
28 Medium Grey	48 Grey	09 Clay	33 Adobe Peach	71 Storm Cloud	15 Cabernet
40 Black	49 Beige	18 Navy Blue	34 Almond	80 Fawn	60 Taupe
42 Sable	55 Silver Grey	21 Platinum	38 Pewter	85 Burgundy	129 Silk
45 Sandalwood	76 Cinnamon	22 Pearl	41 Sea Breeze	86 Hunter Green	132 Espresso
		24 Grey Haze	58 Windsor Blue	92 Blue Lagoon	150 Wetlands
		29 Moon Rock	59 Heather Green	130 Sisal	167 Fudge
		31 Zephyr			













HOW TO ORDER: To Order Vinyl Mouldings Use: Part Number - Color Code - Suffix. Example: VT -40- M2

**JOHNSONITE FLEXIBLE SLIM LINE FINISHING ACCESSORIES AND RECESS NOSINGS
JOHNSONITE VINYL SLIM LINE FINISHING ACCESSORIES**

Effective May 2, 2011

Page A1 - 23




SLIM LINE TRANSITIONS

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER FOOT COLOR CHART 1	PRICE PER FOOT COLOR CHART 2	PRICE PER FOOT Metallics	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
SLT XX A		Slim-Line Transition for 1/8" to 1/4" materials				12 ft.	25 pcs.	29 lbs.
SLT XX B		Slim-Line Transition for 1/8" to .080" materials				12 ft.	25 pcs.	26 lbs.
SLT XX C		Slim-Line Transition for 1/4" to .080" materials				12 ft.	25 pcs.	29 lbs.
SLT XX F		Slim-Line Transition for 3/8" ceramic on thinset to 1/4" materials				12 ft.	25 pcs.	28 lbs.
SLT XX G		Slim-Line Transition for 1/2" or large format ceramic on thinset to 1/4" materials.				12 ft.	25 pcs.	25 lbs.
SLT xx H		Slim-Line Transition for .080" to 1/4" materials				12 ft.	25 pcs.	29 lbs.
SLTC XX A Contour Edge		Slim-Line Transition for 1/8" to 1/4" materials with Contour Edge				12 ft.	25 pcs.	28 lbs.
SLTC XX B Contour Edge		Slim-Line Transition for 1/8" to .080" materials with Contour Edge				12 ft.	25 pcs.	24 lbs.
SLTC XX C Contour Edge		Slim-Line Transition for 1/4" to .080" materials with Contour Edge				12 ft.	25 pcs.	23 lbs.
SLTC xx H Contour Edge		Slim-Line Transition for .080" to 1/4" materials with Contour Edge				12 ft.	25 pcs.	23 lbs.
SLTC XX F Contour Edge		Slim-Line Transition for 3/8" ceramic on thinset to 1/4" materials with Contour Edge				12 ft.	25 pcs.	34 lbs.
SLTC XX G Contour Edge		Slim-Line Transition for 1/2" or large format ceramic on thinset to 1/4" materials with Contour Edge				12 ft.	25 pcs.	33 lbs.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 945 CONTACT BOND ADHESIVE ON ALL SLIM LINE TRANSITIONS LISTED ABOVE. SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INSTRUCTIONS.
HOW TO ORDER: To Order Vinyl Mouldings Use: Part Number - Color Code - Suffix. Example: SLT - 40 - A.
SEE COLOR CHART AT BOTTOM OF THIS PAGE FOR AVAILABLE COLORS.

SLIM LINE FLEXIBLE RECESS NOSINGS

FLEXIBLE SLIM LINE RECESS NOSING

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER FOOT COLOR CHART 1, 2, OR METALLICS	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
SLN XX A		Slim-Line Nosing For 1/4" to 1/4" materials step and riser-carpet and resilient		12 ft.	10 pcs.	63 lbs.
SLN XX B		Slim-Line Nosing For 3/16" to 3/16" materials step and riser-carpet and resilient		12 ft.	10 pcs.	52 lbs.
SLN XX C		Slim-Line Nosing For 3/8" to 3/8" materials step and riser-carpet and resilient		12 ft.	10 pcs.	77 lbs.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 945 CONTACT BOND ADHESIVE PLUS 930 TWO-PART EPOXY CAULKING COMPOUND ON ALL FLEXIBLE STAIR NOSINGS. SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INSTRUCTIONS.
BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTON CHARGE ON CHART TWO COLORS.

COLOR CHART 1 COLORMATCH COLORS	COLOR CHART 2 COLORMATCH COLORS		ALL OTHER COLORS	METALLICS
20 Charcoal	01 Snow White	38 Pewter	14 Tropical Storm	65 Coronado
28 Medium Grey	09 Clay	41 Sea Breeze	15 Cabernet	66 Either Ore
40 Black	18 Navy Blue	58 Windsor Blue	60 Taupe	67 Old Gold
42 Sable	21 Platinum	59 Heather Green	129 Silk	69 Sterling Silver
45 Sandalwood	22 Pearl	63 Burnt Umber	132 Espresso	77 White Pearl
47 Brown	24 Grey Haze	71 Storm Cloud	150 Wetlands	82 Black Pearl
48 Grey	29 Moon Rock	80 Fawn	167 Fudge	176 Brass
49 Beige	31 Zephyr	85 Burgundy		177 Copper
55 Silver Grey	32 Pebble	86 Hunter Green		178 Ironstone
76 Cinnamon	33 Adobe Peach	92 Blue Lagoon		179 Steel
	34 Almond	130 Sisal		

NEW

JOHNSONITE VINYL STAIR NOSINGS

See Page A1-42 for Available Visually Impaired Nosings with Photoluminescent Inserts

Effective May 2, 2011

Page A1 - 24

STAIR NOSINGS

PART NUMBER	PROFILE	DESCRIPTION	PRICE PER FOOT COLOR CHART 1	PRICE PER FOOT COLOR CHART 2	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
VDL - XX - RD Round Vinyl Stair Nosing		Double lock for butting to 1/8" tile or sheet goods.			12 ft.	10	60 lbs.
VDL - XX - SQ Square Vinyl Stair Nosing		Double lock for butting to 1/8" tile or sheet goods.			12 ft.	10	73 lbs.
RCN - XX - A **		Friction - grip nosing when only step is covered. Undercut for 1/4" and 5/16" carpet.			12 ft.	10	73 lbs.
RCN - XX - B		Heavy duty, with grooves and overlap lip. For 1/8" material with lip, 3/16" without lip.			12 ft.	10	69 lbs.
SRCN - XX - C For Thicker Carpeting on Steps.		For 3/8" Carpet on Step			12 ft.	4	60 lbs.
VIRCN - XX - A ** + Visually Impaired Recessed Vinyl Stair Nosing		Nosing undercut for 1/4" to 5/16" carpet. 2" contrasting Visually Impaired strip.			12 ft.	6	67 lbs.
VIRCN - XX - B ** + Visually Impaired Recessed Vinyl Stair Nosing		Heavy duty overlap lip for 1/8" material with lip, 3/16" without lip. 2" contrasting Visually Impaired insert.			12 ft.	10	62 lbs.
VIRCN - XX - B2 Visually Impaired Recessed Vinyl Stair Nosing		For 1/8" material 2" Visually Impaired Grit Tape Insert			12 ft.	10	75 lbs.
Note: For available contrasting 2" Tape, see Table 2, Page A1-28							
VCD - XX Double Undercut Carpet Stair Nosing		For 1/4" & 5/16" carpet. For step and riser, with ribbed surface.			12 ft.	10	76 lbs.
SVCD - XX - A For Thicker Carpeting on Step and Riser		For 3/8" Carpet on Step and Riser			12 ft.	4	60 lbs.
VIVCD - XX ** + Visually Impaired Double Undercut Stair Nosing		For 1/4" and 5/16" carpet for step and riser. 2" contrasting Visually Impaired strip.			12 ft.	5	55 lbs.
VITSN - XX Visually Impaired Top Set Stair Nosing		Contrasting co-extruded strip. Top set on bare concrete, wood, steel.			12 ft.	10	50 lbs.
DTN - XX Over/Top Stair Nosing		Top set residential stair nosing.			12 ft.	10	27 lbs.

BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTON CHARGE ON CHART TWO COLORS OR SPECIAL ORDER.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 945 CONTACT BOND ADHESIVE PLUS 930 TWO-PART EPOXY CAULKING COMPOUND ON ALL FLEXIBLE STAIR NOSINGS. SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INSTRUCTIONS.

COLOR CHART 1		COLOR CHART 2		
COLORMATCH COLORS		COLORMATCH COLORS		ALL OTHER COLORS
20 Charcoal	47 Brown	01 Snow White	32 Pebble	63 Burnt Umber
28 Medium Grey	48 Ggrey	09 Clay	33 Adobe Peach	71 Storm Cloud
40 Black	49 Beige	18 Navy Blue	34 Almond	80 Fawn
42 Sable	55 Silver Grey	21 Platinum	38 Pewter	85 Burgundy
45 Sandalwood	76 Cinnamon	22 Pearl	41 Sea Breeze	86 Hunter Green
		24 Grey Haze	58 Windsor Blue	92 Blue Lagoon
		29 Moon Rock	59 Heather Green	130 Sisal
		31 Zephyr		
				15 Cabernet
				**50 White
				60 Taupe
				132 Espresso
				150 Wetlands
				167 Fudge

**COLOR WHITE AVAILABLE ONLY IN THESE STAIR NOSING PROFILES.

FOR AVAILABLE CONTRASTING CO-EXTRUDED INSERT COLORS IN VISUALLY IMPAIRED STAIR NOSINGS SEE PAGE A1 - 28, TABLE 3.

HOW TO ORDER: To Order Vinyl Nosings Use: Part Number - Color Code - Suffix. Example: VDL - 40 - A.

+ THESE NOSINGS ALSO AVAILABLE IN SOLID COLORS. To Order, remove "VI" and substitute "S" (e.g. SRCN - 28 - A Medium Grey).

JOHNSONITE VINYL SPECIALTY FLOORING FINISHING ACCESSORIES

Effective May 2, 2011

Page A1 - 25

CORNER WALL GUARDS

TYPE	PART NUMBER	PRICE EACH COLOR CHART 1	PRICE EACH COLOR CHART 2	LENGTH PER PC.	PIECES PER CTN.	WEIGHT PER CTN.
CORNER WALL GUARD 3/4" X 3/4"	VBG - XX - B 48" VBG - XX - B 96"			4 ft. 8 ft.	8 8	5 lbs. 10 lbs.
CORNER WALL GUARD 1 1/2" x 1 1/2"	VBG - XX - A 48" VBG - XX - A 96"			4 ft. 8 ft.	8 8	9 lbs. 18 lbs.
CORNER WALL GUARD 2 3/8" x 2 3/8"	VBG - XX - 48" VBG - XX - 96"			4 ft. 8 ft.	8 8	14 lbs. 28 lbs.
CORNER WALL GUARD 1 1/4" x 1 1/4"	VBG XX - C 96"			8 ft.	10	36 lbs.

♦ **SEE ADDITIONAL CHART 2 COLORS BELOW FOR VBG XX C**

BROKEN CARTON CHARGE - \$10.00 ON LESS THAN ONE FULL CARTON FOR CHART ONE COLORS. NO BROKEN CARTON CHARGE ON CHART TWO COLORS.

FOR JOHNSONITE WARRANTY TO APPLY USE JOHNSONITE 945 CONTACT BOND ADHESIVE. SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

HOW TO ORDER: To Order Vinyl Corner Wall Guards Use: Part Number Code - Color Code - Suffix - Length. (Example: VBG - 40 - A 48")

CHART 1	COLOR CHART 2		COLOR CHART 2
COLORMATCH COLORS	COLORMATCH COLORS		ALL OTHER COLORS
20 Charcoal	01 Snow White	41 Sea Breeze	14 Tropical Storm
28 Medium Grey	09 Clay	58 Windsor Blue	15 Cabernet
40 Black	18 Navy Blue	59 Heather Green	50 White
42 Sable	21 Platinum	63 Burnt Umber	60 Taupe
45 Sandalwood	22 Pearl	71 Storm Cloud	68 White Sand
47 Brown	24 Grey Haze	80 Fawn	79 Bone White
48 Grey	29 Moon Rock	85 Burgundy	129 Silk
49 Beige	31 Zephyr	86 Hunter Green	132 Espresso
55 Silver Grey	32 Pebble	92 Blue Lagoon	150 Wetlands
76 Cinnamon	33 Adobe Peach	130 Sisal	167 Fudge
	34 Almond		
	38 Pewter		

THESE COLORS AVAILABLE FOR VBG XX C PROFILE ONLY AT CHART 2 PRICES	
00 Unfinished	♦
08 Icicle	♦
11 Canvas	♦
27 Mist	♦
44 Dark Brown	♦
65 Coronado	♦
66 Either Ore	♦
67 Old Gold	♦
69 Sterling Silver	♦
77 White Pearl	♦
82 Black Pearl	♦
101 Seaweed	♦
176 Brass	♦ NEW
177 Copper	♦ NEW
178 Ironstone	♦ NEW
179 Steel	♦
195 Antique White	♦

JOHNSONITE SUBFLOOR LEVELER SYSTEM

Effective May 2, 2011

Page A1 - 26

ITEM	TYPE	LENGTH PER PIECE	TAPERING TO	PRICE PER FOOT	PIECES PER CARTON	WEIGHT PER CARTON
1	LS - 40	4'	0" to 1/4"		10 Pcs.	48 Lbs.
2	LS - 40 B	4'	1/4" to 3/8"		8 Pcs.	41 Lbs.
3	LS - 40 C	4'	3/8" to 1/2"		6 Pcs.	47 Lbs.
4	LS - 40 D	4'	0" to 3/8"		5 Pcs.	41 Lbs.
5	LS - 40 E	4'	0" to 1/2"		5 Pcs.	44 Lbs.
6	LS - 40 F	4'	0" to 1/8"		20 Pcs.	53 Lbs.
7	LS - 40 K	4'	0" to 1/4" With Tack- Strip Platform		10 Pcs.	46 Lbs.
8	LS - 40 G	4'	0" TO 3/4"		4 Pcs.	54 Lbs.
<p>Available in 40 Black only. NOT AVAILABLE IN BROKEN CARTONS</p>						

HOW TO ORDER: To Order Johnsonite's Subfloor Leveler System Use: LS - 40 (Suffix if one applies).
 (Example: LS - 40 B).

Features and Benefits of Johnsonite Subfloor Leveler System:

- * Automatically makes a smooth, uniform transition.
- * Saves valuable installation time.
- * Easy to install by the novice or the professional.
- * May eliminate the use of reducers, adapters or thresholds between floors.
- * Will not crack or crumble over time.

Installation of Johnsonite Subfloor Leveler System:

*Install with Johnsonite 965 Flooring and Tread Adhesive and recommended trowel.
 For specific and detailed instructions, refer to the Johnsonite Subfloor Leveler System Installation
 Instructions included in each carton of material. Preparation for each subfloor type and the flooring to be
 installed over the Subfloor Leveler System components are included. A copy is also available by calling
 your local distributor, or Johnsonite Sample Department at (800) 899-8916 extension 820.*

**FOR JOHNSONITE WARRANTY TO APPLY, USE ONLY JOHNSONITE #965 FLOORING
 AND TREAD ADHESIVE or SpraySmart 140 Adhesive TO INSTALL THE SUBFLOOR LEVELER
 SYSTEM TO THE SUBFLOOR
 AND ALL MATERIALS APPLIED TO THE SUBFLOOR LEVELER SYSTEM SURFACE.
 SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INFORMATION.**

JOHNSONITE VINYL STAIR TREADS

Effective May 2, 2011

Page A1-27

TREAD TYPE	PRODUCT CODE	OVERALL DEPTH INCHES	GAUGE TAPERING THICKNESS	NOSE TYPE	LENGTH	PRICE PER LIN. FOOT	WEIGHT PER FOOT	PIECES PER CARTON
SERVICE WEIGHT	ST	12"	5/32" to 5/64"	RD./SQ.	3', 3.5', 4', 6', 8', 12'		1 lb.	10 pcs. 5 pcs. 12' lengths only
How to Order: ST - Color Code - Length - Nose Type. (Example: ST - 47 - 4 Ft. - Sq.)						See Table 1, Page A1-28 for Color and Chart		
SAFE - T - RIB	HT	12 1/4"	1/4" to 1/8"	RD./SQ.	3', 3.5', 4', 6', 8', 12'		1 1/2 lbs.	5 pcs.
How to Order: HT - Color Code - Length - Nose Type. (Example: HT - 47 - 4 Ft. - Sq.)						See Table 1, Page A1-28 for Color and Chart		
HEAVY DUTY	HD	12 1/4"	1/4" to 7/32"	SQ.	3', 3.5', 4', 6', 8', 12'		1 3/4 lbs.	5 pcs.
How to Order: HD - Color Code - Length - Nose Type. (Example: HD - 47 - 4 Ft. - Sq.)						See Table 1, Page A1-28 for Color and Chart		
HOUSEHOLD	HH	9 3/16"	Standard	Fits RD./SQ.	1 1/2', 2', or 3'		3/4 lbs.	36 pcs.
AVAILABLE IN COLORS: 40 BLACK AND 47 BROWN ONLY.								
FULL CARTONS ONLY. How to Order: HH - Color Code - Length - Nose Type. (Example: HH - 40 - 2 Ft. - Rd.)								
VISUALLY IMPAIRED STAIR TREADS								
See Page A1-51 for Photoluminescent Visually Impaired Vinyl Heavy Duty Stair Treads								
VISUALLY IMPAIRED SAFE-T-GRIP	VIVG	12 1/4"	1/4" to 1/8"	SQ.	3', 3.5', 4', 6', 8', 12'		1 1/4 lbs.	5 pcs.
How to Order: VIVG - Color Code - Length - Nose Type (Example: VIVG - 47 - 4 Ft. - Sq.)						See Table 1 for Color, Table 2 for Tape Insert Color - Page A1-28.		
VISUALLY IMPAIRED SAFE - T - RIB	VIHT	12 1/4"	1/4" to 1/8"	RD./SQ.	3', 3.5', 4', 6', 8', 12'		1 1/2 lbs.	5 pcs.
How to Order: VIHT - Color Code - Length - Nose Type (Example: VIHT - 47 - 4 Ft. - Sq.)						See Table 1 for Color, Table 2 for Tape Insert Color, Page A1-28.		
VISUALLY IMPAIRED HEAVY DUTY	VIHD	12 1/4"	1/4" to 7/32"	SQ.	3', 3.5', 4', 6', 8', 12'		1 3/4 lbs.	5 pcs.
How to Order: VIHD - Color Code - Length - Nose Type (Example: VIHD - 47 - 4 Ft. - Sq.)						See Table 1 for Color, Table 3 for Contrasting Co-Extruded Color Strip, Page A1-28.		

NOTE: CUSTOM LENGTHS MAY BE SPECIAL ORDERED WITHOUT MINIMUMS. CONSULT FACTORY FOR DELIVERY AND PRICING.

BROKEN CARTON CHARGE: \$5.00 ON LESS THAN FULL CARTON OF VINYL TREADS. FULL CARTONS ONLY FOR 8' AND 12' LENGTHS NO BROKEN CARTONS ON HOUSEHOLD STAIR TREADS.

1. FOR JOHNSONITE WARRANTY TO APPLY USE JOHNSONITE'S 965 FLOORING AND TREAD ADHESIVE PLUS USE 930 TWO-PART EPOX CAULKING COMPOUND FOR NOSE. SECURE THE NOSE OF THE STAIR PAN USING JOHNSONITE 945 CONTACT BOND ADHESIVE. SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

VINYL STRINGERS AND RISERS

ITEM	SIZE	THICKNESS	PRICE PER FOOT	PIECES PER CTN.	WEIGHT PER CTN.
STRINGERS (FULL CARTONS ONLY).	10" x 50'	.080"		1 Coil	28 Lbs.
RISERS	6" x 4'	.080"	Use 6" Wall Base	30 Pcs.	40 Lbs.
	6" x 120'	.080"		1 Coil	41 Lbs.
	7" x 4'	.080"	Use 6" Wall Base	30 Pcs.	51 Lbs.
	7" x 50'	.080"		1 Coil	25 Lbs.

NOTE: RISERS - \$5.00 BROKEN CARTON CHARGE ON LESS THAN FULL CARTON.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE #960 WALL BASE ADHESIVE ON POROUS SURFACES AND JOHNSONITE #945 CONTACT BOND ADHESIVE ON NONPOROUS SURFACES. (I.e. Steel, fiberglass, etc.). SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE & INSTALLATION INFORMATION.

HOW TO ORDER: To Order Vinyl Risers Use: VR - Color Code - Size (Height and Length). Example: VR 40 6" x 4'

HOW TO ORDER: To Order Vinyl Stringers Use: VS - Color Code. Example: VS 40

FOR VINYL STRINGER AND RISER COLORS, SEE PAGE A1 - 28, TABLE 1

VINYL TACTILE WARNING SURFACE

ITEM	SIZE	THICKNESS	PRICE PER FOOT	PIECES PER CARTON	WEIGHT PER CARTON
SOLID COLOR TACTILE WARNING SURFACE	12" x 50'	1/8"		1 Coil	37 Lbs.
FOR COLORS, SEE PAGE A1-28, TABLE 1					
VISUALLY IMPAIRED TWO COLOR SURFACE	12" x 50'	1/8"		1 Coil	37 Lbs.
FOR COLORS, SEE PAGE A1-28, TABLE 3					

HOW TO ORDER: To Order Tactile Warning Surface Use: TW - Color Code. (Example: TW-40).

To Order Visually Impaired Two Color Surface Use: TW2 - Color Code. (Example: TW2 - 40)

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 965 FLOORING AND TREAD ADHESIVE, 996 TWO-PART EPOXY OR 975 TWO-PART URETHANE ADHESIVE. SEE WWW.JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

**AVAILABLE COLORS IN VINYL TREADS, RISERS, STRINGERS AND
TACTILE WARNING SURFACE**

Effective May 2, 2011

TABLE 1

Page A1 - 28

AVAILABLE COLORS		CM = COLORMATCH COLORS			
01 Snow White	CM	34 Almond	CM	63 Burnt Umber	CM
09 Clay	CM	38 Pewter	CM	71 Storm Cloud	CM
15 Cabernet		40 Black	CM	76 Cinnamon	CM
18 Navy Blue	CM	41 Sea Breeze	CM	80 Fawn	CM
20 Charcoal	CM	42 Sable	CM	85 Burgundy	CM
21 Platinum	CM	45 Sandalwood	CM	86 Hunter Green	CM
22 Pearl	CM	47 Brown	CM	92 Blue Lagoon	CM
24 Grey Haze	CM	48 Grey	CM	130 Sisal	CM
28 Medium Grey	CM	49 Beige	CM	132 Espresso	
29 Moon Rock	CM	55 Silver Grey	CM	150 Wetlands	
31 Zephyr	CM	58 Windsor Blue	CM	167 Fudge	
32 Pebble	CM	59 Heather Green	CM		
33 Adobe Peach	CM	60 Taupe			

VISUALLY IMPAIRED STAIR TREAD STANDARD ABRASIVE INSERT COLORS

TABLE 2

INSERT COLOR	VINYL STAIR TREAD COLORS	NOTE: OTHER COLOR COMBINATIONS MAY BE SPECIAL ORDERED.
BLACK (40)	01, 21, 24, 28, 29, 31, 32, 38, 41, 48, 55, 58, 59, 60, 71, 150	
BROWN (47)	09, 22, 33, 34, 42, 45, 49, 80, 130	
SILVER GREY (55)	15, 18, 20, 40, 85, 86, 92	
TAN (49)	47, 63, 76, 132, 167	
YELLOW OR WHITE	SPECIAL ORDER	
PHOTOLUMINESCENT	SEE PAGE A1-28 TABLE 1 FOR AVAILABLE COLORS	

**VISUALLY IMPAIRED STAIR TREADS, NOSINGS
AND TACTILE WARNING SURFACE WITH
CONTRASTING CO-EXTRUDED INSERT COLORS**

TABLE 3

INSERT COLOR	BASE COLORS
40 BLACK	01, 21, 24, 28, 29, 31, 32, 38, 41, 48, 50*, 55, 58, 59, 60, 71, 150
47 BROWN	09, 22, 34, 42, 45, 49, 80, 130
49 BEIGE	47, 63, 76, 132, 167
55 SILVER GREY	15, 18, 20, 40, 85, 86, 92
85 BURGUNDY	33
PHOTOLUMINESCENT	SEE PAGE A1-28 FOR AVAILABLE COLORS

JOHNSONITE DESIGNER RUBBER TILE COLLECTION

ROUND AND SQUARE RAISED SURFACE, SMOOTH, SPECKLED TEXTURES AND LANDING TILE

REF. NO.	ITEM	CODE	SIZE	DISC HEIGHT	OVERALL THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
1	Raised Round Surface Solid Color	RT	24" x 24"	.025"	.125" (3.175 mm)			8 pcs.	35 lbs.
To order RT - Color Code - .125 - Round. (Example: RT - 40 .125 RD)						See Table 1, Page A1-38 for Color Codes and Charts.			
2	Raised Square Surface Solid Color	RT	24" x 24"	.025"	.125" (3.175 mm)			8 pcs.	35 lbs.
To order RT - Color Code - .125 - Square. (Example: RT - 40 .125 SQ)						See Table 1, Page A1-38 for Color Codes and Charts.			
3	Smooth Surface Solid Color	RET	24" x 24"	---	.100" (2.54 mm)			8 pcs.	35 lbs.
To order RET - Color Code - .100. (Example: RET - 40 .100)						See Table 1, Page A1-38 for Color Codes and Charts.			
4	Smooth Surface Smooth Surface	C C	24" x 24" 12" x 24"	.025" .025"				8 pcs. 40 pcs.	35 lbs. 40 lbs.
How to Order: C - Color Code - 1/8" Smooth - Size - See Table 1, Page A1-38 for Color Charts.									
5	Raised Round Surface Solid Color	RT	24" x 24"	.025"	.155" (4 mm)			6 pcs.	34 lbs.
To order RT - Color Code - .155 - Round. (Example RT - 40 .155 RD)						See Table 1, Page A1-38 for Color Codes and Charts.			
6	Raised Square Surface Solid Color	RT	24" x 24"	.025"	.155" (4 mm)			6 pcs.	34 lbs.
To order RT - Color Code - .155 - Square. (Example RT - 40 .155 SQ)						See Table 1, Page A1-38 for Color Codes and Charts.			
7	Smooth Surface Solid Color	RET	24" x 24"	---	.130" (3.30 mm)			6 pcs.	34 lbs.
To order RET - Color Code - .130. (Example: RET - 40 .100)						See Table 1, Page A1-38 for Color Codes and Charts.			
8	Raised Square Surface Speckle	RTSP	24" x 24"	.025"	.125" (3.175 mm)	Artisan, Matera and Vibrance		8 pcs.	35 lbs.
To order RTSP - Style - .125 - Square. (Example RTSP - 717 .125 SQ)						See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style Number.			
9	Raised Round Surface Speckle	RTSP	24" x 24"	.025"	.125" (3.175 mm)	Artisan, Matera and Vibrance		8 pcs.	35 lbs.
To order RTSP - Style - .125 - Round. (Example RTSP - 717 .125 RD)						Special Order - No Minimums - Non Returnable See Table 2, 3 & 4, Page A1-38 for Color Chips and Style Number.			

FLAGSTONE (SLATE TEXTURE) SOLID COLOR AND SPECKLED RUBBER TILE

REF. NO.	ITEM	CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
10	FLAGSTONE Solid Color	FRTS	24" x 24"	1/8"	.025"			8 pcs.	32 lbs.
To Order Use: FRTS - Color Code - Size - Thickness. (Example: FRTS - 22 Pearl - 24"x24" - 1/8")						See Table 1, Page A1-38 for Color Charts.			
11	Speckled Design	FRTSP	24" x 24"	1/8"	.025"	Artisan, Matera and Vibrance		8 pcs.	32 lbs.
To Order Use: FRTSP - Color Code - Size - Thickness. (Example: FRTSP - 717 - 24"x24" - 1/8")						See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style Number			

HAMMERED SOLID COLOR AND SPECKLED RUBBER TILE

REF. NO.	ITEM	CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
12	HAMMERED Solid Color	HRTS	24" x 24"	1/8"	N/A			8 pcs.	32 lbs.
To Order Use: HRT - Color Code - Size - Thickness. (Example: HRT - 22 Pearl - 24"x24" - 1/8")						See Table 1, Page A1-38 for Color Charts.			
13	Speckled Design	HRTSP	24" x 24"	1/8"	N/A	Artisan, Matera and Vibrance		8 pcs.	32 lbs.
To Order Use: HRTSP - Color Code - Size - Thickness. (Example: HRTSP - 717 - 24"x24" - 1/8")						See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style Number			

WEATHERED SOLID COLOR AND SPECKLED DESIGN RUBBER TILE

REF. NO.	ITEM	CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
13	WEATHERED Solid Color	WRTS	24" x 24"	1/8"	N/A			8 pcs.	35 lbs.
To Order Use: WRTS - Color Code - Size - Thickness. (Example: WRTS - 22 Pearl - 24"x24" - 1/8")						See Table 1, Page A1-38 for Color Codes and Charts.			
15	Speckled Design	WRTSP	24" x 24"	1/8"	N/A	Artisan, Matera and Vibrance		8 pcs.	32 lbs.
To Order Use: WRTSP - Color Code - Size - Thickness. (Example: WRTSP - 717 - 24"x24" - 1/8")						See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style Number.			

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 965 FLOORING AND TREAD ADHESIVE, 996 TWO-PART EPOXY, OR 975 TWO-PART URETHANE ADHESIVE. OR SPRAY SMART 140 RUBBER FLOORING SPRAY ADHESIVE.

SEE JOHNSONITE.COM FOR THE COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

JOHNSONITE DESIGNER RUBBER TILE COLLECTION Cont.

PEBBLES SOLID COLOR AND SPECKLED RUBBER TILE

REF. NO.	ITEM	CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
16	PEBBLES Solid Color	PRTS	24" x 24"	1/8"	N/A	Chart 1	Chart 2	8 pcs.	35 lbs.
	To Order Use: PRTS - Color Code - Size - Thickness. (Example: PRTS - 22 Pearl - 24"x24" - 1/8") See Table 1, Page A1-38 for Color Charts.								
17	Speckled Design	PRTSP	24" x 24"	1/8"	N/A	Artisan, Matera and Vibrance		8 pcs.	35 lbs.
						To Order Use: PRTSP - Color Code - Size - Thickness. (Example: PRTSP - 717 - 24"x24" - 1/8") See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style Number			

BAMBOO SOLID COLOR AND SPECKLED RUBBER TILE

REF. NO.	ITEM	CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
18	BAMBOO Solid Color	BMRTS	24" x 24"	1/8"	N/A	Chart 1	Chart 2	8 pcs.	32 lbs.
	To Order Use: BMRTS - Color Code - Size - Thickness. (Example: BMRTS - 22 Pearl - 24"x24" - 1/8") See Table 1, Page A1-38 for Color Charts.								
19	Speckled Design	BMRTSP	24" x 24"	1/8"	N/A	Artisan, Matera and Vibrance		8 pcs.	32 lbs.
						Special Order - No Minimums -Non Returnable To Order Use: BMRTSP - Color Code - Size - Thickness. (Example: BMRTSP - 717 - 24"x24" - 1/8") See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style No.			

CHOPPED BAMBOO SOLID COLOR AND SPECKLED DESIGN RUBBER TILE

REF. NO.	ITEM	CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
20	CHOPPED BAMBOO Solid Color	CBMRTS	24" x 24"	1/8"	N/A	Chart 1	Chart 2	8 pcs.	32 lbs.
	To Order Use: CBMRTS - Color Code - Size - Thickness. (Example: CBMRTS - 22 Pearl - 24"x24" - 1/8") See Table 1, Page A1-38 for Color Codes and Charts.								
21	Speckled Design	CBMRTSP	24" x 24"	1/8"	N/A	Artisan, Matera and Vibrance		8 pcs.	32 lbs.
						Special Order - No Minimums -Non Returnable To Order Use: CBMRTSP - Color Code - Size - Thickness. (Example: CBMRTSP - 717 - 24"x24" - 1/8") See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style Number.			

CUBIS SOLID COLOR AND SPECKLED DESIGN RUBBER TILE

REF. NO.	ITEM	CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
22	CUBIS Solid Color	CRTS	24" x 24"	1/8"	N/A	Chart 1	Chart 2	8 pcs.	32 lbs.
	To Order Use: CRTS - Color Code - Size - Thickness. (Example: CRTS - 22 Pearl - 24"x24" - 1/8") See Table 1, Page A1-38 for Color Codes and Charts.								
23	Speckled Design	CRTSP	24" x 24"	1/8"	N/A	Artisan, Matera and Vibrance		8 pcs.	32 lbs.
						Special Order - No Minimums -Non Returnable To Order Use: CRTSP - Color Code - Size - Thickness. (Example: CRTSP - 717 - 24"x24" - 1/8") See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style Number.			

ARTISTIC SQUARE SOLID COLOR AND SPECKLED DESIGN RUBBER TILE

REF. NO.	ITEM	CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
24	ARTISTIC SQUARE Solid Color	ARTS	24" x 24"	1/8"	N/A	Chart 1	Chart 2	8 pcs.	35 lbs.
	To Order Use: ARTS - Color Code - Size - Thickness. (Example: ARTS - 22 Pearl - 24"x24" - 1/8") See Table 1, Page A1-38 for Color Codes and Charts.								
25	Speckled Design	ARTSP	24" x 24"	1/8"	N/A	Artisan, Matera and Vibrance		8 pcs.	35 lbs.
						Special Order - No Minimums -Non Returnable To Order Use: ARTSP - Color Code - Size - Thickness. (Example: ARTSP - 717 - 24"x24" - 1/8") See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style Number.			

DIAMOND SOLID COLOR AND SPECKLED DESIGN RUBBER TILE

REF. NO.	ITEM	CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT		PIECES PER CARTON	WEIGHT PER CARTON
						Chart 1	Chart 2		
26	DIAMOND Solid Color	CN	24" x 24"	1/8"	N/A	Chart 1	Chart 2	8 pcs.	35 lbs.
	To Order Use: CN - Color Code - Size - Thickness. (Example: CN - 22 Pearl - 24"x24" - 1/8") See Table 1, Page A1-38 for Color Codes and Charts.								
27	Speckled Design	CNSP	24" x 24"	1/8"	N/A	Artisan, Matera and Vibrance		8 pcs.	35 lbs.
						Special Order - No Minimums -Non Returnable To Order Use: ARTSP - Color Code - Size - Thickness. (Example: ARTSP - 717 - 24"x24" - 1/8") See Table 2, 3 & 4, Page A1-38 for Chip Colors & Style Number.			

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 965 FLOORING AND TREAD ADHESIVE, 996 TWO-PART EPOXY, OR 975 TWO-PART URETHANE ADHESIVE. OR SPRAY SMART 140 RUBBER FLOORING SPRAY ADHESIVE.

SEE JOHNSONITE.COM FOR THE COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

Hammered - Standard Surface Texture

REF. NO.	ITEM	CODE	SIZE	THICKNESS	CHIP SIZE	PRICE PER SQUARE FOOT	PIECES PER CARTON	WEIGHT PER CARTON
1	DOWNTOWN COLLECTION	CSH	24" x 24"	2mm (.080")	Large & Medium		12 pcs.	35 lbs.
To Order Use: CSH - Color Code - Thickness. (Example: CSH - 530 - 2mm) See Table A below for Color Code and Chip Colors								
2	GREENWICH COLLECTION	CSH	24" x 24"	2mm (.080")	Large & Medium		12 pcs.	35 lbs.
To Order Use: CSH - Color Code - Thickness. (Example: CSH - 541 - 2mm) See Table B below for Color Code and Chip Colors								
3	GARDENS COLLECTION	CSH	24" x 24"	2mm (.080")	Large & Medium		12 pcs.	35 lbs.
To Order Use: CSH - Color Code - Thickness. (Example: CSH - 550 - 2mm) See Table C below for Color Code and Chip Colors								
4	NIGHTLIFE COLLECTION	CSH	24" x 24"	2mm (.080")	Large		12 pcs.	35 lbs.
To Order Use: CSH - Color Code - Thickness. (Example: CSH - 560 - 2mm) See Table D below for Color Code and Chip Colors								

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 965 FLOORING & TREAD ADHESIVE, 996 TWO-PART EPOXY, OR 975 TWO PART URETHANE ADHESIVE, SPRAY SMART 140 Rubber Flooring Spray Adhesive,

SEE JOHNSONITE.COM FOR THE COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

Additional Ordering Notes:

- Weathered Surface Texture available by special order
- 12" x 12" available by special order
- 1/8" (3.2mm) thickness available by special order
- Custom Colorations available; 700 square foot minimum

Installation Note:

- All subfloors must be dry, clean, smooth flat to within 1/8" in 10 foot.
- Before install, read complete installation instructions available in cartons or www.johnsonite.com

Table A - DOWNTOWN COLLECTION - 2MM

Color Code	Color Name	Chip Size	Field Color	Chip Colors
530	Statue	Large & Medium	71 Storm Cloud	21 Platinum, 40 Black, 28 Medium Grey
531	Billboard	Large & Medium	20 Charcoal	21 Platinum, 40 Black, 28 Medium Grey
532	Theater	Large & Medium	32 Pebble	12 Hard Rock, 29 Moon Rock, 63 Burnt Umber
533	Main Street	Large & Medium	55 Silver Grey	28 Medium Grey, 50 White, 71 Storm Cloud
534	Alley	Large & Medium	28 Medium Grey	21 Platinum, 38 Pewter, 71 Storm Cloud
535	Transit	Large & Medium	48 Grey	55 Silver Grey, 40 Black, 50 White
536	Blacktop	Large & Medium	40 Black	38 Pewter, 21 Platinum, 48 Grey
537	Boutique	Large & Medium	21 Platinum	48 Grey, 50 White, 40 Black
538	Bus Stop	Large & Medium	55 Silver Grey	50 White, 40 Black, 48 Grey
539	Granite	Large & Medium	38 Pewter	50 White, 40 Black, 71 Storm Cloud
540	Cathedral	Large & Medium	23 Vapor Grey	28 Medium Grey, 50 White, 71 Storm Cloud

Table B - GREENWICH COLLECTION - 2MM

541	Sandstone	Large & Medium	49 Beige	32 Pebble, 22 Pearl, 50 White
542	Umbrella	Large & Medium	12 Hard Rock	05 Stone, 50 White, 60 Taupe
543	Hotel	Large & Medium	31 Zephyr	32 Pebble, 24 Grey Haze, 50 White
544	Store Front	Large & Medium	05 Stone	60 Taupe, 48 Grey, 24 Grey Haze
545	Bookstore	Large & Medium	11 Canvas	80 Fawn, 20 Charcoal, 28 Medium Grey, 50 White
546	Playhouse	Large & Medium	09 Clay	29 Moon Rock, 40 Black, 50 White
547	Cornerstone	Large & Medium	24 Grey Haze	55 Silver Grey, 29 Moon Rock, 50 White
548	Chocolate Shop	Large & Medium	47 Brown	45 Sandalwood, 09 Clay, 29 Moon Rock
549	Café	Large & Medium	130 Sisal	45 Sandalwood, 22 Pearl, 29 Moon Rock

Table C - GARDENS COLLECTION - 2MM

550	Carriage	Large & Medium	14 Tropical Storm	137 Veiled Violet, 07 Wood Violet, 21 Platinum
551	Meadows	Large & Medium	41 Sea Breeze	21 Platinum, 38 Pewter, 84 Blue Jeans
552	Conservatory	Large & Medium	18 Navy Blue	38 Pewter, 71 Storm Cloud, 92 Blue Lagoon
553	Blue Swan	Large & Medium	84 Blue Jeans	139 Glacier, 21 Platinum, 30 Ink
554	Park Bench	Large & Medium	30 Ink	139 Glacier, 84 Blue Jeans
555	Lily Pond	Large & Medium	58 Windsor Blue	139 Glacier, 84 Blue Jeans, 30 Ink
556	Carousel	Large & Medium	137 Veiled Violet	07 Wood Violet, 21 Platinum, 14 Tropical Storm
557	Woodduck	Large & Medium	59 Heather Green	21 Platinum, 38 Pewter, 86 Hunter Green
558	Stormy Night	Large & Medium	92 Blue Lagoon	38 Pewter, 40 Black, 71 Storm Cloud
559	Boathouse	Large & Medium	84 Blue Jeans	139 Glacier, 30 Ink, 144 Blueprint

Table D - NIGHTLIFE COLLECTION - 2MM

560	Backstage	Large	160 Violet	139 Glacier, 144 Blueprint
561	Neon	Large	159 Pink	160 Violet, 154 Purple
562	Comedy	Large	147 South Seas	70 Bluest, 142 Aquatic, 143 Marine
563	Orange Burst	Large	140 Carrot	134 Gold Rush, 130 Sisal, 141 Lipstick
564	Melody	Large	158 P Blue	84 Blue Jeans, 30 Ink, 142 Aquatic
565	Cool Weave	Large	12 Hard Rock	147 South Seas, 161 Vivid Blue, 142 Aquatic
566	Outburst	Large	134 Gold Rush	70 Bluest, 143 Marine, 142 Aquatic
567	Spirit	Large	70 Bluest	50 White, 06 Diablo Red
568	Barbershop	Large	06 Diablo Red	50 White, 70 Bluest
569	Blackjack	Large	21 Platinum	40 Black
570	Blues	Large	142 Aquatic	134 Gold Rush, 143 Marine, 70 Bluest
571	Starburst	Large	70 Bluest	134 Gold Rush, 139 Glacier, 144 Blueprint
572	Rumba	Large	144 Blueprint	134 Gold Rush, 139 Glacier, 70 Bluest
573	Reggae	Large	40 Black	134 Gold Rush, 141 Lipstick, 140 Carrot, 130 Sisal
574	Blacklight	Large	40 Black	147 South Seas, 143 Marine, 70 Bluest, 142 Aquatic
575	Night Sky	Large	40 Black	21 Platinum
576	Coffee House	Large	63 Burnt Umber	45 Sandalwood
577	Two Step	Large	45 Sandalwood	63 Burnt Umber
578	Checkerboard	Large	06 Diablo Red	40 Black
579	Spotlight	Large	75 Lemon	40 Black
580	Jazz	Large	152 Shamrock	70 Bluest, 134 Gold Rush, 158 P Blue
581	Jammin'	Large	159 Pink	75 Lemon, 64 Keylime, 143 Marine
582	Disco	Large	143 Marine	75 Lemon, 159 Pink, 64 Keylime

Chip Size and Density:

Actual chip size and density varies in appearance from tile to tile in the manufacturing process.

PRIMA CUSTOM AND CUSTOM OLIO COLOR COMBINATIONS USING JOHNSONITE'S STANDARD COLOR PALETTE								
REF. NO.	DESIGN/TEXTURE	PRODUCT CODE	SIZE	THICKNESS	PRICE PER SQUARE FOOT BASED ON FIELD COLOR (See Page A1-38 for Field Color)			
					300 - 1000 Sq.Ft.	1000 Sq.Ft. Plus	300- 1000 Sq.Ft.	1000 Sq.Ft. Plus
					Chart 1	Chart 1	Chart 2	Chart 2
29	SMOOTH	PRIMA	12" x 12"	1/8"				
30	PRIMA FLAGSTONE	FRTP	12" x 12"	1/8"				
31	PRIMA HAMMERED	HRTP	12" x 12"	1/8"				
32	PRIMA WEATHERED	WRTP	12" x 12"	1/8"				
33	OLIO SMOOTH	OLIO SMOOTH	12" x 12"	1/8"				
34	OLIO FLAGSTONE	FRTP0	12" x 12"	1/8"				
35	OLIO HAMMERED	HRTP0	12" x 12"	1/8"				
36	OLIO WEATHERED	WRTP0	12" x 12"	1/8"				
PIECES PER CARTON		40 Pcs	WEIGHT PER CARTON		40 LBS.			

NOTES:

1. The special marbleization process may result in some variation of mottling from tile to tile helping to accentuate the design.
2. The combination of up to three veining colors may change the field color somewhat from solid sample color swatches.
3. Custom colored tile may not be returned.
4. Prima may also be ordered in stair treads, risers and stringers as a special order and are not returnable.
5. Tile may be ordered in the 24" x 24" size as a special order, however, the mottling will show more variation than the 12" x 12" tile.

HOW TO ORDER CUSTOM COLOR DESIGNS - STANDARD COLOR PALETTE.

A. THE STANDARD COLOR PALETTE FOR CUSTOM MARBLEIZED AND OLIO

1. Select a field color and up to three additional colors for veining in the base color.
2. Pricing will be calculated on the field color chosen. See Table 1, Page A1-38 for field color.
3. There is a 300 sq. ft. minimum when ordering from the standard color palette.

B. CUSTOM COLORS (ONE OR MORE) OUTSIDE OF THE STANDARD COLOR PALETTE

1. May be special ordered with a 1,000 sq. ft. minimum.
2. Pricing will be based on a project basis.

C. 10% OVERRUN NOT TO EXCEED 100 SQUARE FEET MAY APPLY ON CUSTOM COLORS.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 965 FLOORING AND TREAD ADHESIVE, 996 TWO-PART EPOXY, OR 975 TWO-PART URETHANE ADHESIVE. OR SPRAY SMART 140 RUBBER FLOORING SPRAY ADHESIVE.

SEE JOHNSONITE.COM FOR THE COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

METALLURGY RUBBER TILE COLLECTION in HAMMERED TEXTURE

REF. NO.	PRODUCT CODE	THICKNESS	PRICE PER SQUARE FOOT - TABLE 3	PIECES PER CARTON	WEIGHT PER CARTON		
49	HRTS	1/8"		8 pcs.	32 lbs.		
How to Order: Use Texture Code and Color Code - From Table 3 Below (Example: To order Venetian Gold use HRTS - AGM)							
TABLE 3 - AVAILABLE METALLURGY COLORS							
COLOR CODE	COLOR NAME	Coordinating Wall Base Color **		COLOR CODE	COLOR NAME	Coordinating Wall Base Color **	
AGM	Venetian Gold	67	Old Gold	WGL	Antique Metal	179	Steel
BRL	Sugar Cookie	176	Brass (NEW)	WGM	Dusty Charm	179	Steel
BRM	Cocoa Cabana	176	Brass (NEW)	BRD	Mahogany Glaze	66	Either Ore
CGL	Frosted Diamond	69	Sterling Silver	CGD	Black Diamond	82	Black Pearl
CGM	Silver Slate	178	Ironstone	CPD	Chocolate Frosting	66	Either Ore
CPM	Vintage Copper	177	Copper (NEW)	WGD	Smokey Pearl	82	Black Pearl

Note: ** These are the recommended metallic colors which coordinate with the Metallurgy Rubber Tile, any wall base color can be used if desired.

MESTO & MESTO CONFIGURATIONS .080" (2MM) VEINED RUBBER TILE COLLECTION

Effective May 2, 2011

Page A1-33

Mesto Configurations is a unique rubber family made up of 8 of the Mesto marbled colorways offered in a variety of tones and shapes in tiles and planks. Choose tiles in 6" x 6" or 12" x 12". Choose planks in 6" x 24" or 12" x 24". Much like natural stone, each of the 8 palettes is available in the standard Mesto color plus a lighter (L) and a darker (D) tone. These three individual tones can be used alone or blended with the other tones, creating the varied look of natural materials. Each tile and each plank are unique in pattern and color blend.

Ref.	MESTO .080" (2mm) Thickness Hammered Rubber Tile	Product Code	Standard Sizes / Cost per S.F. (FULL CARTONS ONLY)				Packaging Per Carton (Square Feet / Pieces / Weight) Full cartons Only				Suggested Coordinating Finishing Border(wall base) color
			12" x 12"	6" x 6"	6" x 24"	12" x 24"	12" x 12"	6" x 6"	6" x 24"	12" x 24"	
No.	Colors										
1	Mesto	MHO- 481					60 s.f.	60 s.f.	60 s.f.	60 s.f.	106 Skinny Dip
2	The Blues	Mesto (Light) MHO- 481L					60 Pc.	240 Pc.	60 Pc.	30 Pc.	
3		Mesto (Dark) MHO- 481D					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
4	Mesto	MHO- 483					60 s.f.	60 s.f.	60 s.f.	60 s.f.	73 Palm Leaf
5	Night Green	Mesto (Light) MHO- 483L					60 Pc.	240 Pc.	60 Pc.	30 Pc.	
6		Mesto (Dark) MHO- 483D					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
7	Mesto	MHO- 485					60 s.f.	60 s.f.	60 s.f.	60 s.f.	149 Milk Chocolate
8	Rural	Mesto (Light) MHO- 485L					60 Pc.	240 Pc.	60 Pc.	30 Pc.	
9		Mesto (Dark) MHO- 485D					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
10	Mesto	MHO- 487					60 s.f.	60 s.f.	60 s.f.	60 s.f.	49 Beige
11	Whirlwind	Mesto (Light) MHO- 487L					60 Pc.	240 Pc.	60 Pc.	30 Pc.	
12		Mesto (Dark) MHO- 487D					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
13	Mesto	MHO- 489					60 s.f.	60 s.f.	60 s.f.	60 s.f.	80 Fawn
14	Cha Cha	Mesto (Light) MHO- 489L					60 Pc.	240 Pc.	60 Pc.	30 Pc.	
15		Mesto (Dark) MHO- 489D					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
16	Mesto	MHO- 491					60 s.f.	60 s.f.	60 s.f.	60 s.f.	32 Pebble
17	Granola	Mesto (Light) MHO- 491L					60 Pc.	240 Pc.	60 Pc.	30 Pc.	
18		Mesto (Dark) MHO- 491D					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
19	Mesto	MHO- 494					60 s.f.	60 s.f.	60 s.f.	60 s.f.	38 Pewter
20	Rock Band	Mesto (Light) MHO- 494L					60 Pc.	240 Pc.	60 Pc.	30 Pc.	
21		Mesto (Dark) MHO- 494D					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
22	Mesto	MHO- 495					60 s.f.	60 s.f.	60 s.f.	60 s.f.	23 Vapor Grey
23	Cloud Stone	Mesto (Light) MHO- 495L					60 Pc.	240 Pc.	60 Pc.	30 Pc.	
24		Mesto (Dark) MHO- 495D					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
25	Mesto	MHO- 482					60 s.f.	60 s.f.	60 s.f.	60 s.f.	73 Palm Leaf
26	Artichoke	Mesto (Light) MHO- 482L → Special Order	Special Order	Special Order	Special Order		60 Pc.	240 Pc.	60 Pc.	30 Pc.	
27		Mesto (Dark) MHO- 482D → Special Order					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
28	Mesto	MHO- 484					60 s.f.	60 s.f.	60 s.f.	60 s.f.	130 Sisal
29	Seashore	Mesto (Light) MHO- 484L → Special Order	Special Order	Special Order	Special Order		60 Pc.	240 Pc.	60 Pc.	30 Pc.	
30		Mesto (Dark) MHO- 484D → Special Order					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
31	Mesto	MHO- 486					60 s.f.	60 s.f.	60 s.f.	60 s.f.	167 Fudge
32	Bass	Mesto (Light) MHO- 486L → Special Order	Special Order	Special Order	Special Order		60 Pc.	240 Pc.	60 Pc.	30 Pc.	
33		Mesto (Dark) MHO- 486D → Special Order					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
34	Mesto	MHO- 488					60 s.f.	60 s.f.	60 s.f.	60 s.f.	11 Canvas
35	Conga	Mesto (Light) MHO- 488L → Special Order	Special Order	Special Order	Special Order		60 Pc.	240 Pc.	60 Pc.	30 Pc.	
36		Mesto (Dark) MHO- 488D → Special Order					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
37	Mesto	MHO- 490					60 s.f.	60 s.f.	60 s.f.	60 s.f.	29 Moon Rock
38	Scout	Mesto (Light) MHO- 490L → Special Order	Special Order	Special Order	Special Order		60 Pc.	240 Pc.	60 Pc.	30 Pc.	
39		Mesto (Dark) MHO- 490D → Special Order					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
40	Mesto	MHO- 492					60 s.f.	60 s.f.	60 s.f.	60 s.f.	24 Grey Haze
41	High Point	Mesto (Light) MHO- 492L → Special Order	Special Order	Special Order	Special Order		60 Pc.	240 Pc.	60 Pc.	30 Pc.	
42		Mesto (Dark) MHO- 492D → Special Order					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
43	Mesto	MHO- 493					60 s.f.	60 s.f.	60 s.f.	60 s.f.	40 Black
44	Java	Mesto (Light) MHO- 493L → Special Order	Special Order	Special Order	Special Order		60 Pc.	240 Pc.	60 Pc.	30 Pc.	
45		Mesto (Dark) MHO- 493D → Special Order					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	
46	Mesto	MHO- 496					60 s.f.	60 s.f.	60 s.f.	60 s.f.	31 Zephyr
47	Linen	Mesto (Light) MHO- 496L → Special Order	Special Order	Special Order	Special Order		60 Pc.	240 Pc.	60 Pc.	30 Pc.	
48		Mesto (Dark) MHO- 496D → Special Order					45 Lbs.	45 Lbs.	45 Lbs.	45 Lbs.	

How to Order Specify: Product Code, Color Number and size. For example: MHO-481L 6" x 24" to order Hammered profile color 481 The Blues in the LIGHTER version and in 6" x 24" planks.


Weathered Texture: All colors available in the Weathered Texture by Special Order. Specify MWRO-XXX (color number) and size.

Note about Suggested Corresponding Finishing Borders (wall base) Colors. The Johnsonite system includes these suggested coordinating solid colors for wall base. See the Johnsonite Color Guide or actual wall base samples for complete offering. As always, compare samples or Color Guide renderings before choosing colors for your project. Other colors may be more suitable for your specific project.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 965 FLOORING AND TREAD ADHESIVE, 996 TWO-PART EPOXY, OR 975 TWO-PART URETHANE ADHESIVE. OR SPRAY SMART 140 RUBBER FLOORING SPRAY ADHESIVE.

NOTE:

*** All subfloors must be dry, clean, smooth and flat to within 1/8" in 10 feet. Before installation read complete installation instructions available in cartons or at johnsonite.com**




MODULARITIES™ COMPONENT RUBBER TILE SYSTEM: CIRCULINITY & FOLIO

Effective May 2, 2011


Page A1-34

Circulinity™ Component Rubber Tile System -- Solid Color Design Rubber Tile

Ref. No.	Circulinity™ Texture	Product Code	Size	Overall Thickness	Nominal Pattern Thickness	Price per Square Foot		Pieces Per Carton	Weight Per Carton
						Chart 1	Chart 2		
37	Fast Lane™ Pattern	CFL	24" x 24" (610mm x 610mm)	1/8" (3.175mm)	N/A			8 pcs.	32 lbs.
38	Round-A-Bout™ Pattern	CRB							
39	Tricycle™ Pattern	CTR							
40	Tic-Tac-Toe™ Pattern	CTT							
41	Effervescent™ Pattern	CEF							
How to Order: To Order Use: Product Code - Color Number (for example to order Fast Lane in Black specify CFL-40). See Table 1, Page A1-38 for Color Codes and Charts.									
									
<p>FastLane Round-a-Bout Tricycle Tic-Tac-Toe Effervescent</p>									

FOLIO™ Component Rubber Tile System -- Solid Color Design Rubber Tile



Ref. No.	Folio™ Texture	Product Code	Size	Overall Thickness	Nominal Pattern Thickness	Price per Square Foot		Pieces Per Carton	Weight Per Carton
						Chart 1	Chart 2		
42	Arbor	FARB	24" x 24" (610mm x 610mm)	1/8" (3.175mm)	N/A			8 pcs.	32 lbs.
43	Branches	FBRN							
44	Botany	FBOT							
45	Seasons	FSEA							
46	Bamboo Leaf	FBLF							
47	River Cane	FRCN							
48	Rice Paper	FRPA							
How to Order: To Order Use: Product Code - Color Number (for example to order Arbor in 49 Beige, specify FARB 49 Beige. See Table 1, Page A1-38 for Color Codes and Charts.									
									
<p>Bamboo Leaf Rice Paper</p>									

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 965 FLOORING AND TREAD ADHESIVE, 996 TWO-PART EPOXY, OR 975 TWO-PART URETHANE ADHESIVE. OR SPRAY SMART 140 RUBBER FLOORING SPRAY ADHESIVE. SEE JOHNSONITE.COM FOR THE COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

DEFIANT OIL AND GREASE RESISTANT RUBBER TILE AND RUBBER TREADS

**DEFIANT OIL AND GREASE RESISTANT RUBBER TILE
SOLID COLOR - MARBLEIZED -SPECKLED**

REF. NO.	TEXTURE / PROFILE	PRODUCT CODE	SIZE	THICKNESS	PRICE PER SQUARE FOOT			PIECES PER CARTON	WEIGHT PER CARTON
					SOLID COLORS CHART 1	MARBLEIZED CHART 2	SPECKLED CHART 3		
37	RAISED ROUND Solid Color	GRRT	24" x 24"	1/8"		Not Available	Not Available	8 pcs.	35 lbs.
38	HAMMERED Solid Color	GRHRT	24" x 24"	1/8"		Not Available	Not Available	8 pcs.	32 lbs.
39	HAMMERED Marbleized	GRHRTP	12" x 12"	1/8"	Not Available		Not Available	40 pcs.	40 lbs.
40	HAMMERED Speckled	GRHRTSP	24" x 24"	1/8"	Not Available	Not Available		8 pcs.	32 lbs.
41	RAISED ROUND Speckled	GRRTSP	24" x 24"	1/8"	Not Available	Not Available		8 pcs.	35 lbs.
How to Order	Specify: Product Code and Color Number. i.e. GRHRT-18 to order Hammered profile color 18 Navy Blue.								

Color Chart	Patterns	Color Name	Field Color	Vein Color	Speckled Color
Chart 1 Solid Colors	Solid Colors	18 Navy Blue	N/A	N/A	N/A
		20 Charcoal			
		40 Black			
		48 Grey			
		80 Fawn			
Chart 2 Marbleized Colors	Marbleized	295 Hazy	18 Navy Blue	48 Grey	N/A
		296 Misty	20 Charcoal	80 Fawn	
		297 Blackout	40 Black	20 Charcoal	
		298 Vague	40 Black	80 Fawn	
Chart 3 Speckled Colors	Speckled	277 Cold Front	48 Grey	N/A	38 Pewter, 40 Black
		278 Dress Blues	18 Navy Blue		38 Pewter, 58 Windsor Blue
		279 Dew Point	86 Hunter Green		59 Heather Green, 49 Beige
		729 Thicket	80 Fawn		29 Moon Rock, 49 Beige
		732 Tundra	20 Charcoal		38 Pewter, 40 Black
		733 Molten	40 Black		38 Pewter, 48 Grey

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S 965 FLOORING AND TREAD ADHESIVE, 996 TWO-PART EPOXY, OR 975 TWO-PART URETHANE ADHESIVE. OR SPRAY SMART 140 RUBBER FLOORING SPRAY ADHESIVE. SEE JOHNSONITE.COM FOR THE COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

**DEFIANT OIL AND GREASE RESISTANT RUBBER STAIR TREAD
SOLID COLOR - MARBLEIZED -SPECKLED**



Defiant Oil and Grease Resistant Rubber Stair Treads are Non-Returnable

REF. NO.	TEXTURE / PROFILE	PRODUCT CODE	PRICE PER SQUARE FOOT			LENGTHS	PIECES PER CARTON	WEIGHT PER FOOT
			SOLID COLORS CHART 1	MARBLEIZED CHART 2	SPECKLED CHART 3			
41	Raised Square One Piece Tread Riser	GRRTR		Not Available	Not Available	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	UP TO 6' - 5 PCS. GREATER THAN 6' - 3 PCS.	3.5 LBS.
42	Raised Square One Piece Tread Riser	GRRTRP	Not Available		Not Available			
43	Raised Square One Piece Tread Riser	GRRTRSP	Not Available	Not Available				
How to Order	Specify: Product Code and Color Number (from chart 1, 2 or 3) and Length-- i.e. GRRTR-18- 6' - to order Raised Square One Piece Tread Riser color 18 Navy Blue- 6' length.							

SPECIAL WARRANTY INFORMATION:

USE Johnsonite 965 Flooring and Tread Adhesive to secure stair tread and use 930 Epoxy Caulking Compound in the Nose Angle. Tread Nose must be secured to the step riser using 945 Contact Bond Adhesive or power tape.

or

Use Johnsonite 975 Two Part Urethane Adhesive to secure stair tread and use 930 Epoxy Caulking compound in the nose angle. Tread Nose must be secured to the step riser using 945 contact bond adhesive or power tape.

or

Use Johnsonite Power tape to secure stair tread and use 930- epoxy caulking compound in the nose angle. Tread nose must be secured to the step riser using 945 Contact bond adhesive or power tape.

See WWW. Johnsonite. com for complete adhesive and installation information.

JOHNSONITE ECO-NATURALS COLLECTION - RUBBER FLOOR TILE AND RUBBER STAIR TREADS

Effective May 2, 2011

Page A1-36

ECO SHELL HAMMERED TEXTURED RUBBER TILE WITH CORK SPECKLES

7% RAPIDLY RENEWABLE (CORK & WALNUT) AND 7% PRE-CONSUMER RECYCLED CONTENT BY WEIGHT

REF. NO.	ITEM	PRODUCT CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT (see Table 1 page A1-36 below for Available Colors)	PIECES PER CARTON	WEIGHT PER CARTON
1	HAMMERED	HRTEC	24" x 24"	1/8"	N/A		8 pcs.	32 lbs.
	ECO SHELL RUBBER TILE (WITH CORK & WALNUT SHELL)							
To Order Use: HRTEC - Color Code - Thickness. (Example: HRTEC - DE8 - 1/8") See "Table 1" below for Color Code and Names								
FOR JOHNSONITE WARRANTY TO APPLY ON RUBBER FLOOR TILE, USE JOHNSONITE'S 965 FLOORING & TREAD ADHESIVE, 996 TWO-PART EPOXY, OR 975 TWO PART URETHANE ADHESIVE, SPRAY SMART 140 Rubber Flooring Spray Adhesive. SEE JOHNSONITE.COM FOR THE COMPLETE ADHESIVE AND INSTALLATION								

ECO SHELL HAMMERED TEXTURED RUBBER TREADS WITH CORK SPECKLES

7% RAPIDLY RENEWABLE (CORK & WALNUT) AND 7% PRE-CONSUMER RECYCLED CONTENT BY WEIGHT

REF. NO.	TREAD TYPE	PRODUCT CODE	OVERALL DEPTH INCHES	GAUGE TAPERING INCHES	NOSE	LENGTHS	PRICE PER LINEAL FOOT	PIECES PER CARTON	WGT. PER FT.
2	ECO SHELL Hammered Surface One Piece Tread/Riser (WITH CORK & WALNUT SHELL)	HTREC	20"	.210" tapering to .113"	SQ.	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'		Up to 6' - 5 pcs. Greater than 6' 3 pcs	3 1/2 lbs.
	How to Order: HTREC - Color Code - Length - (Example: HTREC - DE8 Snow Bird- 4 Ft. SQ Nose) See "Table 1" Page A1-36, below for available colors.								
3	ECO SHELL Visually Impaired Hammered Surface One Piece Tread/Riser with abrasive insert (WITH CORK & WALNUT SHELL)	VIHTREC	20"	.210" tapering to .113"	SQ.	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'		Up to 6' - 5 pcs. Greater than 6' 3 pcs	3 1/2 lbs.
	How to Order: VIHTREC - Color Code - Length - (Example: VIHTREC - DE8 Snow Bird - 4 Ft. SQ Nose) See "Table 1" Page A1-36, below for available colors.								

NOTE: OTHER TREAD STYLES AVAILABLE BY SPECIAL ORDER; CONSULT JOHNSONITE FOR DETAILS

Table 1 - AVAILABLE COLORS

ECO SHELL -- HAMMERED 1/8" RUBBER TILE WITH CORK AND WALNUT SHELL AVAILABLE COLORS & Coordinating Solid Color

Eco Shell Color	Coordinating Wall Base	Eco Shell Color	Coordinating Wall Base	Eco Shell Color	Coordinating Wall Base	Eco Shell Color	Coordinating Wall Base
DE8 - Snow Bird	01 Snow White	DJ2 - Ashen	38 Pewter	DN9 - Spotty	76 Cinnamon	DP6 - Nut Sheet	146 Butternut
DE9 - Fossil	09 Clay	DJ3 - Spring Nights	40 Black	DP1 - Baby Deer	80 Fawn	DP7 - Grass Spots	150 Wetlands
DH7 - Sandstorm	19 Desert Camel	DN5 - Pacific Storm	48 Grey	DP2 - Sea Grass	101 Seaweed	DP8 - Appaloosa	167 Fudge
DH8 - Lunar Sky	20 Charcoal	DN6 - Spot On	45 Sandalwood	DP3 - Timber	112 Oakley	DP9 - Ruddy	173 Auburn
DH9 - Mars Rock	29 Moon Rock	DN7 - Sun Tan	49 Beige	DP4 - Deep Sea	113 Mineral Springs	DQ1 - Panache	284 Ganache
DJ1 - Grainy	32 Pebble	DN8 - Spicy Brown	63 Burnt Umber	DP5 - Strand	130 Sisal	DQ2 - Destiny	286 Fortune Cookie

SPECIAL WARRANTY INFORMATION:

USE Johnsonite 965 Flooring and Tread Adhesive to secure stair tread and use 930 Epoxy Caulking Compound in the Nose Angle. Tread Nose must be secured to the step riser using 945 Contact Bond Adhesive or power tape.

or

Use Johnsonite 975 Two Part Urethane Adhesive to secure stair tread and use 930 Epoxy Caulking compound in the nose angle. Tread Nose must be secured to the step riser using 945 contact bond adhesive or power tape.

or

Use Johnsonite Power tape to secure stair tread and use 930- epoxy caulking compound in the nose angle. Tread nose must be secured to the step riser using 945 Contact bond adhesive or power tape.

See WWW. Johnsonite. com for complete adhesive and installation information.

JOHNSONITE ECO-NATURALS COLLECTION - RUBBER FLOOR TILE AND RUBBER STAIR TREADS

Effective May 2, 2011

Page A1-37

CORKTONES - HAMMERED TEXTURE SOLID COLOR RUBBER TILE WITH CORK SPECKLES

2.5% RAPIDLY RENEWABLE AND PRE-CONSUMER RECYCLED CONTENT BY TOTAL WEIGHT

REF. NO.	ITEM	PRODUCT CODE	SIZE	THICKNESS	NOMINAL PATTERN THICKNESS	PRICE PER SQUARE FOOT	PIECES PER CARTON	WEIGHT PER CARTON
4	HAMMERED	HRTCT	24" x 24"	1/8"	N/A	Available in 32 ColorMatch Colors - see Page A1-38 table 1 for a complete list of ColorMatch colors; other colors available by special order	8 pcs.	32 lbs.
	CORKTONES (WITH CORK)							
To Order Use: HRTCT - Color Code - Thickness. (Example: HRTCT - 49 BEIGE - 1/8")								
FOR JOHNSONITE WARRANTY TO APPLY ON RUBBER FLOOR TILE, USE JOHNSONITE'S 965 FLOORING & TREAD ADHESIVE, 996 TWO-PART EPOXY, OR 975 TWO PART URETHANE ADHESIVE, SPRAY SMART 140 Rubber Flooring Spray Adhesive. SEE JOHNSONITE.COM FOR THE COMPLETE ADHESIVE AND								

CORKTONES - HAMMERED TEXTURE SOLID COLOR RUBBER STAIR TREADS WITH CORK SPECKLES

2.5% RAPIDLY RENEWABLE AND PRE-CONSUMER RECYCLED CONTENT BY TOTAL WEIGHT

REF. NO.	TREAD TYPE	PRODUCT CODE	OVERALL DEPTH INCHES	GAUGE TAPERING INCHES	NOSE	LENGTHS	PRICE PER LINEAL FOOT	PIECES PER CARTON	WGT. PER FT.
5	Cork Tones	HTRCT	20"	.210" tapering to .113"	SQ.	3', 3.5', 4' 4.5', 5', 6' 7', 8', 9'	Available in 32 ColorMatch Colors - see Page A1-38 table 1 for a complete list of ColorMatch colors; other colors available by special order	Up to 6' -	3 1/2
	Hammered Surface One Piece Tread/Riser							5 pcs. Greater than 6' 3 pcs	lbs.
How to Order: HTRCT - Color Code - Length - (Example: HTRCT - 47 - 4 Ft. SQ Nose)									
6	Cork Tones	VIHTRCT	20"	.210" tapering to .113"	SQ.	3', 3.5', 4' 4.5', 5', 6' 7', 8', 9'	Available in 32 ColorMatch Colors - see Page A1-38 table 1 for a complete list of ColorMatch colors; other colors available by special order	Up to 6' -	3 1/2
	Visually Impaired Hammered Surface One Piece Tread/Riser with abrasive insert							5 pcs. Greater than 6' 3 pcs	lbs.
How to Order: VIHTRCT - Color Code - Length - (Example: VIHTRCT - 47 - 4 Ft. SQ Nose)									

NOTE: OTHER TREAD STYLES AVAILABLE BY SPECIAL ORDER; CONSULT JOHNSONITE FOR DETAILS

NOTE:

SPECIAL WARRANTY INFORMATION:

USE Johnsonite 965 Flooring and Tread Adhesive to secure stair tread and use 930 Epoxy Caulking Compound in the Nose Angle. Tread Nose must be secured to the step riser using 945 Contact Bond Adhesive or power tape.

or

Use Johnsonite 975 Two Part Urethane Adhesive to secure stair tread and use 930 Epoxy Caulking compound in the nose angle. Tread Nose must be secured to the step riser using 945 contact bond adhesive or power tape.

or

Use Johnsonite Power tape to secure stair tread and use 930- epoxy caulking compound in the nose angle. Tread nose must be secured to the step riser using 945 Contact bond adhesive or power tape.

See WWW. Johnsonite. com for complete adhesive and installation information.

COLOR CHARTS FOR SOLID AND SPECKLED COLORWAYS FOR RUBBER TILE, STAIR, TREADS, STRINGERS AND RISERS

Effective May 2, 2011

Page A1-38

TABLE 1
AVAILABLE SOLID COLORS IN RUBBER TILE, STAIR TREADS, STRINGERS AND RISERS

CHART 1 COLORS		CM = COLORMATCH COLORS					
40 Black	CM						
CHART 2 COLORS		CM = COLORMATCH COLORS					
01 Snow White	CM	38 Pewter	CM	75 Lemon	141 Lipstick	284 Ganache	
05 Stone		41 Sea Breeze	CM	76 Cinnamon	CM	142 Aquatic	285 Morning Light
09 Clay	CM	42 Sable	CM	80 Fawn	CM	143 Marine	286 Fortune Cookie
11 Canvas		43 Hyacinth		84 Blue Jeans		146 Butternut	287 Rustic
12 Hard Rock		45 Sandalwood	CM	85 Burgundy	CM	148 Paprika	289 Jaded
15 Cabernet		47 Brown	CM	86 Hunter Green	CM	150 Wetlands	290 Tea Green
18 Navy Blue	CM	48 Grey	CM	92 Blue Lagoon	CM	151 Iguana	291 Laguna
19 Desert Camel		49 Beige	CM	101 Seaweed		152 Shamrock	293 Peacock
20 Charcoal	CM	55 Silver Grey	CM	103 Sprout		162 Sovereign	294 Big Top
21 Platinum	CM	58 Windsor Blue	CM	106 Skinny Dip		163 Salsa	
22 Pearl	CM	59 Heather Green	CM	111 Honeycomb		165 Squashed	
24 Grey Haze	CM	60 Taupe		112 Oakley		166 Sienna	
27 Mist		62 Tangerine Tango		113 Chestnutty		167 Fudge	
28 Medium Grey	CM	63 Burnt Umber	CM	121 Cement		168 Thunder	
29 Moon Rock	CM	70 Bluest		129 Silk		173 Auburn	
31 Zephyr	CM	71 Storm Cloud	CM	130 Sisal	CM	190 Greege	
32 Pebble	CM	72 Harbour		132 Espresso		192 Tidewater	
33 Adobe Peach	CM	73 Palm Leaf		134 Gold Rush		280 Shoreline	
34 Almond	CM	74 Iris		140 Carrot		282 Vaporize	

NOTE: ALL COLORS AVAILABLE WITH MARBLEIZATION. STANDARD MARBLEIZATION IS 50 WHITE EXCEPT FOR COLOR 49 BEIGE WITH BROWN AND WHITE, COLOR 48 GREY WITH BLACK AND WHITE AND COLOR 22 PEARL WITH BROWN MARBLEIZATION.

TABLE 2
VIBRANCE SPECKLED COLORWAYS

Color Name & Number	Field Color	Chip	Chip Colors
717 Wildflower	144 Blueprint	Medium	134 Gold Rush, 140 Carrot, 141 Lipstick, 142 Aquatic, 143 Marine
718 Sunburst	134 Gold Rush	Medium	140 Carrot, 141 Lipstick, 142 Aquatic, 143 Marine, 144 Blueprint
719 Citrus	140 Carrot	Medium	134 Gold Rush, 141 Lipstick, 142 Aquatic, 143 Marine, 144 Blueprint
720 Aquamarina	142 Aquatic	Medium	134 Gold Rush, 140 Carrot, 141 Lipstick, 143 Marine, 144 Blueprint
721 Blue Skies	143 Marine	Medium	134 Gold Rush, 140 Carrot, 141 Lipstick, 142 Aquatic, 144 Blueprint
722 Watermelon	141 Lipstick	Medium	134 Gold Rush, 140 Carrot, 142 Aquatic, 143 Marine, 144 Blueprint
723 Fireworks	40 Black	Medium	134 Gold Rush, 140 Carrot, 141 Lipstick, 142 Aquatic, 143 Marine, 144 Blueprint
724 Confetti	50 White	Medium	134 Gold Rush, 140 Carrot, 141 Lipstick, 142 Aquatic, 143 Marine, 144 Blueprint

TABLE 3
ARTISAN SPECKLED COLOR COMBINATIONS

Color Name & Number	Field Color	Chip	Chip Colors
709 Empire	40 Black	Medium	20 Charcoal, 85 Burgundy
710 Saber	20 Charcoal	Medium	18 Navy Blue, 48 Grey
711 Steam	55 Silver Grey	Medium	80 Fawn, 49 Beige
712 Curry	80 Fawn	Medium	48 Grey, 49 Beige
713 Sahara	49 Beige	Medium	80 Fawn, 34 Almond
714 Azure	18 Navy Blue	Medium	85 Burgundy, 20 Charcoal
715 Ming Blue	58 Windsor Blue	Medium	55 Silver Grey, 18 Navy Blue
716 Celadon	59 Heather Green	Medium	92 Blue Lagoon, 80 Fawn
725 Meteor	63 Burnt Umber	Medium	29 Moon Rock, 49 Beige
726 Mudpie	29 Moon Rock	Medium	55 Silver Grey, 63 Burnt Umber
727 Vine	86 Hunter Green	Medium	59 Heather Green, 22 Pearl
728 Sidewalk	22 Pearl	Medium	05 Stone, 29 Moon Rock

TABLE 4
MATERA SPECKLED DESIGNER TILE COLOR COMBINATIONS

Color Name & Number	Field Color	Chip	Chip Colors
531 Billboard	20 Charcoal	Medium	21 Platinum, 40 Black, 28 Medium Grey
541 Sandstone	49 Beige	Medium	32 Pebble, 22 Pearl, 50 White
542 Umbrella	12 Hard Rock	Medium	05 Stone, 50 White, 60 Taupe
545 Bookstore	11 Canvas	Medium	80 Fawn, 20 Charcoal, 28 Medium Grey, 50 White
546 Playhouse	09 Clay	Medium	28 Moon Rock, 40 Black, 50 White
548 Chocolate Shop	47 Brown	Medium	45 Sandalwood, 09 Clay, 29 Moon Rock
549 Café	130 Sisal	Medium	45 Sandalwood, 22, Pearl, 29 Moon Rock
583 Sicily	71 Storm Cloud	Medium	21 Platinum, 40 Black, 28 Medium Grey
584 Venice	32 Pebble	Medium	12 Hard Rock, 29 Moon Rock, 63 Burnt Umber
585 Florence	48 Grey	Medium	55 Silver Grey, 40 Black, 50 White
586 Milan	21 Platinum	Medium	48 Grey, 50 White, 40 Black
587 Naples	23 Vapor Grey	Medium	28 Medium Grey, 50 White, 71 Storm Cloud
588 Genoa	24 Grey Haze	Medium	55 Silver Grey, 29 Moon Rock, 50 White
589 Tuscany	40 Black	Medium	21 Platinum

TABLE 2, 3, AND 4 -- CHIP SIZE AND DENSITY: ACTUAL CHIP SIZE AND DENSITY VARIES IN APPEARANCE FROM TILE TO TILE IN THE MANUFACTURING PROCESS

**JOHNSONITE RUBBER STAIR TREADS (NON VISUALLY IMPAIRED)
SOLID COLOR RUBBER STAIR TREADS WITHOUT RISERS**

Effective May 2, 2011

Page A1- 39

	Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7	Column 8
REF. No.	Tread Type	STANDARD TREAD WITHOUT VISUALLY IMPAIRED INSERT	VISUALLY IMPAIRED GRIT TAPE INSERT	Gauge Tapering Inches	Nose	Lengths	Pieces per Carton	Wgt. Per Ft.
		PRICE PER LINEAL FOOT - PRODUCT CODE	PRICE PER LINEAL FOOT - PRODUCT CODE					
SOLID COLOR RUBBER STAIR TREADS WITHOUT RISERS								
1	HEAVY DUTY SAFE-T-GRIP PRODUCT CODE	10.93 G	11.19 VIG	1/4" to 1/8"	SQ.	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3 lbs.
2	HEAVY DUTY SMOOTH SURFACE PRODUCT CODE	7.67 GS	NA	1/4" to 1/8"	SQ.	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3 lbs.
3	SERVICE WEIGHT SAFE-T-GRIP PRODUCT CODE	9.36 SA	8.09 VIS	3/16" TO 1/8"	SQ.	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	2 lbs.
4	SERVICE WEIGHT SMOOTH SURFACE PRODUCT CODE	6.37 S	NA	3/16" to 1/8"	SQ.	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	2 lbs.
5	SUR-GRIP PRODUCT CODE	7.29 SG	9.27 VISG	1/4" TO 1/8"	SQ.	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	2 lbs.

NOTE: Items 1 through 6 may be ordered with marbleization. To order with marbleization use: Product Code - Color Code - M - Length - Nose Type. Example: C - M - 4 Ft. - RD) See Table 1, Page A1-43 for Color Chart

HOW TO ORDER:

Step 1. Select the Product Code from column 2 or 3 located above. The product code is in "BOLD" print. Example: Standard Tread without Insert Heavy Duty Safe T Grip is G

Step 2. Select Color Code from Table 1 Page A1-38. Example: Silver Grey 55

Step 3. Select Length from Column 6 above. Example: 6 foot

EXAMPLE: TO ORDER SOLID COLOR HEAVY DUTY SAFE-T-GRIP RUBBER TREAD WITHOUT RISER IN 55 SILVER GREY 4' LENGTH -- USE: G 55 4'

SPECIAL NOTES:

1. REFER TO PAGE A1-49 AND A1-50 FOR ADHESIVES AND PAGE A1-39 FOR STRINGERS AND RISERS.
2. WHEN INSTALLATION ONE PIECE TREAD RISER COMBINATION PRODUCTS, JOHNSONITE RECOMMENDS THE INSTALLATION OF COVE FILLER STRIP CFS-00-A TO ENSURE PROPER FIT AND SUPPORT.
3. SPECIAL ORDER ITEMS ARE NON-RETURNABLE

SPECIAL WARRANTY INFORMATION:

USE Johnsonite 965 Flooring and Tread Adhesive to secure stair tread and use 930 Epoxy Caulking Compound in the Nose Angle. Tread Nose must be secured to the step riser using 945 Contact Bond Adhesive or power tape.

or

Use Johnsonite 975 Two Part Urethane Adhesive to secure stair tread and use 930 Epoxy Caulking compound in the nose angle. Tread Nose must be secured to the step riser using 945 contact bond adhesive or power tape.

or

Use Johnsonite Power tape to secure stair tread and use 930- epoxy caulking compound in the nose angle. Tread nose must be secured to the step riser using 945 Contact bond adhesive or power tape.

See WWW. Johnsonite. com for complete adhesive and installation information.

RUBBER STRINGERS AND RISERS

SOLID COLOR SELECTION - SEE TABLE 1 ON PAGE A1-38

ITEM	SIZE	GAUGE	PRICE PER FOOT SOLID COLOR	PRICE PER FOOT MARBLEIZED COLOR	PIECES PER CARTON
STRINGERS					
SOLID COLOR	10" x 6'	.080"	2.09	N/A	10 pcs.
MARBLEIZED	10" x 6'	1/8"	N/A	2.54	10 pcs.
RISERS					
	6" x 4'	1/8"	Use 6" Wall Base	1.79	25 pcs.
	6" x 100'	1/8"	Use 6" Wall Base	N/A	1 coil
	7" x 4'	1/8"	2.09	2.11	25 pcs.
	7" x 5'	1/8"	2.09	2.11	25 pcs.
	7" x 6'	1/8"	2.09	2.11	25 pcs.
	7" x 50'	1/8"	2.09	N/A	1 coil

STRINGERS SOLD IN FULL CARTONS ONLY. RISER: \$5.00 BROKEN CARTON CHARGE ON LESS THAN FULL CARTONS.

HOW TO ORDER:

Rubber Stringer

1. TO ORDER SOLID COLOR RUBBER STRINGERS USE: RS - COLOR CODE - SIZE

2. TO ORDER MARBLEIZED RUBBER STRINGERS USE: RS - COLOR CODE - M - 1/8"

Rubber Riser

1. TO ORDER SOLID COLOR RISERS USE: RR - COLOR CODE - SIZE

2. TO ORDER MARBLEIZED RISERS USE: RR - COLOR CODE - M - SIZE

SEE JOHNSONITE.COM FOR COMPLETE ADHESIVE AND INSTALLATION INFORMATION.

JOHNSONITE RUBBER STAIR TREADS
SOLID COLOR RUBBER TREADS STANDARD WITHOUT RISERS AND SOLID COLOR RUBBER TREADS WITH ONE PIECE TREAD/RISER

Effective May 2, 2011

Page A1- 40

	column 1	column 2	column 3	column 4	column 5	column 6	column 7	column 8	column 9	column 10
REF. NO.	TREAD TYPE	TREAD WITHOUT INSERT	VISUALLY IMPAIRED GRIT TAPE INSERT	IMPAIRED RUBBER INSERT	VISUALLY IMPAIRED PRIMA INSERT	NOSE	OVERALL DEPTH	LENGTH	PIECES PER CARTON	WGT. PER FT.
		Price per Lineal Foot - Product Code	Price per Lineal Foot - Product Code	Price per Lineal Foot - Product Code	Price per Lineal Foot - Product Code					
SOLID COLOR RUBBER TREADS WITHOUT RISERS										
6	RAISED ROUND SURFACE PRODUCT CODE	RH xx RD	VIRH xx RD	VIRHS xx RD	VIRHP xx RD	SQ	12 1/4"	3', 3.5', 4', 4.5', 5', 6', 7', 8'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	2.25 lbs.
7	RAISED SQUARE SURFACE PRODUCT CODE	RH xx SQ	VIRH xx SQ	VIRHS xx SQ	VIRHP xx SQ	SQ	12 1/4"	3', 3.5', 4', 5', 6'	5 pcs.	2.25 lbs.
8	HAMMERED SURFACE PRODUCT CODE	HMT	VIHMT	VIHMST	VIHMTP	SQ	12 1/4"	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	2.25 lbs.
9	HAMMERED SURFACE - EXTENDED DEPTH PRODUCT CODE	HMTD	VIHMTD	VIHMSTDS	VIHMSTDP	SQ	14" DEPTH	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	2 1/3 lbs.
10	DIAMOND PRODUCT CODE	CN	VICN	VICNS	VICNP	RD/SQ	12 1/4"	3', 3.5', 4', 5', 6'	5 pcs.	2.25 lbs.
SOLID COLOR RUBBER TREADS WITH ONE PIECE TREAD/RISER										
11	RAISED ROUND SURFACE - ONE PIECE TREAD/RISER PRODUCT CODE	RTR xx RD	VIRTR xx RD	VIRTRS xx RD	VIRTRP xx RD	SQ	20"	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	3.5 lbs.
12	RAISED SQUARE SURFACE - ONE PIECE TREAD/RISER PRODUCT CODE	RTR xx SQ	VIRTR xx SQ	VIRTRS xx SQ	VIRTRP xx SQ	SQ	20"	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	3.5 lbs.
13	HAMMERED SURFACE ONE PIECE TREAD/RISER PRODUCT CODE	HTR	VIHTR	VIHTRS	VIHTRP	SQ	20"	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	3.5 lbs.
14	DIAMOND SURFACE ONE PIECE TREAD/RISER PRODUCT CODE	CTNR	VICNTR	VICNTRS	VICNTRP	RD/SQ	20"	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3.5 lbs.
15	BAMBOO SURFACE ONE PIECE TREAD/RISER PRODUCT CODE	BMTR	VIBMTR	VIBMTRS	VIBMTRP	SQ	20"	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3.5 lbs.
16	CUBIS SURFACE ONE PIECE TREAD/RISER PRODUCT CODE	CUTR	VICUTR	VICUTRS	VICUTRP	SQ	20"	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3.5 lbs.
17	CIRCULINITY - FAST LANE PATTERN ONE PIECE TREAD/RISER PRODUCT CODE	CFLTR	VICFLTR	VICFLTRS	VICFLTRP	SQ	20"	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3.5 lbs.

HOW TO ORDER:

Step 1. Select Product Code from column 2, 3, 4, or 5 located above. The product code is in "BOLD" print. Example: Standard tread without riser in Raised Round Surface is RH xx Round Pattern.

Step 2. Select Color Code from Table 1 Page A1-38 Example: Silver Grey 55

Step 3. Select Length from Column 8 above. Example: 6 foot

i.e. RH 55 6' ROUND PATTERN

SPECIAL NOTES:

- REFER TO PAGE A1-49 AND A1-50 FOR ADHESIVES AND PAGE A1-39 FOR STRINGERS AND RISERS.
- WHEN INSTALLING ONE PIECE TREAD RISER COMBINATION PRODUCTS, JOHNSONITE RECOMMENDS THE INSTALLATION OF COVE FILLER STRIP CFS-00-A TO ENSURE PROPER FIT AND SUPPORT.
- SPECIAL ORDER ITEMS ARE NON-RETURNABLE
- SOLID COLOR DIAMOND TREAD WITH OR WITHOUT RISER IS AVAILABLE IN BOTH SQUARE AND ROUND NOSE AND MUST BE SPECIFIED WHEN ORDERING
- GAUGE TAPERING ON ALL TREADS: .210" TAPERING TO .113"

SPECIAL WARRANTY INFORMATION:

USE Johnsonite 965 Flooring and Tread Adhesive to secure stair tread and use 930 Epoxy Caulking Compound in the Nose Angle. Tread Nose must be secured to the step riser using 945 Contact Bond Adhesive or power tape.

or

Use Johnsonite 975 Two Part Urethane Adhesive to secure stair tread and use 930 Epoxy Caulking compound in the nose angle. Tread Nose must be secured to the step riser using 945 contact bond adhesive or power tape.

or

Use Johnsonite Power tape to secure stair tread and use 930- epoxy caulking compound in the nose angle. Tread nose must be secured to the step

See WWW. Johnsonite. com for complete adhesive and installation information.

**JOHNSONITE RUBBER STAIR TREADS
SPECKLED RUBBER TREADS STANDARD WITHOUT RISERS AND SPECKLED RUBBER TREADS WITH ONE PIECE TREAD/RISER**

Effective May 2, 2011

Page A1- 41

	column 1	column 2	column 3	column 4	column 5	column 6	column 7	column 8	color 9
REF. NO.	TREAD TYPE	TREAD WITHOUT INSERT	VISUALLY IMPAIRED GRIT TAPE INSERT	VISUALLY IMPAIRED RUBBER INSERT	NOSE	OVERALL DEPTH	LENGTHS	PIECES PER CARTON	WGT. PER FT.
		PRICE PER LINEAL FOOT - PRODUCT CODE	PRICE PER LINEAL FOOT - PRODUCT CODE	PRICE PER LINEAL FOOT - PRODUCT CODE					
SPECKLED RUBBER STAIR TREADS WITHOUT RISERS									
18	RAISED ROUND SURFACE <i>PRODUCT CODE</i>	RHSP xx RD SPECIAL ORDER IN SPECKLED ROUND PATTERN - Non -Returnable	VIRHSP xx RD	VIRHSPS xx RD	SQ	12 1/4"	3', 3.5', 4', 4.5', 5', 6', 7', 8'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	2.25 lbs.
19	RAISED SQUARE SURFACE <i>PRODUCT CODE</i>	RHSP xx SQ	VIRHSP xx SQ	VIRHSPS xx SQ	SQ	12 1/4"	3', 3.5', 4', 5', 6'	5 pcs.	2.25 lbs.
20	HAMMERED SURFACE <i>PRODUCT CODE</i>	HMTSP	VIHMTSP	VIHMTSPS	SQ	12 1/4"	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	2.25 lbs.
21	HAMMERED SURFACE - EXTENDED DEPTH <i>PRODUCT CODE</i>	HMTDSP	VIHMTDSP	VIHMTDSPS	SQ	14" DEEP	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	2 1/3 lbs.
22	DIAMOND <i>PRODUCT CODE</i>	CNSP	VICNSP	VICNSPS	RD/SQ	12 1/4"	3', 3.5', 4', 5', 6'	5 pcs.	2.25 lbs.
SPECKLED RUBBER STAIR TREADS WITH ONE PIECE TREAD/RISER									
23	RAISED ROUND SURFACE - ONE PIECE TREAD/RISER <i>PRODUCT CODE</i>	RTRSP xx RD SPECIAL ORDER IN SPECKLED ROUND PATTERN - Non -Returnable	VIRTRSP xx RD	VIRTRSPS xx RD	SQ	20"	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	3.5 lbs.
24	RAISED SQUARE SURFACE - ONE PIECE TREAD/RISER <i>PRODUCT CODE</i>	RTRSP xx SQ	VIRTRSP xx SQ	VIRTRSPS xx SQ	SQ	20"	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	3.5 lbs.
25	HAMMERED SURFACE ONE PIECE TREAD/RISER <i>PRODUCT CODE</i>	HTRSP	VIHTRSP	VIHTRSPS	SQ	20"	3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs - Greater than 6' - 3 pcs	3.5 lbs.
26	DIAMOND SURFACE ONE PIECE TREAD/RISER <i>PRODUCT CODE</i>	CNTRSP	VICNTRSP	VICNTRSPS	RD/SQ	20"	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3.5 lbs.
27	BAMBOO SURFACE ONE PIECE TREAD/RISER <i>PRODUCT CODE</i>	BMTRSP	VIBMTRSP	VIBMTRSPS	SQ	20"	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3.5 lbs.
28	CUBIS SURFACE ONE PIECE TREAD/RISER <i>PRODUCT CODE</i>	CUTRSP SPECIAL ORDER IN SPECKLED CUBIS SURFACE - Non -Returnable	VICUTRSP	VICUTRSPS	SQ	20"	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3.5 lbs.
29	CIRCULINITY - FAST LANE PATTERN ONE PIECE TREAD/RISER <i>PRODUCT CODE</i>	CFLTRSP SPECIAL ORDER IN SPECKLED CIRCULINITY SURFACE - Non -Returnable	VICFLTRSP	VICFLTRSPS	SQ	20"	3', 3.5', 4', 4.5', 5', 6'	5 pcs.	3.5 lbs.

HOW TO ORDER:

- Step 1. Select Product Code from Column 2, 3, or 4 located above. The product code is in "BOLD" print. Example: Speckled Standard Raised Square Surface without insert is RHSP XX SQ Pattern.
- Step 2. Select Color Code from Table 2,3,4 Page A1-38. Example: Saber 710
- Step 3. Select Length from Column 7 above. Example 6 foot
i.e. RHSP 710 6' SQ Pattern

SPECIAL NOTES:

- REFER TO PAGE A1-49 AND A1-50 FOR ADHESIVES AND PAGE A1-39 FOR STRINGERS AND RISERS.
- PROPER FIT AND SUPPORT.
- SPECIAL ORDER ITEMS ARE NON-RETURNABLE
- SOLID COLOR DIAMOND TREAD WITH OR WITHOUT RISER IS AVAILABLE IN BOTH SQUARE AND ROUND NOSE AND MUST BE SPECIFIED WHEN ORDERING
- GAUGE TAPERING ON ALL TREADS: .210" TAPERING TO .113"

SPECIAL WARRANTY INFORMATION:

USE Johnsonite 965 Flooring and Tread Adhesive to secure stair tread and use 930 Epoxy Caulking Compound in the Nose Angle. Tread Nose must be secured to the step riser using 945 Contact Bond Adhesive or power tape.

or

Use Johnsonite 975 Two Part Urethane Adhesive to secure stair tread and use 930 Epoxy Caulking compound in the nose angle. Tread Nose must be secured to the step riser using 945 contact bond adhesive or power tape.

or

Use Johnsonite Power tape to secure stair tread and use 930- epoxy caulking compound in the nose angle. Tread nose must be secured to the step riser using 945 Contact bond adhesive or power tape.

See WWW. Johnsonite. com for complete adhesive and installation information.

**JOHNSONITE SAFE-T-FIRST SYSTEM
FEATURING PHOTOLUMINESCENT TECHNOLOGY**

Effective May 2, 2011

PAGE A1-42

*** All Products Non-Returnable ***

RUBBER VISUALLY IMPAIRED STAIR TREADS WITH PHOTOLUMINESCENT INSERT

Type	Product Code	Overall Depth	Gauge Tapering Inches	Nose Type	Lengths	Pcs/Ctn	Wgt/ Ft	Price per Foot
Visually Impaired Raised Round Surface with Photoluminescent Insert	PVIRH-XX-RD	12 1/4"	.210" tapering to .113"	Sq.	3',3.5',4',4.5', 5', 6', 7', 8'	Up to 6' - 5 pcs. Greater than 6' - 3 pcs per ctn.	2-1/4 lbs.	
Visually Impaired Raised Square Pattern with Photoluminescent Insert	PVIRH-XX-SQ	12 1/4"	.210" tapering to .113"	Sq.	3',3.5',4',4.5', 5', 6', 7', 8'	5 pieces per ctn.	2-1/4 lbs.	
Visually Impaired One Piece Tread/Riser Raised Round Surface with Photoluminescent Insert	PVIRTR-XX-RD	20"	.210" tapering to .113"	Sq.	3',3.5',4',4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs. Greater than 6' - 3 pcs per ctn.	3-1/2 lbs.	
Visually Impaired One Piece Tread/Riser Raised Square Surface with Photoluminescent Insert	PVIRTR-XX-SQ	20"	.210" tapering to .113"	Sq.	3',3.5',4',4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs. Greater than 6' - 3 pcs per ctn.	3-1/2 lbs.	
Visually Impaired One Piece Tread/Riser Hammered Surface with Photoluminescent Insert	PVIHR-XX	20"	.210" tapering to .113"	Sq.	3',3.5',4',4.5', 5', 6', 7', 8', 9'	Up to 6' - 5 pcs. Greater than 6' - 3 pcs per ctn.	3-1/2 lbs.	
HOW TO ORDER		Use Product Code - Color Code - Length - Nose Type. (Example: PVIRH 40 4' Sq.)						
NOTES		■ See page A1-38 Table 1 for available colors.						
WARRANTY AND INSTALLATION								

USE Johnsonite 965 Flooring and Tread Adhesive to secure stair tread and use 930 Epoxy Caulking Compound in the Nose Angle. Tread Nose must be secured to the step riser using 945 Contact Bond Adhesive or power tape.

or

Use Johnsonite 975 Two Part Urethane Adhesive to secure stair tread and use 930 Epoxy Caulking compound in the nose angle. Tread Nose must be secured to the step riser using 945 contact bond adhesive or power tape.

or






Use Johnsonite Power tape to secure stair tread and use 93- epoxy caulking compound in the nose angle. Tread nose must be secured to the step riser using 945 Contact bond adhesive or power tape.

See WWW. Johnsonite. com for complete adhesive and installation information.

VINYL STAIR TREADS - COEXTRUDED YELLOW OR WHITE PHOTOLUMINESCENT STRIP

Type	Part Number	Overall Depth	Gauge Tapering	Nose Type	Lengths	Pcs/Ctn	Wgt/Ft	Price per Foot
Visually Impaired Heavy Duty with Co-extruded Photoluminescent Insert**	PVIHD	12 1/4"	1/4" to 7/32"	Rd./Sq	3',3.5',4',6',8',12'	5 pcs.	1-3/4 lbs.	
HOW TO ORDER		Use Tread Type - Color Code - Length - Nose Type - Photoluminescent Strip Color (Yellow or White). Example: PVIHD 40 4' Sq - White Co-Extruded Strip						
NOTES		■ **With co-extruded photoluminescent insert strip --specify yellow or white. ■ See Page A1-38 Table 1 for available colors.						
WARRANTY AND INSTALLATION								
FOR JOHNSONITE WARRANTY TO APPLY USE JOHNSONITE'S 965 FLOORING AND TREAD ADHESIVE PLUS USE 930 TWO-PART CAULKING COMPOUND FOR NOSE. SECURE THE NOSE OF THE STAIR PAN USING JOHNSONITE 945 CONTACT BOND ADHESIVE OR USE JOHNSONITE'S POWER TAPE WITH 930 TWO-PA								

VINYL VISUALLY IMPAIRED STAIR NOSINGS WITH PHOTOLUMINESCENT INSERT

Type	Description	Product Code	Profile	Length	Pcs/Ctn	Wgt/Ctn	Price per Foot	
Top Set Stair Nosing**	Use on bare concrete, wood, steel	PVITSN-XX		12'	10	50 lbs.		
Recessed Stair Nosing**	Undercut for 1/4" to 5/16" material	PVIRCN-XX-A		12'	6	67 lbs.		
Recessed Stair Nosing**	Heavy duty overlap lip for 1/8" material; 3/16" w/o lip	PVIRCN-XX-B		12'	10	62 lbs.		
Double Undercut Nosing**	1/4" & 5/16" carpet for step and riser	PVIVCD-XX		12'	5	55 lbs.		
Recessed Stair Nosing**	1/8" material	PVIRCN-XX-B2		12'	10	75 lbs.		
HOW TO ORDER		Use Product Code - Color Code - Suffix - Photoluminescent Strip Color (Yellow or White). Example: PVIRCN 40 A - Yellow Photoluminescent Strip)						
NOTES		■ **With co-extruded photoluminescent insert strip - specify yellow or white. ■ See page A1-38 for available colors						
WARRANTY AND INSTALLATION								

USE Johnsonite 965 Flooring and Tread Adhesive to secure stair tread and use 930 Epoxy Caulking Compound in the Nose Angle.

Tread Nose must be secured to the step riser using 945 Contact Bond Adhesive or power tape

or

Use Johnsonite 975 Two Part Urethane Adhesive to secure stair tread and use 930 Epoxy Caulking compound in the nose angle. Tread Nose must be secured to the step riser using 945 contact bond adhesive or power tape.

or

Use Johnsonite Power tape to secure stair tread and use 930- epoxy caulking compound in the nose angle. Tread nose must be secured to the step riser using 945 Contact bond adhesive or power tape.

See WWW. Johnsonite. com for complete adhesive and installation information.

**TABLE 1
VISUALLY IMPAIRED RUBBER STAIR TREAD ABRASIVE INSERT COLORS**

INSERT COLOR	RUBBER STAIR TREAD COLOR OR SPECKLED COLORWAY	NOTE: OTHER COLOR COMBINATIONS MAY BE SPECIAL ORDERED *Brites available in Roundel Rubber Treads only. All other styles of Rubber Treads in Brites are Special Order Only.
Black	01, 05, 12, 21, 24, 27, 28, 29, 31, 32, 38, 41, 43, 48, 55, 58, 59, *62, 71, *75, 84, 103, 106, 121, 129, 134, 140, 141, 142, 143, 150, 151, 163, 166, 173, 190, 192, 280, 282, 289, 290, 291, 293, 542, 584, 585, 586, 587, 588, 711, 715, 716, 717, 718, 719, 720, 721, 72	
Brown	09, 11, 19, 22, 33, 34, 42, 45, 49, 60, 80, 111, 112, 130, 146, 165, 285, 286, 541, 545, 546, 549, 712, 713, 728	
Grey	15, 18, 20, 40, 72, 73, 85, 86, 92, 106, 148, 152, 162, 168, 294, 531, 583, 589, 709, 710, 714, 723, 727	
Tan	47, 63, 76, 101, 113, 132, 167, 284, 287, 548, 725	
Yellow	*70, *74	
White	SPECIAL ORDER	
Photoluminescent	SEE PAGE A1-38 TABLE 1 FOR AVAILABLE COLORS	

**TABLE 2
VISUALLY IMPAIRED RUBBER STAIR TREADS WITH CONTRASTING SOLID RUBBER INSERT COLOR STRIPS**

CONTRASTING SOLID RUBBER INSERT COLOR	AVAILABLE SOLID TREAD COLORS OR IN SPECKLED TREAD COLORWAYS
40 Black	01,05,12,21,24,27,28,29,31,32,38,41,43,48,55,58,59,*62,,71,*75,84, 103, 106, 121, 129,134,140,141,142,143,150,151,163,166,173,190,192,280,282,289, 290, 291, 293, 542, 584,585,586, 587,588,711,715,716,717,718,719,720,721,722, 724,726
47 Brown	09, 11, 19, 22, 34, 42, 45, 49, 80, 111, 112, 146, 130, 165, 285, 286, 541, 545, 546, 549,
49 Beige	47, 63, 76, 101, 113, 132, 167, 284, 287, 548,725
55 Silver Grey	15, 18, 20, 40, 72, 73, 85, 86, 92, 106, 148, 152, 162, 168, 294, 531, 583, 589, 709, 710, 714,
75 Lemon	70, 74
85 Burgundy	33, 60

**TABLE 3
VISUALLY IMPAIRED RUBBER STAIR TREADS WITH CONTRASTING MARBLEIZED RUBBER INSERT COLOR STRIPS**


SOLID TREAD COLORS	Chart	CONTRASTING MARBLEIZED RUBBER INSERT COLOR		
		Insert Number	FIELD COLORS	VEINING COLORS
18 Navy Blue	2	803	55 Silver Grey	58 Windsor Blue / 50 White
20 Charcoal	2	805	55 Silver Grey	40 Black / 50 White
40 Black	1	805	55 Silver Grey	40 Black / 50 White
47 Brown	2	806	49 Beige	47 Brown / 50 White
48 Grey	2	807	40 Black	55 Silver Grey / 50 White
49 Beige	2	808	47 Brown	42 Sable / 50 White
55 Silver Grey	2	807	40 Black	55 Silver Grey / 50 White
59 Heather Green	2	809	49 Beige	80 Fawn
80 Fawn	2	810	85 Burgundy	49 Beige / 42 Sable
85 Burgundy	2	811	49 Beige	80 Fawn / 42 Sable

NOTES:

1. Marbleized strips will vary in veining patterns.
2. Special marbleized insert colors require a minimum of 200 feet if the selected colors are within Johnsonite's standard rubber tile color range noted on Page A1-38, Table 1.

**REPLAY RUBBER SPORTS AND MULTI-FUNCTIONAL FLOORING
COMMOTION STANDARD COLORWAYS AND SIZES**

Ref. No.	Type	Product Code	Size	Thick-ness	Sq. Ft. Minimum order	Price Per Square Foot		Decorative Solids Table 3	Pounds per Sq. Ft.
						Black #507	Std. Colorways		
						Table 1	Table 1		
1	Square Edge Tile (Table 1)	COMT-XXX	24" x 24"	3/8"	None			N/A	2.0
2	Interlocking Tile (Table 1)	COMI-XXX	24" x 24"	3/8"	None			N/A	2.0
3	Rolls (Table 1) - Full rolls only	COMR-XXX	4' X 75'	1/4"	300			N/A	1.3
		COMR-XXX	4' X 50'	3/8"	200			N/A	2.0
4	Square Edge Tile <u>Custom</u> (Table 2 below) ▲▲	COMT-(Custom)	24" x 24"	3/8"	800 (any quantity afterwards)	N/A		N/A	2.0
5	Interlocking Tile <u>Custom</u> (Table 2 below) ▲▲	COMI-(Custom)	24" x 24"	3/8"	800 (any quantity afterwards)	N/A		N/A	2.0
6	Rolls <u>Custom</u> Colorways (per Table 2 below) ▲▲	COMR-(Custom)	4' X 75'	1/4"	800 / full rolls	N/A		N/A	1.3
		COMR-(Custom)	4' X 50'	3/8"	1,200 / full rolls	N/A		N/A	2.0
7	Decorative Solids - Hammered (Table 3)	SMH-XXX	24" x 24"	3/8"	None	N/A	N/A		40/ctn
8	Replay Interlocking Reducer- (Full cartons)	RIR-40-A	4-3/4" x 4'	3/8"	One Carton - 6 pieces		Black	All other colors by special order	23 lbs/ctn
		RIR-40-B				Black			



To determine amount of Part A & B required: Determine how the tiles will be laid out, e.g., with the distinctive large "arrow" shape of the tile in the upper right-hand corner. The two sides of the tile with the large "arrow" shape in the corner require

▲▲ Special Notes: After reaching minimum requirements on custom colorways (Ref. 4, 5 and 6 above), there is no incremental order quantity for tiles (Ref. 4); for all rolls (Ref. 5 and 6) order additional material in full roll increments: 200 s.f. for 3/8" rolls and 300 s.f. for 1/4" rolls.

Prefix - Color Number	Chip Colors From Table 2	Price Chart
507 Night (Black-no chips)	N/A	Black
508 Terra	U80	A
509 Chlorophyll	U81	A
517 Cloud 9	U82	A
518 Bee Line	U88	A
519 Leather	U89	A
520 Sandusky	U93	A
521 Red Hot	U96	A
522 Twilight	U98	A
523 Sky	U99	A
524 Chromatic	U43	A
525 Stony	U82 & U93	A
526 Party	J-80,88,96,97,98,99	A
527 Jeans	U84	A
528 Envy	U86	A
529 Wine	U850	A

How to Order Commotion Rolls or Tiles: Use Product Code prefix - Color Number - Gauge. e.g., COMR-507-3/8" Rolls

STEP 1: Choose 1, 2, or 3 of the color chips below		
*U43 White Steel	*U89 Brown	Minimums: 800 sf of any Tile
*U80 Terra	U92 Purple	
*U81 Grass	*U93 Tan	800 sf of 3/8" Rolls
*U82 Grey	U94 Eggshell	
U83 Yellow	*U96 Bright Red	1,200 sf of 1/4" Rolls
*U84 Delft	U97 Green	
U85 Bright Blue	*U98 Buff	Full rolls thereafter
*U86 Weed	*U99 Blue	
U87 Orange	U100 Aqua	
*U88 Burnt Yellow	*U850 Zin	
* Color chips used in standard colorways Table 1		
STEP 2: Specify the approximate color amounts as follows		
Number of Chip Colors	Amount of Each Color	NOTE: 15% Total color loading by weight
One	100%	
Two	(1/2 & 1/2) or (1/3 & 2/3)	
Three	(1/3-1/3-1/3)	
STEP 3: Call your Johnsonite Representative for the Custom Color Number that will be assigned to your project.		

SMH 12 Hard Rock NEW	SMH-32 Pebble NEW	SMH- 63 Burnt Umber	SMH-143 Marine
SMH 18 Navy	SMH-38 Pewter	SMH- 71 Storm Cloud NEW	SMH-146 Butternut NEW
SMH 20 Charcoal	SMH-40 Black	SMH- 80 Fawn	SMH-149 Milk Chocolate NEW
SMH 22 Pearl NEW	SMH-47 Brown	SMH- 86 Hunter Green	SMH-194 Antique White NEW
SMH 23 Vapor Grey NEW	SMH-49 Beige	SMH- 130 Sisal NEW	SMH-271 Seedling NEW
SMH 24 Grey Haze NEW	SMH-58 Windsor Blue	SMH- 134 Gold Rush	SMH-294 Big Top NEW
SMH 29 Moon Rock		SMH- 140 Carrot NEW	

How to Order Decorative Solid Colors: Use SMH prefix - Color Number - Texture e.g. SMH 38 Hammered

Notes:

■ **Commotion is available in 1/2" by special order. Contact Johnsonite for details. Minimums may apply.**

■ **Transitions for Replay Rubber Sports and Multi-Functional Flooring:** See Pages A1-17 and A1-19 for profile drawings and colors

■ **Typical Applications for 1/4" materials include:** Fitness Machines, Office/Corporate, Retail, Aerobic Rooms, Corridors and Lobbies.

■ **Typical Applications for 3/8" materials include:** Free Weight Areas, Ice Skate Areas, Fitness Machines, Office/Corporate, Retail, Aerobic Rooms, Corridors and Lobbies.

■ Less than 3/8" gauge not recommended for skate blade, spikes or free weights.

■ Check local codes in your area for restrictions using recycled tire products

■ **Replay is made from post-consumer recycled tires. Recognizable visual differences can occur from roll to roll or tile to tile. This does not detract from its performance and is a normal part of the manufacturing process. Dry lay all floors before final**

Refer to JOHNSONITE.COM for the latest Installation-Maintenance Instructions and recommended applications for best appearance.

Warranty and Installation: 2 year limited warranty

For Johnsonite Warranty to apply, use recommended Johnsonite #965 Flooring & Tread Adhesive or 975 Two Part Urethane Adhesives, OR 140 Spray Smart Adhesive.

TRIUMPH™ MULTI-FUNCTIONAL AND SPORT RUBBER FLOORING

Effective May 2, 2011

Page A1-45

Ref. No.	Design	Surface Texture	Product Code	Size	Thickness	Price Per Sq. Foot	Minimum	Pcs. Per Carton	Weight Per Carton
1	Solid Color - Square To order use: Product Code - Color No. - Design (i.e. SMH - 18 - Solid Color), Color Chart Table 2 Below	Hammered	SMH	24" x 24"	3/8" (9.5mm)		No	3	40 lbs.
2	Speckle - Square To order use: Product Code - Color No. - Design (i.e. SMH - 729 - Speckle), Speckle Chart Table 1 Below	Hammered	SMH	24" x 24"	3/8" (9.5mm)		No	3	40 lbs.
3	Solid Color - Square Special Order - Non-returnable - Normal Lead Times To order use: Product Code - Color No. - Design (i.e. SMWR - 18 - Solid Color), Color Chart Table 2 Below	Weathered	SMWR	24" x 24"	3/8" (9.5mm)		300 Ft.	3	40 lbs.
4	Speckle - Square Special Order - Non-returnable - Normal Lead Times To order use: Product Code - Color No. - Design (i.e. SMWR - 729 - Speckle), Speckle Chart Table 1 Below.	Weathered	SMWR	24" x 24"	3/8" (9.5mm)		300 Ft.	3	40 lbs.
5	Speckle - Interlocking To order Speckle Interlocking use: Product Code - Color No. - Design (i.e. SMHI - 733 - Speckle), Speckled Color Table 1 Below Note: 3.67 Square Feet per Interlocking Tile	Hammered	SMHI	23"x23" NET	3/8" (9.5mm)		No	3	38 lbs.
6	Solid Color - UnderLock™ NOTE: UNDERLOCK NOT RECOMMENDED FOR ICE SKATES, SPIKES, FREE WEIGHTS OR ROLLING TRAFFIC. To order use: Product Code - Color No. - Design (i.e. SMHU 18 - Solid Color), Table 2 Below	Hammered	SMHU	24" x 24"	3/8" (9.5mm)	special order	No	3	40 lbs.
7	Speckled - UnderLock™ NOTE: UNDERLOCK NOT RECOMMENDED FOR ICE SKATES, SPIKES, FREE WEIGHTS OR ROLLING TRAFFIC. To order use: Product Code - Color No. - Design (i.e. SMHU 729 Speckled), Speckled Chart Table 1 Below	Hammered	SMHU	24" x 24"	3/8" (9.5mm)	special order	No	3	40 lbs.

Table 1 - Speckle Design in Square Edge, Interlocking or Underlock

Style No.	Style Name	Field Color	Chip Colors
530	Statue	71 Storm Cloud	21 Platinum, 28 Med. Grey, 40 Black
532	Theatre	32 Pebble	12 Hard Rock, 29 Moon Rock, 63 Burnt Umber
540	Cathedral	23 Vapor Grey	28 Med. Grey, 50 White, 71 Storm Cloud
547	Cornerstone	24 Grey Haze	29 Moon Rock, 50 White, 55 Silver Grey
548	Chocolate Chip	47 Brown	09 Clay, 29 Moon Rock, 45 Sandalwood
549	Café	130 Sisal	22 Pearl, 29 Moon Rock, 45 Sandalwood
729	Thickett	80 Fawn	29 Moon Rock, 49 Beige
730	Timberline	59 Heather Green	22 Pearl, 86 Hunter Green
731	Altitude	38 Pewter	21 Platinum, 48 Grey
732	Tundra	20 Charcoal	38 Pewter, 40 Black
733	Molten	40 Black	38 Pewter, 48 Grey
734	Hydrate	58 Windsor Blue	18 Navy Blue, 21 Platinum
741	Boardwalk	22 Pearl	05 Stone, 29 Moon Rock
742	Plaza	18 Navy Blue	58 Windsor Blue, 21 Platinum
743	Muddy Waters	29 Moon Rock	55 Silver Grey, 63 Burnt Umber
744	Nomad	86 Hunter Green	59 Heather Green, 22 Pearl
745	Mohavi	49 Beige	80 Fawn, 34 Almond
746	Galaxy	63 Burnt Umber	29 Moon Rock, 49 Beige

Table 2 Decorative Solid Color Square Edge Tiles

12 Hard Rock	63 Burnt Umber
18 Navy	71 Storm Cloud
20 Charcoal	80 Fawn
22 Pearl	86 Hunter Green
23 Vapor Grey	130 Sisal
24 Grey Haze	134 Gold Rush
29 Moon Rock	140 Carrot
32 Pebble	143 Marine
38 Pewter	146 Butternut
40 Black	149 Milk Chocolate
47 Brown	194 Antique White
49 Beige	271 Seedling
58 Windsor Blue	294 Big Top
59 Heather Green	

NOTE:
Solid Colors recommended for use as field accent colors or borders.

Table 3 - Transitions for Triumph Flooring - Square Edge

Item	Transition Function	Chart 1	Chart 2
CTA - XX - K	3/8" to 1/8" x 2 1/2"		
CTA - XX - L	3/8" to 1/4" x 2 1/2"		
CTA - XX - P	3/8" to 0" x 2 1/2"		
CTA - XX - PL	3/8" to 0" x 4"		
CTA - XX - Q	1/2" to 0" x 4"		
CTA - XX - Z	3/8" to .080" x 2-1/2"		
CRS - XX - B	3/8" to 0" x 1 1/2"		
CRS - XX - D	1/2" to 0" x 2"		

See Pages A1-17 and A1-19 for profile drawings, dimensions and colors

WARRANTY and INSTALLATION

For Johnsonite Warranty to apply, use recommended Johnsonite Adhesives; 965 Flooring and Tread Adhesive or 975 Two-Part Urethane or 140 Spray Smart Adhesive.

Call for details of Two-Year Limited Warranty.

Refer to WWW.JOHNSONITE.COM for the latest Installation/Maintenance Instructions and recommended applications.

NOTES:

- Custom colors are available by special order. Contact Johnsonite for details. Minimums may apply

INERTIA™ MULTI-FUNCTIONAL AND SPORT RUBBER FLOORING

Ref. No.	Design	Surface Texture	Product Code	Size	Thickness	Price Per Sq. Foot	Minimum	Pcs. Per Carton	Weight Per Carton
1	Solid Color - Square To order use: Product Code - Color No. - Design (i.e INRH - 18 - Solid Color), Color Chart Table 2 Below	Hammered	INRH	24" x 24"	1/4" (6.4mm)		No	4	34 lbs.
2	Speckle - Square To order use: Product Code - Color No. - Design (i.e INRH - 729 - Speckle), Speckle Chart Table 1 Below	Hammered	INRH	24" x 24"	1/4" (6.4mm)		No	4	34 lbs.
3	Solid Color - Square Special Order - Non-returnable - Normal Lead Times To order use: Product Code - Color No. - Design (i.e INRWR - 18 - Solid Color), Color Chart Table 2 Below	Weathered	INRWR	24" x 24"	1/4" (6.4mm)		300 Ft.	4	34 lbs.
4	Speckle - Square Special Order - Non-returnable - Normal Lead Times To order use: Product Code - Color No. - Design (i.e INRWR - 729 - Speckle), Speckle Chart Table 1 Below.	Weathered	INRWR	24" x 24"	1/4" (6.4mm)		300 Ft.	4	34 lbs.

See Page A1-47 for UnderLock Rubber Tile

Style No.	Style Name	Field Color	Chip Colors
530	Statue	71 Storm Cloud	21 Platinum, 28 Med. Grey, 40 Black
532	Theatre	32 Pebble	12 Hard Rock, 29 Moon Rock, 63 Burnt Umber
540	Cathedral	23 Vapor Grey	28 Med. Grey, 50 White, 71 Storm Cloud
547	Cornerstone	24 Grey Haze	29 Moon Rock, 50 White, 55 Silver Grey
548	Chocolate Chip	47 Brown	09 Clay, 29 Moon Rock, 45 Sandalwood
549	Café	130 Sisal	22 Pearl, 29 Moon Rock, 45 Sandalwood
729	Thickett	80 Fawn	29 Moon Rock, 49 Beige
730	Timberline	59 Heather Green	22 Pearl, 86 Hunter Green
731	Altitude	38 Pewter	21 Platinum, 48 Grey
732	Tundra	20 Charcoal	38 Pewter, 40 Black
733	Molten	40 Black	38 Pewter, 48 Grey
734	Hydrate	58 Windsor Blue	18 Navy Blue, 21 Platinum
741	Boardwalk	22 Pearl	05 Stone, 29 Moon Rock
742	Plaza	18 Navy Blue	58 Windsor Blue, 21 Platinum
743	Muddy Waters	29 Moon Rock	55 Silver Grey, 63 Burnt Umber
744	Nomad	86 Hunter Green	59 Heather Green, 22 Pearl
745	Mohavi	49 Beige	80 Fawn, 34 Almond
746	Galaxy	63 Burnt Umber	29 Moon Rock, 49 Beige

12 Hard Rock	63 Burnt Umber
18 Navy	71 Storm Cloud
20 Charcoal	80 Fawn
22 Pearl	86 Hunter Green
23 Vapor Grey	130 Sisal
24 Grey Haze	134 Gold Rush
29 Moon Rock	140 Carrot
32 Pebble	143 Marine
38 Pewter	146 Butternut
40 Black	149 Milk Chocolate
47 Brown	194 Antique White
49 Beige	271 Seedling
58 Windsor Blue	294 Big Top
59 Heather Green	

NOTE:
Solid Colors recommended for use as field accent colors or borders.

Application Notes:

- **Typical Applications for 1/4" materials include:** All-purpose rooms, Cardio Machine areas, exercise areas, heavy-foot traffic.
- **INERTIA IS NOT RECOMMENDED FOR SKATE-BLADE, SPIKE OR FREE-WEIGHT APPLICATIONS.** Specify Triumph or 3/8" Replay. Refer to johnsonite.com for further details.

Item	Transition Function	Chart 1	Chart 2
CTA - XX - HT	1/4" to .080" x 2 1/2"		
CTA - XX - J	1/4" to 0" x 2 1/2"		
CTA - XX - JL	1/4" to 0" x 4"		
CTA - XX - L	3/8" to 1/4" x 2 1/2"		
CTA - XX - M	1/4" to 1/4" x 2 1/2"		

See Page A1-17 for profile drawings, dimensions and colors

WARRANTY and INSTALLATION
For Johnsonite Warranty to apply, use recommended Johnsonite Adhesives; 965 Flooring and Tread Adhesive or 975 Two-Part Urethane, or 140 Spray Smart Adhesive.
Call for details of Two-Year Limited Warranty.
Refer to JOHNSONITE.COM for the latest Installation/Maintenance Instructions and recommended applications

NOTES:

- Custom colors are available by special order. Contact Johnsonite for details. Minimums may apply

UNDERLOCK™ MULTI-FUNCTIONAL AND SPORT RUBBER FLOORING

Effective May 2, 2011

Not recommended for ICE SKATES, SPIKES, FREE WEIGHTS OR ROLLING TRAFFIC.

Page A1-47

Ref. No.	Design	Surface Texture	Product Code	Size	Thickness	Price Per Sq. Foot	Minimum	Pcs. Per Carton	Weight Per Carton
1	Solid Color - Square To order use: Product Code - Color No. - Design - Gauge (i.e INRHU - 18 - Solid Color - 1/4"), Color Chart Table 2 Below	Hammered	INRHU	24" x 24"	1/4" (6.4mm)	SPECIAL ORDER	No	4	34 lbs.
2	Solid Color - Square To order use: Product Code - Color No. - Design - Gauge (i.e INRHU - 18 - Solid Color - 3/8"), Color Chart Table 2 Below	Hammered	INRHU	24" x 24"	3/8" (9.5mm)	SPECIAL ORDER	No	3	34 lbs.
3	Solid Color - Square To order use: Product Code - Color No. - Design - Gauge (i.e INRCFLU - 18 - Solid Color - 3/8"), Color Chart Table 2 Below	Fast Lane	INRCFLU	24" x 24"	3/8" (9.5mm)		No	3	34 lbs.
4	Speckle - Square To order use: Product Code - Color No. - Design - Gauge (i.e INRHU - 530 - Speckled Color - 1/4"), Color Chart Table 1 Below	Hammered	INRHU	24" x 24"	1/4" (6.4mm)		No	4	34 lbs.
5	Speckle - Square Special Order - Non-returnable - Normal Lead Times To order use: Product Code - Color No. - Design - Gauge (i.e INRHU - 530 - Speckled Color - 3/8"), Color Chart Table 1 Below	Hammered	INRHU	24" x 24"	3/8" (9.5mm)	SPECIAL ORDER	300 Ft.	4	34 lbs.

TABLE 1
Speckle Design in Underlock Tiles

Style No.	Style Name	Field Color	Chip Colors
530	Statue	71 Storm Cloud	21 Platinum, 28 Med. Grey, 40 Black
532	Theatre	32 Pebble	12 Hard Rock, 29 Moon Rock, 63 Burnt Umber
540	Cathedral	23 Vapor Grey	28 Med. Grey, 50 White, 71 Storm Cloud
547	Cornerstone	24 Grey Haze	29 Moon Rock, 50 White, 55 Silver Grey
548	Chocolate Chip	47 Brown	09 Clay, 29 Moon Rock, 45 Sandalwood
549	Café	130 Sisal	22 Pearl, 29 Moon Rock, 45 Sandalwood
729	Thickett	80 Fawn	29 Moon Rock, 49 Beige
730	Timberline	59 Heather Green	22 Pearl, 86 Hunter Green
731	Altitude	38 Pewter	21 Platinum, 48 Grey
732	Tundra	20 Charcoal	38 Pewter, 40 Black
733	Molten	40 Black	38 Pewter, 48 Grey
734	Hydrate	58 Windsor Blue	18 Navy Blue, 21 Platinum
741	Boardwalk	22 Pearl	05 Stone, 29 Moon Rock
742	Plaza	18 Navy Blue	58 Windsor Blue, 21 Platinum
743	Muddy Waters	29 Moon Rock	55 Silver Grey, 63 Burnt Umber
744	Nomad	86 Hunter Green	59 Heather Green, 22 Pearl
745	Mohavi	49 Beige	80 Fawn, 34 Almond
746	Galaxy	63 Burnt Umber	29 Moon Rock, 49 Beige

TABLE 2
Decorative Solid Color Underlock Tiles

12 Hard Rock	63 Burnt Umber
18 Navy	71 Storm Cloud
20 Charcoal	80 Fawn
22 Pearl	86 Hunter Green
23 Vapor Grey	130 Sisal
24 Grey Haze	134 Gold Rush
29 Moon Rock	140 Carrot
32 Pebble	143 Marine
38 Pewter	146 Butternut
40 Black	149 Milk Chocolate
47 Brown	194 Antique White
49 Beige	271 Seedling
58 Windsor Blue	294 Big Top
59 Heather Green	

NOTE:
Solid Colors recommended for use as field accent colors or borders.

Transitions for Inertia Flooring - Square Edge

Item	Transition Function	Chart 1	Chart 2
CTA - XX - HT	1/4" to .080" x 2 1/2"		
CTA - XX - J	1/4" to 0" x 2 1/2"		
CTA - XX - JL	1/4" to 0" x 4"		
CTA - XX - L	3/8" to 1/4" x 2 1/2"		
CTA - XX - M	1/4" to 1/4" x 2 1/2"		
See Pages A1-17 for profile drawings, dimensions and colors			

WARRANTY and INSTALLATION

For Johnsonite Warranty to apply, use as recommended by Johnsonite.

Call for details of Two-Year Limited Warranty.

Refer to JOHNSONITE.COM for the latest Installation/Maintenance Instructions and recommended applications

NOTES:

- Custom colors are available by special order. Contact Johnsonite for details. Minimums may apply

JOHNSONITE VENT COVE BASE

Effective May 2, 2011

Page A1 - 48

	COLOR	PART NUMBER	SIZE	PRICE	AMOUNT PER CARTON	WEIGHT
VENT COVE BASE	BLACK	M - 900	4" x 4'	per foot	64 feet	1 1/2 lbs. per foot
VENT COVE BASE	BROWN	M - 901	4" x 4'	per foot	64 feet	1 1/2 lbs. per foot
OUTSIDE CORNERS	BLACK	CO - 910	4"	each	15 pieces	20 lbs. per carton
OUTSIDE CORNERS	BROWN	CO - 911	4"	each	15 pieces	20 lbs. per carton

NOTE: FOR JOHNSONITE WARRANTY TO APPLY, INSTALL PER JOHNSONITE'S VENT COVE BASE INSTALLATION INSTRUCTIONS

HOW TO ORDER:

To Order Vent Cove Base Use: Item - Color. (Example: Vent Cove Base - Black 4")

To Order Vent Cove Corners Use: Item - Color. (Example: Vent Cove Corners - Black)

JOHNSONITE TERRA - TURF

TYPE	COLOR	SIZE	GAUGE	PRICE	PIECES PER CARTON	WEIGHT PER CARTON
TRADITIONAL	BLACK/BROWN	12" x 12"	3/8"		25 pieces	50 lbs.
TRADITIONAL	BLACK/BROWN	12" x 25'	3/8"		1 Coil	50 lbs.

BROKEN CARTON CHARGE OF \$5.00 FOR 12" x 12" TILES; NO BROKEN CARTONS AVAILABLE FOR COILS.

FOR JOHNSONITE WARRANTY TO APPLY, USE JOHNSONITE'S #986 TERRA-TURF ADHESIVE

HOW TO ORDER: To Order Terra Turf Use: Type - Size. (Example: Traditional 12" x 25').

**JOHNSONITE ADHESIVES
ADHESIVES SOLD IN FULL CARTONS ONLY - NO RETURNS**

Effective May 2, 2011

Page A1 - 49

TYPE	SIZE	NUMBER PER CARTON	PRICE PER GALLON QUART OR CARTRIDGE (Unless Specified)	APPROX. LBS. PER CARTON	APPROXIMATE SPREAD RATES
905 RELEASABLE ADHESIVE	1 GALLON	4	PER GALLON	34	250 - 300 sq. ft. per gallon
	4 GALLON	1	PER GALLON	34	
522 COMFORTECH SEAM SEALER 85 Lineal Feet (1/8" bead) per bottle	BOTTLE - 8 oz.	1	PER BOTTLE	8 oz.	85 lineal feet per bottle
930 EPOXY CAULKING COMPOUND For use with all stair treads and nosings <i>Use 930 Dual Cartridge with the #530 Dual Cartridge Caulking Gun</i>	GALLON KITS (2 parts A, 2 parts B = 2 Gallon Units)	2	PER GALLON UNIT	30	Gallon Coverage 1/4" bead will provide approx. 400-450 lin. ft. per gallon
	13.5 ounce Dual Cartridge	12	PER CARTRIDGE	20	13.5 Ounce Dual Cartridge 1/4" bead will provide approx. 50 lin. ft. per cartridge
Replacement Nozzle Use with 930 Dual Cartridge	12 NOZZLES / PACKAGE	12	PER NOZZLE	10 oz.	
530 DUAL CARTRIDGE CAULKING GUN Use with 930 Dual Cartridge	UNIT	1	PER UNIT	4	
945 CONTACT BOND ADHESIVE (Non-Flammable)	QUART	12	PER QUART	24	Brush or Roller Applicator 150-180 sq. ft. per gallon coverage based on coating both surfaces
	1 GALLON	4	PER GALLON	28	
960 WALL BASE ADHESIVE For use on rubber and vinyl wall base	1 GALLON	4	PER GALLON	44	1/8x1/8x1/8 SQ notch 200-250 lf. per gallon of 4" wall base
	4 GALLON	1	PER GALLON	44	
	30 OZ. CARTRIDGE	12	PER CARTRIDGE	28	
215 CARTRIDGE CAULKING GUN Use with 960 Wall Base Adhesive 30 oz. Cartridge.	UNIT	1	PER UNIT	3	
965 FLOORING AND TREAD ADHESIVE	1 GALLON	4	PER GALLON	44	Porous Substrate 1/16x1/16x1/16 SQ notch trowel 125-150 sq. ft. per gallon Non-Porous Substrate 1/16x1/16x1/16 V notch trowel 150-175 sq. ft. per gallon ComforTech, Inertia, Triumph, Replay 1/8x1/16x1/8 V notch trowel for use on Porous and Non-porous Substrates
	4 GALLON	1	PER GALLON	34	
975 TWO-PART URETHANE ADHESIVE	GALLON KIT (1 part A, 1 part B)	1 Kit	PER GALLON UNIT	13	Porous and Non-Porous Substrates 1/16x1/16x1/16 SQ notch trowel
	2 GALLON KIT (1 part A, 1 part B)	1 Kit	PER GALLON UNIT IN A 2 GALLON UNIT	26	
986 TERRA-TURF ADHESIVE	1 GALLON	4	PER GALLON	43	Porous and Non-Porous Substrates 3/32x3/32x3/32 V notch trowel 100-125 sq. ft. per gallon
	4 GALLON	1	PER GALLON	37	
996 TWO-PART EPOXY ADHESIVE	GALLON KIT (1 part A, 1 part B = 1 Gallon Unit)	2	PER GALLON UNIT	27	Porous and Non-Porous Substrates 1/16x1/16x1/16 SQ notch trowel 125-150 sq. ft. per gallon

HOW TO ORDER: To Order Adhesives Use: Type Number and Name - Size.
(Example: 960 Wall Base Adhesive - 4 Gallons).

ADHESIVES ARE SOLD IN FULL CARTONS ONLY.

JOHNSONITE ADHESIVES CONTINUED ON PAGE A1 - 50

JOHNSONITE ADHESIVES
ADHESIVES SOLD IN FULL CARTONS ONLY - NO RETURNS

Effective May 2, 2011

Page A1-50

POWER TAPE SELF ADHESIVE TAPE SYSTEM INSTALLATION KITS				
POWER TAPE FOR:	COVERAGE/KIT	KITS PER CARTON	APPROX. LBS. PER CARTON	PRICE PER KIT
Rubber Treads without Riser and Vinyl Stair Treads. Kit contains (1) 9-1/2" Wide Roll and (1) 1-1/2" Wide Roll of Power Tape	Installs 164 Lineal Feet of Tread without Riser	1	13	PER KIT
Rubber Stair Treads with Integrated Riser. Kit contains: (2) 9-1/2" Wide Rolls and (1) 1-1/2" Wide Roll of Power Tape	Installs 164 Lineal Feet of Tread with Integrated Riser	1	23	PER KIT
Transitions 1" Power Tape	12 Rolls @ 164 Lineal Feet Each; 1,968 Lineal Feet Total	1	12	PER CARTON OF 12 ROLLS
Vinyl Stair Nosings and Wheeled Traffic Transitions 1-1/2" Power Tape	8 Rolls @ 164 L.F. Each installs 656 Lineal Feet of Nosings and between 656 L.F. and 1,312 L.F. of transitions	1	18	PER KIT
Transitions 3-1/2" Power Tape	3 Rolls @ 164 Lineal Feet Each; 492 Lineal Feet Total	1	11	PER CARTON OF 3 ROLLS

NOTE: FOR WARRANTY TO APPLY:

Rubber and Vinyl Stair Tread installation and Nosings installation require the use of Johnsonite 930 Epoxy Caulking Compound, (sold separately) in conjunction with Power Tape or 965 flooring and tread adhesive.

TO ORDER, SPECIFY:

- Power Tape Kit for Stair Treads
- Power Tape Kit for Nosings and Transitions
- 1" Power Tape
- 3-1/2" Power Tape

SPRAY SMART ADHESIVE SYSTEM				
Spray Smart 140				
Rubber Flooring Spray Adhesive Rubber Floor Tile, Circularity, CityScape, Defiant, Folio Collection, Inertia, Mesto, Mesto Configuration, Metallurgy, Roundel, Triumph, Replay Rolls and Tiles, Subfloor Leveler System	100-125 Sq ft/Can 600-750 sq ft/Carton	6 - 22 oz. cans per carton	11	per carton

For a period of one (1) year from the date of shipment, Johnsonite makes the following warranty, subject to the terms and conditions specified herein, for all Johnsonite® Rubber and Vinyl Wall Base, Rubber Tile, Stair Treads, Stair Nosings, Bronze and Rigid PVC Stair Nosings, Floor Keeper™ Matting and accessories.

For Johnsonite Replay™ Rubber Sports Floor Tiles and Rolls, Johnsonite warrants the wearability of this product for a period of two (2) years from the date of installation.

For Johnsonite 2mm and 1/8" thick Rubber Floor Tiles, Safety Stride® Solid Vinyl Floor Tiles, Triumph™ Rubber Sports Floor Tiles and Terra-Turf® only, Johnsonite warrants the wearability of these products for a period of five (5) years from the date of installation.

For Johnsonite 4mm thick Rubber Floor Tiles and ComforTech® Rubber Sheet Flooring only, Johnsonite warrants the wearability of these products for a period of ten (10) years from the date of installation.

If dissatisfied with the wearability, the owner must notify Johnsonite and permit an inspection of the flooring. If the original flooring is worn through and the flooring has been properly installed and maintained, Johnsonite will replace the worn-out flooring at its cost in the affected room or area, subject to a charge to the customer to reflect a prorated discount for the age of the flooring.

Johnsonite products will conform to the contract description, with only such reasonable variation as is acceptable in the trade; it is fit for the ordinary purposes for which the product is used; and it will be adequately packaged and labeled.

Johnsonite will replace any defective product at no charge if the defect is found prior to installation. If the customer believes the product to be defective after installation, the customer must promptly notify Johnsonite and permit an inspection of the product. If, upon inspection, Johnsonite determines the product to be defective, subject to the limitations contained in this warranty, Johnsonite will replace the defective product at its cost in the affected room or area.

To be eligible for replacement under any of these warranties, the customer must give Johnsonite written notice of any claimed defect immediately upon learning of the defect and in no event more than 90 days after the claimed defect is discovered. Notice shall be given to Johnsonite at its corporate address of 16910 Munn Road, Chagrin Falls, Ohio 44023.

EXCLUDED FROM WARRANTY

These warranties do not apply to the following:

1. The exact matching of shade, color or mottling.
2. Any express or implied promise made by any salesman or representative.
3. Tears, burns, cuts or damage due to improper installation, improper use or improper cleaning agents or maintenance methods.
4. Labor costs for installation of original or replacement material.
5. Sale of "Seconds," "Off Goods" or other irregular (non-first-quality) flooring materials. With respect to "Seconds" or "Off Goods," such are sold "as is," and Johnsonite makes no warranties whatsoever, express or implied with respect thereto, including warranties of merchantability or fitness for a particular purpose.
6. Problems caused by moisture, hydrostatic pressure, or alkali in the sub-floor.
7. Problems caused by uses, maintenance and installation that are contrary to Johnsonite's specifications, recommendations or instructions.
8. Material installed with obvious defects.
9. Damage to flooring products from high heels or spike heels.
10. Installation of Johnsonite products with adhesives other than those recommended by Johnsonite.
11. Exterior installations. Johnsonite's products are designed for interior applications only.
12. Fading and/or discoloration resulting from heavy sunlight penetration and ultraviolet ray exposure from direct or glass filtered sunlight.
13. Material that is not installed and maintained as recommended by Johnsonite.
14. Damage to flooring products from pallet jack and tow-motor traffic.
15. Premature wear and deterioration from spikes and skate blade exposure.

These warranties are in lieu of any other warranty expressed or implied. Johnsonite shall not be liable for any incidental or consequential damages which may result from a defect. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. These warranties give you specific rights, and you may also have rights which may vary from state to state. To know what your legal rights are in your state, consult your local or state Consumer Affairs Office or your State Attorney General.

Rubber Wall Base

1. Not for use over vinyl wall coverings or epoxy paint and/or any non-porous surfaces.
2. Generally requires little maintenance. If deemed necessary, an acrylic floor finish can be applied.
3. Johnsonite Rubber Wall Base will not shrink. Improper installation can cause stretching of the material and cause gaps when the material returns to its original length.

Vinyl Wall Base

1. Not for use over vinyl wall coverings or epoxy paint and/or non-porous surfaces.
2. Generally requires little maintenance. If deemed necessary, an acrylic floor finish can be applied.
3. Johnsonite Vinyl Wall Base will not shrink. Improper installation can cause stretching of the material and cause gaps when the material returns to its original length.

Rubber Tile and Rubber Sheet Flooring (all types)

1. Proper maintenance on a regular basis is essential to the appearance and the wear-life of the tile and sheet flooring.
2. Tiles may have slight color variations not detected at the factory. All tiles must be dry-laid and examined under standard lighting conditions for color acceptance before being installed (see installation brochure).
3. Certain chemicals and various substances normally attack rubber formulations. Johnsonite Rubber Tile and Rubber Sheet Flooring should not be used in commercial kitchens and/or areas where impregnation from cooking oils, vegetable fats, petroleum products and similar contaminants are likely to occur. If any particular chemicals or substances are going to be present in the environment, adequate testing should be done in advance to ensure suitability for the application.
4. Certain oils and antioxidants sometimes used in the manufacture of rubber tires can cause staining and discoloration. In auto showrooms, for example, we recommend that tires NOT be allowed to come in direct contact with the tile. We suggest utilizing a pad made from carpet, masonite, scrap tile, etc. Contact Johnsonite Technical Applications Department for the specific details. **Note:** ComforTech Rubber Sheet Flooring is not recommended for use in auto showrooms. **Note:** ComforTech Rubber Sheet Flooring is not warranted against damage from lack of protection under caster chairs.
5. Not recommended for use in hospital operating rooms or computer rooms; NOT a conductive tile.

Rubber and Vinyl Stair Treads

1. Back of the tread must be cleaned with denatured alcohol to ensure proper adhesion.
2. The nose of the tread must fit tightly against the face of the stair riser or nosing. Any open spaces at the nosing between the step and the tread must be filled

with Johnsonite #930 Epoxy Caulking Compound (nose filler).

3. All treads and risers must be thoroughly rolled until a firm bond has been obtained.
4. No traffic for 24 hours.
5. Proper maintenance on a regular basis is essential to the appearance and wear-life of the treads.
6. For rubber stair treads, see number 3 under Rubber Tile.

Terra-Turf

1. Can be power vacuumed, swept, hosed or shampooed to clean.
2. Terra-Turf is warranted to be free from defects due to materials or workmanship for a period of five (5) years. The complete limited warranty is available on request.
3. For Terra-Turf, see number 3 under Rubber Tile.

Resilient Mouldings

1. Generally requires little maintenance. If deemed necessary, a paste or acrylic wax can be applied.
2. Johnsonite Resilient Mouldings will not shrink. Improper installation can cause stretching of the material which will result in gaps when the material returns to its original length.

For specific installation and maintenance instructions for Safety Stride Solid Vinyl Floor Tiles, Floor Keeper Entrance Matting, and Bronze and Rigid PVC Nosings, contact Johnsonite or reference the specific product sections in the Technical Data Portfolio at www.johnsonite.com on the Internet.

For warranty to apply, Johnsonite adhesives must be used for installation. See specific product listing for proper adhesive requirements.

NOTE

Additional discounts may be available on certain products for full or partial truckload quantities.

F.O.B. POINTS

[Empty rectangular box]

[Empty rectangular box]

[Empty rectangular box]