

Johnsonite®

Tarkett Collection Retail Dealer Price List

- *Homogeneous*
- *Heterogeneous*
 - *Linoleum*

EFFECTIVE July 18, 2011

Prices Subject to Change Without Notice

Net 30 Days

Complete Installation and Maintenance Instructions, as well as Specifications and Safety Data are available on the Johnsonite website: www.johnsonite.com.

JOHNSONITE Tarkett Collection
EFFECTIVE July 18, 2011

Page 2

INDEX

<u>PAGE</u>	<u>PRODUCT</u>	<u>ROLLS</u>	<u>TILES</u>	<u>PLANKS</u>	<u>SOLID WELD ROD</u>	<u>Multi-Color WELD ROD</u>
3	Quick Reference Pricing Schedule					
<u>Homogeneous Products</u>						
4	Granit	x	x		x	x
4	Granit Acoustiflor	x			x	x
4	Granit Multisafe	x			x	x
5-6	Optima	x	x		x	x
7-8	Melodia	x	x		x	
9	Aria	x	x		x	
10	Contract Plus	x	x		x	
11	Granit Safe-T	x			x	x
<u>Electrostatic Flooring</u>						
12	Granit SD	x	x		x	
13	Toro SC	x	x		x	
<u>Heterogeneous Products</u>						
14	Acczent	x			x	
NEW	15 Stella					
16-17	ID Premier - Luxury Vinyl Tiles		x			
16-17	ID Premier - Luxury Vinyl Planks			x		
18	Space		x			
19	Training	x			x	
20	Tarkolay	x				
<u>Linoleum Products</u>						
21	Etrusco	x			x	
22	Toscano	x	x		x	
23	Allegro	x			x	
22-23	Veneto	x	x		x	
<u>Adhesives, Cold Weld, Tarkolay</u>						
24	Cold Weld					
24	Tarkolay					
NEW	24-25 Adhesives, <u>Including New Spray Smart</u> , & Recommended Adhesive Application Chart					

-

**JOHNSONITE Tarkett Collection
Quick Reference Pricing Schedule**

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 3

Certain products are non-stocked standards, see specific attached product pages for details.

reference number	Product: Homogeneous	Gauge	Roll Pricing		Size of Tile	Size of Plank	Carton Pricing		Square Feet per Carton Tile	Weight	For Product & Ordering Details
			Price per Square Yard Roll	** Price per Sq/Ft - approximate reference only			Price Per Carton	** Price Per Sq/Ft - approximate reference only			
1 A-B	Granit	2mm			24" x 24"	N/A			56	5.53 lbs/sq yd or 34 lbs per ctn	page 4
2	Granit Acoustiflor	4mm			N/A	N/A			N/A	7.1 lbs/sq yd	page 4
3	Granit Multisafe	2.5mm			N/A	N/A			N/A	5.53 lbs/sq yd	page 4
4 A-B	Optima	2mm			24" x 24"	N/A			56	5.3 lbs/sq yd or 33 lbs per ctn	page 5-6
5 A-B	Melodia	2mm			24" x 24"	N/A			56	5.9 lbs/sq yd or 37 lbs per ctn	page 7-8
6 A-B	Aria	2mm			24" x 24"	N/A			56	5.9 lbs/sq yd or 37 lbs per ctn	page 9
7	Contract Plus	2mm			24" x 24"	N/A			56	5.8 lbs/sq yd or 36 lbs per ctn	page 10
8	Granit Safe T Sheet	2mm			N/A	N/A			N/A	5.3 lbs/sq yd	page 11
	Solid Color Weld Rod				N/A	N/A			165 lineal feet	2 lbs. per coil	
	Multi-Color Weld Rod				N/A	N/A			165 lineal feet	2 lbs. per coil	page 4-6, 11
	- for use with Granit and Optima										
	Homogeneous Electrostatic Flooring										
9 A-B	Granit SD	2mm			24" x 24"	N/A			56	5.53 lbs/sq yd or 34 lbs per ctn	page 12
10 A-B	Toro SC	2mm			24" x 24"	N/A			56	5.53 lbs/sq yd or 34 lbs per ctn	page 13

reference number	Product: Heterogeneous	Gauge	Roll Pricing		Size of Tile	Size of Plank	Carton Pricing		Square Feet per Carton Tile	Weight	For Product & Ordering Details
			Price per Square Yard Roll	** Price per Sq/Ft - approximate reference only			Price Per Carton	** Price Per Sq/Ft - approximate reference only			
11	Accent Wood	2mm			N/A	N/A			N/A	5.7 lbs/sq yd	page 14
12	Accent Steel	2mm			N/A	N/A			N/A	5.7 lbs/sq yd	page 14
13	Stella	2mm			N/A	N/A			N/A	5.2 lbs/sq yd	page 15
14	ID Premier Luxury Vinyl Tile -	2.5mm			18.5" x 18.5"	N/A			43.06	35 lbs/ctn	page 16-17
15	ID Premier Luxury Vinyl - Planks -	2.5mm			N/A	3.08" x 37" 6.16" x 37"			43.06	35 bs/ctn	page 16-17
16	Space	4.0mm			19.68" x 19.68"	N/A			43.06	48 lbs/ctn	page 18
17	Training	5.0mm			N/A	N/A			N/A	7.8 lbs/sq yd	page 19
18	Tarkolay	1.3mm			N/A	N/A			N/A	2.1 lbs/sq yd	Page 20
	Solid Color Weld Rod				N/A	N/A			165 lineal feet	2 lbs. per coil	

reference number	Product: Linoleum	Gauge	Roll Pricing		Size of Tile	Size of Plank	Carton Pricing		Approximate Roll Length	Weight	For Product & Ordering Details
			Price Per Sq. Yd. Roll	** Price per Sq/Ft - approximate reference only			Price Per Carton	** Price Per Sq/Ft - approximate reference only			
19	Etrusco	2.5mm			N/A	N/A			65-100'	5.5 lbs / sq. yd.	page 21
20 A	Toscano	2.5mm			N/A	N/A			65-100'	5.5 lbs / sq. yd.	page 21
20 B	Toscano	2.5mm			19.49" x 19.49"	NA			52.76 sq ft per ctn	25.9 lbs per ctn	page 21
21	Allegro	2.5mm			N/A	N/A			65-100'	5.5 lbs / sq. yd.	page 21
22A	Veneto	2.5mm			see below	N/A			65-100'	5.8 lbs / sq. yd.	page 22-23
22 B	Veneto	2.5mm			19.49" x 19.49"	N/A			52.76 sq ft per ctn	25.9 lbs per ctn	page 22-23
23	Veneto	2.0mm			N/A	N/A			65-100'	4.5 lbs / sq. yd.	page 22-23
	Welding Rods				N/A	N/A			165'	2 lbs per ctn.	

\$50.00 cut charge per cut; in some cases, ordering more product may be more advantageous. Requires 72 hour notice. Please contact Johnsonite for exact details. 1 cut per SKU per order.

reference number	Product: Adhesives, <u>Including New</u> <u>Spray Smart, Cold Weld, Tarkolay</u>											
		Price Per Sq. Yd. Roll	Price per Square Foot Roll	Size of Tile	Size of Plank	Price Per Carton		Weight	For Product & Ordering Details			
24	Cold Weld			N/A	N/A			10 tubes per carton	4.5 fluid oz. per tube	page 24		
25	Tarkolay	1.3mm		N/A	N/A			N/A	2.1 lbs/sq yd	page 24		
26	Adhesives	See page 25 for Recommended Adhesive Application Chart									page 24-25	
										page 26		

JOHNSONITE Tarkett Collection
Granit - Homogeneous Sheet and Tile Flooring

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 4

Granit	reference 1-A Granit - Roll 2.0mm Thickness	reference 1-B Granit - Tile 2.0mm Thickness	reference 2 Granit Acoustiflor Roll 4.0mm Thickness	reference 3 Granit Multisafe Roll 2.5mm Thickness	Recommended Corresponding Solid Color Weld Rod	Recommended Corresponding Multi-Color Weld Rod
Price per Square Yard		N/A			N/A	N/A
**Price per Sq Ft/Roll - For Reference Only		N/A			N/A	N/A
Price per Carton	N/A		N/A	N/A		
**Price per Carton/Sq Ft - For Reference Only	N/A		N/A	N/A	N/A	N/A
		<i>Tiles are standard non-stocked items with no minimums; except they are sold only in full cartons, consult Johnsonite for availability.</i>	NOTE*** Ordering codes marked with *** are available by special order. Consult customer service for details.			
Cut Roll Charge Note: Cut Roll charges are NON-CANCELABLE	\$50.00 cut charge per cut /1 cut per sku (72 hour notice)	Full Cartons Only	\$50.00 cut charge per cut /1 cut per sku (72 hour notice)	\$50.00 cut charge per cut /1 cut per sku (72 hour notice)	Full Coils Only	Full Coils Only
Thickness	.080" gauge (2mm)	.080" gauge (2mm)	.160" gauge (4mm)	.098" (2.5mm)	.160" (4mm)	.160" (4mm)
Width	6' 6" nominal	24"	6' 6" nominal	6' 6" nominal	--	--
Length	Approx. 82'	24" x 24" nominal	Approx. 82'	Approx. 82'	--	--
Quantity per full roll (approximate) or carton	59.7 sq yds per roll (approximate)	56 sq. ft. per carton (14 pcs per ctn)	59.7 sq. yds. per roll (approximate)	59.7 sq. yds. per roll (approximate)	165 lineal feet	165 lineal feet
Weight	5.53 lbs per sq yd	34 lbs per carton	7.1 lbs per sq yd.	5.53 lbs per sq yd	2 lbs. per coil	2 lbs. per coil
Product Code	GRT-R Color Number	GRT-T Color Number	GRTAC-R Color Number	GRTMS - R Color Number	Use Full Part Number (listed below)	Use WRC plus Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order Granit 2mm Thickness in Rolls, Color Grand Canyon: Use GRT-R 372)</i> Order in Square Yards	Order by Product Code and Color Number <i>(Ex. To order Granit 2mm Thickness in Tiles, Color Grand Canyon: Use GRT-T 372)</i> Order in Full Cartons	Order by Product Code and Color Number <i>(Ex. To order Granit 4mm Thickness Acoustiflor in Rolls, Color Grand Canyon: Use GRTAC-R 372)</i> Order in Square Yards	Order by Product Code and Color Number <i>(Ex. To order Granit 2.5mm Thickness Multisafe in Rolls, Color Full Sail: Use GRTMS-R 379)</i> Order in Square Yards	To order solid color weld rod which corresponds to the Granit rolls or tile, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to Granit color 372 Grand Canyon use 1292372.	To order Multi-Color weld rod which corresponds to the Granit rolls or tile, use WRC and Part Number of Multi-Color Weld Rod listed below. (Ex. To order Multi-Color weld rod to correspond to Granit color 372 Grand Canyon use WRC 1292372.

Note: In place of Weld Rod, Johnsonite Cold Weld Liquid can be used. Tubes are 4.5 Fl. Oz. and 10 tubes per carton - full cartons only.
Ordering Code CWL-4.5

Granit Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod & Multi-Color Weld Rod Part Numbers							
Color Description	Color Number	Ordering Codes for Granit 2.0mm Thickness Rolls	Ordering Codes for Granit 2.0mm Thickness Tiles	Ordering Codes for Granit Acoustiflor 4.0mm Thickness Rolls	Ordering Codes for Granit Multisafe 2.5mm Thickness Rolls	Ordering Part Numbers for Solid Color Weld Rod	Ordering Part Numbers for Multi-Color Weld Rod
			<i>Tiles are standard non-stocked items with no minimums; except they are sold only in full cartons, consult Johnsonite for availability.</i>				
Grand Canyon	372	GRT-R 372	GRT-T 372	GRTAC-R 372	N/A	1292372	WRC 1290031
Hot Chocolate	375	GRT-R 375	GRT-T 375	***GRTAC-R 375***	N/A	1292375	WRC 1290046
Full Sail	379	GRT-R 379	GRT-T 379	N/A	GRTMS-R 379	1292379	WRC 1290041
Yoga	382	GRT-R 382	GRT-T 382	GRTAC-R 382	N/A	1291811	WRC 1290028
Homing Pigeon	383	GRT-R 383	GRT-T 383	GRTAC-R 383	GRTMS-R 383	1292383	WRC 1290021
After Midnight	384	GRT-R 384	GRT-T 384	N/A	N/A	1292384	WRC 1290035
Portland Grey	419	GRT-R 419	GRT-T 419	N/A	N/A	1287341	WRC 1290061
Stone Harbor	420	GRT-R 420	GRT-T 420	N/A	N/A	1287333	WRC 1290050
Sandlot	421	GRT-R 421	GRT-T 421	GRTAC-R 421	N/A	1291352	WRC 1290033
Lacey Pearl	422	GRT-R 422	GRT-T 422	GRTAC-R 422	N/A	1287322	WRC 1290054
Semolina	423	GRT-R 423	GRT-T 423	N/A	N/A	1287249	WRC 1290056
Chocolate Truffle	424	GRT-R 424	GRT-T 424	N/A	N/A	1287130	WRC 1290067
Smoldering Red	425	GRT-R 425	GRT-T 425	N/A	N/A	1287408	WRC 1290063
Acadia	426	GRT-R 426	GRT-T 426	***GRTAC-R 426***	N/A	1287332	WRC 1290059
Newport	427	GRT-R 427	GRT-T 427	N/A	N/A	1287409	WRC 1290071
Acorn	428	GRT-R 428	GRT-T 428	N/A	N/A	1287407	WRC 1290023
Bermuda Blue	429	GRT-R 429	GRT-T 429	N/A	N/A	1287410	WRC 1290075
Pixelation	430	GRT-R 430	GRT-T 430	N/A	N/A	N/A	N/A
Mystic	431	GRT-R 431	GRT-T 431	N/A	N/A	N/A	WRC 1290083
Prism	432	GRT-R 432	GRT-T 432	***GRTAC-R 432***	N/A	1287370	WRC 1290052
Winter Sky	433	GRT-R 433	GRT-T 433	N/A	N/A	1288123	WRC 1290065
Latte	434	GRT-R 434	GRT-T 434	N/A	N/A	1287292	WRC 1290069
Eclipse	435	GRT-R 435	GRT-T 435	N/A	N/A	1288327	WRC 1290027
Hazy Violet	436	GRT-R 436	GRT-T 436	N/A	N/A	1287312	WRC 1290077
Cactus	437	GRT-R 437	GRT-T 437	N/A	N/A	1287305	WRC 1290073
Soft Fleece	770	GRT-R 770	GRT-T 770	GRTAC-R 770	GRTMS-R 770	1288255	WRC 1290036
Sea Stone	772	GRT-R 772	GRT-T 772	***GRTAC-R 772***	GRTMS-R 772	1291772	WRC 1290039
Blue Veranda	777	GRT-R 777	GRT-T 777	***GRTAC-R 777***	N/A	1291210	WRC 1290038
Morning Surf	779	GRT-R 779	GRT-T 779	N/A	GRTMS-R 779	1292617	WRC 1290044
Turquoise Swirl	780	GRT-R 780	GRT-T 780	***GRTAC-R 780***	N/A	1291794	WRC 1290048
Mystic Grey	782	GRT-R 782	GRT-T 782	N/A	GRTMS-R 782	1294680	WRC 1290043

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart.

JOHNSONITE Tarkett Collection

Optima - Homogeneous Sheet and Tile Flooring

EFFECTIVE July 18, 2011

**Note: Square Foot Pricing for approximate reference only

Page 5

Optima	Reference 4-A Optima - Roll 2.0mm Thickness	Reference 4-B Optima - Tile 2.0mm Thickness	Recommended Corresponding Solid Color Weld Rod	Recommended Corresponding Multi-Color Weld Rod
Price per Square Yard		N/A	N/A	N/A
**Price per Sq Ft/Roll		N/A	N/A	N/A
Price per Carton	N/A			
**Price per Carton/Sq Ft	N/A		N/A	N/A
		<i>See Page 6 for Availability</i>		
Cut Roll Charge <i>Note: Cut roll charges are NON-CANCELABLE</i>	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Cartons Only	Full Coils Only	Full Coils Only
Thickness	.080" gauge (2mm)	.080" gauge (2mm)	.160" (4mm)	.160" (4mm)
Width	6' 6" nominal	24"	--	--
Length	Approx. 82' 7"	24" x 24" nominal	--	--
Quantity per full roll (approximate) or carton	59.7 sq yds per roll (approximate)	56 sq. ft. per carton	165 lineal feet	165 lineal feet
Weight	5.3 lbs. per sq yd	33 lbs per carton	2 lbs. per coil	2 lbs. per coil
Product Code	OPT-R Color Number	OPT-T Color Number	Use Full Part Number (listed below)	Use WRC plus Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order Optima 2mm Thickness in Rolls, Color Taffy: Use OPT-R 809)</i> Order in Square Yards	Order by Product Code and Color Number <i>(Ex. To order Optima 2mm Thickness in Tiles, Color Taffy: Use OPT-T 809)</i> Order in Full Cartons	To order solid weld rod which corresponds to the Optima rolls or tile, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to color number 809 Taffy use 1291809. Order in Full Coils	To order Multi-Color weld rod which corresponds to the Optima rolls or tile, use WRC plus Part Number of Multi- Color Weld Rod listed below. (Ex. To order Multi-Color weld rod to correspond to color number 809 Taffy use WRC 1290058. Order in Full Coils

Note: In place of Weld Rod, Johnsonite Cold Weld Liquid can be used. Tubes are 4.5 Fl. Oz. and 10 tubes per carton - full cartons only. Ordering Code CWL-4.5

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

See Page 6 for Optima Color Availability

JOHNSONITE Tarkett Collection
Optima - Homogeneous Sheet and Tile Flooring

EFFECTIVE July 18, 2011

Page 6

Optima Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod and Multi-Color Weld Rod Part Numbers

Color Description	Color Number	Reference 4-A Ordering Codes for Optima 2.0mm Thickness Rolls	Reference 4-B		Ordering Part Numbers for Solid Weld Rod	Ordering Part Numbers for Multi- Color Weld Rod
			Ordering Codes for Optima 2.0mm Thickness Tiles			
			STANDARD STOCKED COLORS <i>Tiles listed below with ordering codes are standard stocked items with no minimums; except they are sold only in full cartons</i>	STANDARD NON STOCK COLORS <i>Tiles listed below with ordering codes are standard non-stock items with no minimums--except they are sold only in full cartons, consult Johnsonite for availability.</i>		
Taffy	809	OPT-R 809	OPT-T 809		1291809	WRC 1290058
Aquarium	810	OPT-R 810	OPT-T 810		1291810	WRC 1290080
High Tide	819	OPT-R 819		OPT-T 819	1291819	WRC 1290060
Frothy Latte	821	OPT-R 821	OPT-T 821		1291821	WRC 1290032
Yellow Mustard	824	OPT-R 824		OPT-T 824	1287036	WRC 1290070
Caramel Infusion	825	OPT-R 825	OPT-T 825		1291203	WRC 1290024
Crunchy Granola	827	OPT-R 827	OPT-T 827		1292443	WRC 1290030
Peach Sorbet	829	OPT-R 829	OPT-T 829		1291342	WRC 1290040
Hot Ginger	831	OPT-R 831	OPT-T 831		1291831	WRC 1290042
Turkish Brown	832	OPT-R 832		OPT-T 832	1294429	WRC 1290076
Turf	836	OPT-R 836	OPT-T 836		1287040	WRC 1290078
Thunderbird	840	OPT-R 840		OPT-T 840	1287035	WRC 1290064
Sea Port	842	OPT-R 842		OPT-T 842	1287038	WRC 1290068
Winter Lake	844	OPT-R 844		OPT-T 844	1291844	WRC 1290053
Stroke of Midnight	845	OPT-R 845	OPT-T 845		1291845	WRC 1290034
Lime Cilantro	846	OPT-R 846		OPT-T 846	1287037	WRC 1290074
Flan	850	OPT-R 850		OPT-T 850	1287041	WRC 1290045
Thunderhead	853	OPT-R 853	OPT-T 853		1292388	WRC 1290022
Morning Sky	856	OPT-R 856		OPT-T 856	1288905	WRC 1290051
Popiu Bay	857	OPT-R 857		OPT-T 857	1287034	WRC 1290037
Breakwater	858	OPT-R 858	OPT-T 858		1291210	WRC 1290062
Purple Majesty	859	OPT-R 859		OPT-T 859	1287033	WRC 1290079
Malt	860	OPT-R 860	OPT-T 860		1287039	WRC 1290066
Raw Ivory	862	OPT-R 862	OPT-T 862		1291862	WRC 1290025
Concrete Slab	864	OPT-R 864	OPT-T 864		1291214	WRC 1290029
Sidewalk	866	OPT-R 866	OPT-T 866		1291216	WRC 1290026
Tomato Paste	867	OPT-R 867		OPT-T 867	1288409	WRC 1290047
Cardinal	868	OPT-R 868		OPT-T 868	1289057	WRC 1290072
Barley Soup	879	OPT-R 879	OPT-T 879		1291809	WRC 1290081
Oatmeal	884	OPT-R 884	OPT-T 884		1291809	WRC 1290057
Beluga	886	OPT-R 886	OPT-T 886		1291609	WRC 1290049
Cloudy Quartz	896	OPT-R 896	OPT-T 896		1291609	WRC 1290085
Slate	897	OPT-R 897	OPT-T 897		1287170	WRC 1290086
Heavy Cream	898	OPT-R 898	OPT-T 898		1294727	WRC 1290087
Flannel Blanket	899	OPT-R 899	OPT-T 899		1287010	WRC 1290088
Old Bark	900	OPT-R 900	OPT-T 900		1287013	WRC 1290089
Cream Puff	901	OPT-R 901	OPT-T 901		1287238	WRC 1290090
Tomato Bisque	902	OPT-R 902	OPT-T 902		1287239	WRC 1290091
Spanish Turtle	903	OPT-R 903	OPT-T 903		1287240	WRC 1290092
Multi-Color	904	OPT-R 904	OPT-T 904		1287241	WRC 1290093
Mint Chocolate Chip	905	OPT-R 905	OPT-T 905		1287242	WRC 1290094
North Shore	906	OPT-R 906	OPT-T 906		1291921	WRC 1290095
Heather Berry	907	OPT-R 907	OPT-T 907		1287243	WRC 1290096
Nougat	908	OPT-R 908	OPT-T 908		1290013	WRC 1290097

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE Tarkett Collection
Melodia - Homogeneous Sheet and Tile Flooring

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 7

Melodia	Reference 5-A Melodia - Roll 2.0mm Thickness	Reference 6 B Melodia - Tile 2.0mm Thickness	Recommended Corresponding Solid Color Weld Rod
Price per Square Yard		24" x 24"	N/A
**Price per Sq Ft/Roll		N/A	N/A
Price per Carton	N/A		
**Price per Carton/Sq Ft	N/A		N/A
		<i>Tiles are standard non-stocked items with no minimums; except they are sold only in full cartons, consult Johnsonite for availability.</i>	
Cut Roll Charge <i>Note: Cut roll charges are NON-CANCELABLE</i>	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Cartons Only	Full Coils Only
Thickness	.080" gauge (2mm)	.080" gauge (2mm)	.160" (4mm)
Width	6' 6" nominal	24"	--
Length	Approx. 75' 5"	24" x 24" nominal	--
Quantity per full roll (approximate) or carton	55 sq yds per roll (approximate)	56 sq. ft. per carton	165 lineal feet
Weight	5.9 lbs. per sq yd	37 lbs. per carton	2 lbs. per coil
Product Code	MLD-R Color Number	MLD-T Color Number	Use Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order Melodia 2mm Thickness in Rolls, Color PLaza: Use MLD-R 616)</i> Order in Square Yards	Order by Product Code and Color Number <i>(Ex. To order Melodia 2mm Thickness in Tiles, Color Plaza Use MLD-T 616)</i> Order in Full Cartons	To order solid color weld rod which corresponds to the Melodia 2mm rolls, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to color number 601 Snow Day use 1288123. Order in Full Coils

Note: In place of Weld Rod, Johnsonite Cold Weld Liquid can be used. Tubes are 4.5 Fl. Oz. and 10 tubes per carton - full cartons only. Ordering Code CWL-4.5

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

See Page 8 for Melodia Color Availability

JOHNSONITE Tarkett Collection
Melodia - Homogeneous Sheet Flooring

EFFECTIVE July 18, 2011

Page 8

**Melodia Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding
Solid Color Weld Rod Part Numbers**

Color Description	Color Number	Reference 5-A Ordering Codes for Melodia 2.0mm Thickness Rolls	Reference 5-A Ordering Codes for Melodia 2.0mm Thickness Tiles are standard non-stocked items with no minimums;except they are sold only in full cartons, consult Johnsonite for availability.	Ordering Part Numbers for Solid Color Weld Rod
Snow Day	601	MLD-R-601	MLD-T-601	1288123
Gray Stone	602	MLD-R-602	MLD-T-602	1294680
Rock Me	603	MLD-R-603	MLD-T-603	1287027
Tango	604	MLD-R-604	MLD-T-604	1288327
Ebony	605	MLD-R605	MLD-T605	1287314
Alto	606	MLD-R-606	MLD-T-606	1287290
Trail Mix	607	MLD-R-607	MLD-T-607	1287170
Trail Blazer	608	MLD-R-608	MLD-T-608	1287308
Navajo	609	MLD-R-609	MLD-T-609	1287012
Berber	610	MLD-R-610	MLD-T-610	1287291
Waltz	611	MLD-R-611	MLD-T-611	1287010
Winter White	612	MLD-R-612	MLD-T-612	1288241
Mambo	613	MLD-R-613	MLD-T-613	1291821
Sandstorm	614	MLD-R-614	MLD-T-614	1287292
Sandlot	615	MLD-R-615	MLD-T-615	1291352
Plaza	616	MLD-R-616	MLD-T-616	1287010
Baritone	617	MLD-R-617	MLD-T-617	1287013
Rustica	618	MLD-R-618	MLD-T-618	1287293
Santa Fe	619	MLD-R-619	MLD-T-619	1287306
Beachfront	620	MLD-R-620	MLD-T-620	1287313
Grassland	621	MLD-R-621	MLD-T-621	1287304
Mottled Pewter	622	MLD-R-622	MLD-T-622	1287309
Dark Shadows	623	MLD-R-623	MLD-T-623	1287294
Avocado	624	MLD-R-624	MLD-T-624	1287295
Stonewash Blue	625	MLD-R-625	MLD-T-625	1287296
Poolside	626	MLD-R-626	MLD-T-626	1287310
Blueberry	627	MLD-R-627	MLD-T-627	1288335
Blue Note	628	MLD-R-628	MLD-T-628	1288344
Mottled Blue	629	MLD-R-629	MLD-T-629	1287311
West Winds	630	MLD-R-630	MLD-T-630	1287297
Baby Blue	631	MLD-R-631	MLD-T-631	1287303
Blue Fox	632	MLD-R-632	MLD-T-632	1291956
Banana Cream	633	MLD-R-633	MLD-T-633	1287298
Pomegranate	634	MLD-R-634	MLD-T-634	1287299
Orange Swirl	635	MLD-R-635	MLD-T-635	1287300
Gotham	636	MLD-R-636	MLD-T-636	1287312
Viola	637	MLD-R-637	MLD-T-637	1287301
Plum	638	MLD-R-638	MLD-T-638	1287307
Pesto	639	MLD-R-639	MLD-T-639	1287305
Aqua Star	640	MLD-R-640	MLD-T-640	1287302

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE Tarkett Collection
Aria - Homogeneous Sheet Flooring

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 9

Aria	Reference 6 A Aria - Roll 2.0mm Thickness	Reference 6 B Aria - Tile 2.0mm Thickness	Recommended Corresponding Solid Color Weld Rod
Price per Square Yard		N/A	N/A
**Price per Sq Ft/Roll		N/A	N/A
Price per Carton	N/A		
**Price per Carton/Sq Ft	N/A		N/A
		STANDARD STOCKED COLORS <i>Tiles listed below with ordering codes are standard stocked items with no minimums; except they are sold only in full cartons</i>	
Cut Roll Charge <i>Note: Cut roll charges are NON-CANCELABLE</i>	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Cartons Only	Full Coils Only
Thickness	.080" gauge (2mm)	.080" gauge (2mm)	.160" (4mm)
Width	6' 6" nominal	24"	--
Length	Approx. 75' 5"	24" x 24" nominal	--
Quantity per full roll (approximate) or carton	55 sq yds per roll (approximate)	56 sq. ft. per carton	165 lineal feet
Weight	5.9 lbs. per sq yd	37 lbs. per carton	2 lbs. per coil
Product Code	ARI-R Color Number	ARI-T Color Number	Use Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order Aria 2mm Thickness in Rolls, Color Cotton Blossom: Use ARI-R 651)</i>	Order by Product Code and Color Number <i>(Ex. To order Aria 2mm Thickness in Tiles, Color Cotton Blossom: Use ARI-T 651)</i>	To order solid color weld rod which corresponds to the Aria rolls, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to color number 651 Cotton Blossom use 1287338.
	Order in Square Yards	Order in Full Cartons	Order in Full Coils

Note: In place of Weld Rod, Johnsonite Cold Weld Liquid can be used. Tubes are 4.5 Fl. Oz. and 10 tubes per carton - full cartons only. Ordering Code CWL-4.5

Aria Color Descriptions - Color Numbers - Ordering Codes and Recommended Corresponding Solid Color Weld Rod Part Numbers				
Color Description	Color Number	Reference 6 A Ordering Codes for Aria 2.0mm Thickness Rolls	Reference 6 B Ordering Codes for Aria 2.0mm Thickness Tiles	Ordering Part Numbers for Solid Color Weld Rod
			STANDARD STOCKED COLORS <i>Tiles listed below with ordering codes are standard stocked items with no minimums; except they are sold only in full cartons</i>	
Cotton Blossom	651	ARI-R-651	ARI-T-651	1287338
Windy City	652	ARI-R-652	ARI-T-652	1291811
Cymbal	653	ARI-R-653	ARI-T-653	1292383
Jigsaw	654	ARI-R-654	ARI-T-654	1287340
Gypsy Moth	655	ARI-R-655	ARI-T-655	1287012
Ferris Wheel	656	ARI-R-656	ARI-T-656	1287333
Cabana	657	ARI-R-657	ARI-T-657	1292319
Iced Tea	658	ARI-R-658	ARI-T-658	1291821
Brown Sugar	659	ARI-R-659	ARI-T-659	1287292
Midsummer	660	ARI-R-660	ARI-T-660	1287339
Lemongrass	661	ARI-R-661	ARI-T-661	1288348
Fiesta	662	ARI-R-662	ARI-T-662	1287336
Grapevine	663	ARI-R-663	ARI-T-663	1287332
Mistletoe	664	ARI-R-664	ARI-T-664	1287330
Blue Iris	665	ARI-R-665	ARI-T-665	1288344
Harpichord	667	ARI-R-667	ARI-T-667	1287329

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart.

JOHNSONITE Tarkett Collection

Contract Plus - Homogeneous Sheet Flooring

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 10

Contract Plus	Reference 7 A Contract Plus - Roll 2.0mm Thickness	Reference 7 B Contract Plus - Tile 2.0mm Thickness	Recommended Corresponding Solid Color Weld Rod
Price per Square Yard		N/A	N/A
**Price per Sq Ft/Roll		N/A	N/A
Price per Carton	N/A		
**Price per Carton/Sq Ft	N/A		N/A
		STANDARD STOCKED COLORS <i>Tiles listed below with ordering codes are standard stocked items with no minimums; except they are sold only in full cartons</i>	
Cut Roll Charge <i>Note: Cut roll charges are NON-CANCELABLE</i>	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Cartons Only	Full Coils Only
Thickness	.080" gauge (2mm)	.080" gauge (2mm)	.160" (4mm)
Width	6' 6" nominal	24"	--
Length	Approx. 75' 9"	24" x 24" nominal	--
Quantity per full roll (approximate) or carton	55.66 sq yds per roll (approximate)	56 sq. ft. per carton	165 lineal feet
Weight	5.8 lbs. per sq yd	36 lbs. per carton	2 lbs. per coil
Product Code	CON-R Color Number	CON-T Color Number	Use Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order Contract Plus 2mm Thickness in Rolls, Color Cloud Burst: CON-R 466) Use</i>	Order by Product Code and Color Number <i>(Ex. To order Contract Plus 2mm Thickness in Tiles, Color Cloud Burst: Use CON-T 466)</i>	To order solid color weld rod which corresponds to the Contract Plus rolls, use WRC and Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to color number Cloud Burst use WRC 1287444.
	Order in Square Yards	Order in Full Cartons	Order in Full Coils

Note: In place of Weld Rod, Johnsonite Cold Weld Liquid can be used. Tubes are 4.5 Fl. Oz. and 10 tubes per carton - full cartons only. Ordering Code CWL-4.5

Contract Plus Color Descriptions - Color Numbers - Ordering Codes and Recommended Corresponding Solid Color Weld Rod Part Numbers				
Color Description	Color Number	Reference 6 A Ordering Codes for Contract Plus 2.0mm Thickness Rolls	Reference 6 B Ordering Codes for Contract Plus 2.0mm Thickness Tiles	Ordering Part Numbers for Solid Color Weld Rod
			STANDARD STOCKED COLORS <i>Tiles listed below with ordering codes are standard stocked items with no minimums; except they are sold only in full cartons</i>	
Cloud Burst	466	CON-R 466	CON-T 466	1287444
Cobblestone	467	CON-R 467	CON-T 467	1287445
Moonscape	468	CON-R 468	CON-T 468	1287446
Brown Velvet	469	CON-R 469	CON-T 469	1287447
Offshore	470	CON-R 470	CON-T 470	1292612
Tiger Lily	471	CON-R 471	CON-T 471	1287448
Funnel Cake	472	CON-R 472	CON-T 472	1287283
Ginger Root	473	CON-R 473	CON-T 473	1287078
Cookie Dough	474	CON-R 474	CON-T 474	1287449
Green Meadow	475	CON-R 475	CON-T 475	1287450
Surf	476	CON-R 476	CON-T 476	1287451
Open Sea	477	CON-R 477	CON-T 477	1287452
Castle Rock	478	CON-R 478	CON-T 478	1287170

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE Tarkett Collection

Granit Safe-T Sheet - Homogeneous Sheet Flooring

EFFECTIVE July 18, 2011

**Note: Square Foot Pricing for approximate reference only

Page 11

<i>Granit Safe-T Sheet</i>	<i>Reference 8</i> <i>Granit Safe-T Sheet - 2.0mm Thickness Roll</i>	<i>Recommended Corresponding Weld Rod</i>	<i>Recommended Corresponding Multi-Color Weld Rod</i>
Price per Square Yard		N/A	N/A
**Price per Sq Ft/Roll		N/A	N/A
Price per Carton	N/A		
**Price per Carton/Sq Ft	N/A	N/A	N/A
Cut Roll Charge <i>Cut roll charges are NON-CANCELABLE</i>	<i>Note:</i> \$50.00 cut charge per cut / cut per sku hour notice)	Full Coils Only	Full Coils Only
Thickness	.080" gauge (2mm)	.160" (4mm)	.160" (4mm)
Width	6' 6" nominal	---	---
Length	Approx. 82'	---	---
Quantity per full roll (approximate)	60.13 sq yds per roll (approximate)	165 lineal feet	165 lineal feet
Weight	5.5 lbs. per sq yd	2 lbs. per coil	2 lbs. per coil
Product Code	STS-R Color Number	Use Full Part Number (listed below)	Use WRC plus Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order Granit Safe-T Sheet 2mm Thickness in Rolls, Color Semolina: Use GRTSFT-R 690)</i>	To order solid color weld rod which corresponds to the Granit Safe-T Sheet Rolls, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to Granit Safe-T Sheet 2mm Roll Color 690 Semolina use 1287249.	To order Multi-Color weld rod which corresponds to the Granit Safe-T Sheet Rolls, use WRC plus the Part Number of Multi-Color Weld Rod listed below. (Ex. To order Multi-Color weld rod to correspond to Granit Safe-T Sheet 2mm Roll Color 690 Semolina use WRC 1290035.
	Order in Square Yards	Order in Full Coils	Order in Full Coils

Granit Safe-T Sheet Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod and Multi-Color Weld Rod Part Numbers				
Color Description	Color Number	Ordering Codes for Granit Safe-T Sheet	Ordering Part Numbers for Solid Color Weld Rod	Ordering Part Numbers for Multi-Color Weld Rod
Semolina	690	GRTSFT-R 690	1292384	WRC 1290056
Soft Fleece	691	GRTSFT-R 691	1288255	WRC 1290036
Acorn	692	GRTSFT-R 692	1287407	WRC 1290023
Hot Chocolate	693	GRTSFT-R 693	1292375	WRC 1290046
Acadia	694	GRTSFT-R 694	1287332	WRC 1290059
Blue Veranda	695	GRTSFT-R 695	1291210	WRC 1290038
Full Said	696	GRTSFT-R 696	1292379	WRC 1290041
Yoga	697	GRTSFT-R 697	1291811	WRC 1290028
Homing Pigeon	698	GRTSFT-R 698	1292383	WRC 1290021
Eclipse	699	GRTSFT-R 699	1288327	WRC 1290027
After Midnight	700	GRTSFT-R 700	1292384	WRC 1290035

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE Tarkett Collection

Granit SD- Static Dissipative Homogeneous Sheet and Tile Flooring

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 12

Granit SD Static Dissipative	Reference 9-A Granit SD- Roll 2.0mm Thickness	Reference 9-B Granit SD- Tile 2.0mm Thickness	Recommended Corresponding Solid Color Weld Rod
Price per Square Yard		N/A	N/A
**Price per Sq Ft/Roll		N/A	N/A
Price per Carton	N/A		
**Price per Carton/Sq Ft	N/A		N/A
		<i>Tiles are standard non-stock items with no minimums; except they are sold only in full cartons, consult Johnsonite for availability.</i>	
Cut Roll Charge <i>Note: Cut roll charges are NON-CANCELABLE</i>	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Cartons Only	Full Coils Only
Thickness	.080" gauge (2mm)	.080" gauge (2mm)	.160" (4mm)
Width	6' 6" nominal	24"	--
Length	Approx. 75'	24" x 24" nominal	--
Quantity per full roll (approximate) or carton	55 sq yds per roll (approximate)	56 sq. ft. per carton (14 pcs. per ctn .)	165 lineal feet
Weight	5.53 lbs per sq yd	34 lbs per carton	2 lbs. per coil
Product Code	GRTSD-R Color Number	GRTSD-T Color Number	Use Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order GranitSD 2mm Thickness in Rolls, Color Full Moon: Use GRTSD-R 710</i> Order in Square Yards	Order by Product Code and Color Number <i>(Ex. To order GranitSD 2mm Thickness in Tiles, Color Full Moon: Use GRTSD-T 710</i> Order in Full Cartons	To order solid color weld rod which corresponds to the Granit SD rolls or tile, use Part Number of Weld Rod listed below. (Ex. To order solid color weld rod to correspond to Granit SD color 710 Full Moon use 1287411. Order in Full Coils

Note: In place of Weld Rod, Johnsonite Cold Weld Liquid can be used. Tubes are 4.5 Fl. Oz. and 10 tubes per carton - full cartons only. Ordering Code CWL-4.5

Granit Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod Part Numbers				
Color Description	Color Number	Ordering Codes for Granit AS 2.0mm Thickness Rolls	Ordering Codes for Granit AS 2.0mm Thickness Tiles	Ordering Part Numbers for Solid ColorWeld Rod
			<i>Tiles are standard non-stock items with no minimums; except they are sold only in full cartons, consult Johnsonite for availability.</i>	
Full Moon	710	GRTSD-R 710	GRTSD-T 710	1287411
Nickel	711	GRTSD-R 711	GRTSD-T 711	1287412
Smokey	712	GRTSD-R 712	GRTSD-T 712	1287413
Kettle Black	713	GRTSD-R 713	GRTSD-T 713	1287414
Misty	714	GRTSD-R 714	GRTSD-T 714	1287415
Tapestry	715	GRTSD-R 715	GRTSD-T 715	1287416
Kahlua	716	GRTSD-R 716	GRTSD-T 716	1287417
Florida Keys	717	GRTSD-R 717	GRTSD-T 717	1287418
Cool Breeze	718	GRTSD-R 718	GRTSD-T 718	1287419

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE Tarkett Collection
Toro SC - Conductive Flooring - Homogeneous Sheet and Tile Flooring

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Toro SC - Conductive Flooring	Reference 10-A Toro SC - 2.0mm Thickness Roll	Reference 10-B Toro SC - 2.0mm Thickness Tile	Recommended Corresponding Solid Color Weld Rod
Price per Square Yard		N/A	N/A
**Price per Sq Ft/Roll		N/A	N/A
Price per Carton	N/A		
**Price per Carton/Sq Ft	N/A		N/A
		<i>Tiles are standard non-stock items with no minimums; except they are sold only in full cartons, consult Johnsonite for availability.</i>	
Cut Roll Charge <i>Note: Cut roll charges are NON-CANCELABLE</i>	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Cartons Only	Full Coils Only
Thickness	.080" gauge (2mm)	.080" gauge (2mm)	.160" (4mm)
Width	6' 6" nominal	24"	
Length	Approx. 75'	24" x 24" nominal	--
Quantity per full roll (approximate) or carton	55 sq yds per roll (approximate)	56 sq feet per carton (14 pcs. per ctn.)	165 lineal feet
Weight	5.53 lbs. per sq yd	34 lbs. per carton	2 lbs. per coil
Product Code	TOR-R Color Number	TOR-T Color Number	Use Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order Toro SC 2mm Thickness in Rolls, Color 100 Tundra: Use TOR-R 100)</i> Order in Square Yards	Order by Product Code and Color Number <i>(Ex. To order Toro SC 2mm Thickness in Tiles, Color 100 Tundra: Use TOR-T 100)</i> Order in Full Cartons	To order solid color weld rod which corresponds to the Toro SC Rolls or Tiles, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to Toro SC 2mm Roll Color 100 Tundra use 1287322. Order in Full Coils

Note: In place of Weld Rod, Johnsonite Cold Weld Liquid can be used. Tubes are 4.5 Fl. Oz. and 10 tubes per carton - full cartons only. Ordering Code CWL-4.5

Toro SC Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod Part Numbers				
Color Description	Color Number	Ordering Codes for Toro SC Roll	Ordering Codes for Toro SC Tiles	Ordering Part Numbers for Solid Color Weld Rod
			<i>Tiles are standard non-stock items with no minimums; except they are sold only in full cartons, consult Johnsonite for availability.</i>	
Tundra	100	TOR-R 100	TOR-T 100	1287322
Silver Dollar	101	TOR-R 101	TOR-T 101	1291811
Gull Grey	102	TOR-R 102	TOR-T 102	1292383
Blackjack	103	TOR-R 103	TOR-T 103	1292384
Abalone	104	TOR-R 104	TOR-T 104	1288255
Amber Wave	105	TOR-R 105	TOR-T 105	1292372
Waterbury	106	TOR-R 106	TOR-T 106	1291794
Blue Belle	107	TOR-R 107	TOR-T 107	1291210
Costa Rica	108	TOR-R 108	TOR-T 108	1292379
Bonfire	109	TOR-R 109	TOR-T 109	1287408

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE Tarkett Collection
Accent - Heterogeneous Sheet Flooring

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 14

Accent	Reference 11 Accent Wood - Roll 2.0mm Thickness	Reference 12 Accent Steel - Roll 2.0mm Thickness	Recommended Corresponding Weld Rod
Price per Square Yard			N/A
**Price per Sq Ft/Roll			N/A
Price per Carton	N/A	N/A	
**Price per Carton/Sq Ft	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Coils Only
Thickness	.080" gauge (2mm)	.080" gauge (2mm)	.160" (4mm)
Width	6' 6" nominal	6' 6" nominal	--
Length	Approx. 76'	Approx. 76'	--
Quantity per full roll (approximate)	55 sq yds per roll (approximate)	55 sq yds per roll (approximate)	165 lineal feet
Weight	5.7 lbs. per sq yd	5.7 lbs. per sq yd	2 lbs. per coil
Product Code	ACW-R Color Number	ACS-R Color Number	Use Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order Accent Wood 2mm Thickness in Rolls, Color Washed Oak White: Use ACW-R 3017)</i> Order in Square Yards	Order by Product Code and Color Number <i>(Ex. To order Accent Steel 2mm Thickness in Rolls, Color Grey: Use ACS-R 5001)</i> Order in Square Yards	To order solid color weld rod which corresponds to the Accent Wood, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to Accent Wood color 3017 Washed Oak White use 1287341. Order in Full Coils

Note: In place of Weld Rod, Johnsonite Cold Weld Liquid can be used. Tubes are 4.5 Fl. Oz. and 10 tubes per carton - full cartons only. Ordering Code CWL-4.5

Accent Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod Part Numbers				
Color Description	Color Number	Ordering Codes for Accent Wood 2.0mm Thickness Rolls	Ordering Codes for Accent Steel 2.0mm Thickness Rolls	Ordering Part Numbers for Solid Color Weld Rod
Washed Oak White	3017	ACW-R- 3017	N/A	1287341
Brushed Oak Dark	3025	ACW-R-3025	N/A	1287345
Brushed Oak Medium	3026	ACW-R-3026	N/A	1287308
Brushed Oak Light	3027	ACW-R-3027	N/A	1287240
Bamboo	5005	ACW-R-5005	N/A	1287153
Merbau II	3022	ACW-R-3022	N/A	1287343
Ipe	3021	ACW-R-3021	N/A	1287342
Wenge	3024	ACW-R-3024	N/A	1287344
Golden Oak	3030	ACW-R-3030	N/A	1287318
Classic Oak	3028	ACW-R-3028	N/A	1287050
Light Beech	3002	ACW-R 3002	N/A	1294316
Medium Beech	3003	ACW-R 3003	N/A	1291205
Dark Beech	3004	ACW-R 3004	N/A	1292207
Maple	3005	ACW-R 3005	N/A	1291342
Cabreuva	3011	ACW-R 3011	N/A	1292207
Rose Wood	3012	ACW-R 3012	N/A	1287360
Cherry	3014	ACW-R 3014	N/A	1287042
Light Cherry	6007	ACW-R 6007	N/A	1287050
Grey	5001	N/A	ACS-R 5001	1291542

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE Tarkett Collection
Stella - Heterogeneous Sheet Flooring

EFFECTIVE: July 18, 2011

Page 15

<i>Stella</i>	<i>Reference — Stella- Roll 2.0mm Thickness</i>	<i>Recommended Corresponding Weld Rod</i>
Price per Square Yard		NA
**Price per Sq Ft/Roll		NA
Price per/Coil	NA	
Cut Roll Charge <i>Note: Cut roll charges are NON-CANCELABLE</i>	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Coils Only
Thickness	.080" gauge (2mm)	.160" (4mm)
Width	6' 6" nominal	--
Length	Approx. 76'	--
Quantity per full roll (approximate)	55 sq yds per roll (approximate)	165 lineal feet
Weight	5.2 lbs. per sq yd	2 lbs. per coil
Product Code	STL-R Color Number	Use Full Part Number (listed below)
How to Order	Order by Product Code and Color Number (Ex. To order Stella 2mm Thickness in Rolls, Color Spiced Porridge: Use STL-R 016)	To order solid color weld rod which corresponds to the Stella, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to Stella color 016 Spiced Porridge use 1289803.
	Order in Square Yards	Order in Full Coils

Note: In place of Weld Rod, Johnsonite Cold Weld Liquid can be used. Tubes are 4.5 Fl. Oz. and 10 tubes per carton - full cartons only. Ordering Code CWL-4.5

Stella Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod Part Numbers			
Color Description	Color Number	Ordering Codes for STL-R Thickness Rolls 2.0mm	Ordering Part Numbers for Solid Color Weld Rod
Highlands	004	STL-R 004	1287250
Lustrous Emerald	005	STL-R 005	1287251
Blue Current	008	STL-R 008	1287253
Indigo Falls	009	STL-R 009	1292794
Magnetized	010	STL-R 010	1294727
Forged Steel	011	STL-R 011	1291788
Pebblish	013	STL-R 013	1287255
Hourglass	014	STL-R 014	1287256
Country Path	015	STL-R 015	1291352
Spiced Porridge	016	STL-R 016	1289803
Fired Clay	017	STL-R 017	1287257
Percussion	019	STL-R 019	1287032
Punderson Oak	022	STL-R 022	1289732
Vivid Elm	012	STL-R 012	1287428

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended adhesive application chart

JOHNSONITE Tarkett Collection
ID PREMIER: Tile, 3.08" and 6.16" Planks

EFFECTIVE July 18, 2011

Page 16

<i>ID Premier</i>	<i>Reference 13 ID Premier - Tile</i>	<i>Reference 14 ID Premier - 3.08" Plank</i>	<i>Reference 14 ID Premier 6.16" Plank</i>
Price per Carton			
Price per Carton/Sq Ft			
Cut Roll Charge Note: Cut roll charges are NON-CANCELABLE	Full Cartons Only	Full Cartons Only	Full Cartons Only
Thickness	.100" gauge (2.5mm)	.100" gauge (2.5mm)	.100" gauge (2.5mm)
Width	18.5" nominal	3.08" nominal (7.85cm)	6.16" nominal (15.7cm)
Length	18.5" x 18.5" nominal	3.08" x 37" (94.2cm)	6.08" x 37" (94.2cm)
Quantity per carton (approximate)	43.06 sq. ft. per carton	43.06 sq. ft. per carton	43.06 sq. ft. per carton
Weight	35 lbs. per ctn.	35 lbs. per ctn.	35 lbs. per ctn.
Product Code	IDP -T Color Number	IDP-P Color Number - 3	IDP-P Color Number - 6
How to Order	Order by Product Code and Color Number (Ex. To order ID Premier 2.5mm Thickness in Tiles, Color Light Concrete II: Use IDP-T 0023) Order in Full Cartons	Order by Product Code - Color Number - 3 (Plank Width) (Ex. To order ID Premier 2.5mm Thickness in 3.08" Planks, Color Maple: Use IDP-P 2001 - 3) Order in Full Cartons	Order by Product Code - Color Number - 6 (Plank Width) (Ex. To order ID Premier 2.5mm Thickness in 6.16" Planks, Color Cherry: Use IDP-P 3001 - 6) Order in Full Cartons

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

See Page 17 for ID Premier Color Availability

JOHNSONITE Tarkett Collection
ID PREMIER: Tile, 3.08" and 6.16" Planks

EFFECTIVE July 18, 2011

Page 17

ID Premier Color Descriptions-Color Numbers-Ordering Codes

Color Description	Color Number	Reference 13 Ordering Codes for ID Premier Tile	Reference 14 Ordering Codes for ID Premier 3.08" Plank	Reference 14 Ordering Codes for ID Premier 6.16" Plank
Cherry	3001	N/A	N/A	IDP-P-3001-6
Golden Beech	3002	N/A	N/A	IDP-P-3002-6
Light Oak	3005	N/A	N/A	IDP-P-3005-6
Medium Oak	3006	N/A	N/A	IDP-P-3006-6
Merbau	3007	N/A	N/A	IDP-P-3007-6
Doussie	3013	N/A	N/A	IDP-P-3013-6
Pecan	3016	N/A	N/A	IDP-P-3016-6
Wenge	3017	N/A	N/A	IDP-P-3017-6
Studio Maple	3021	N/A	N/A	IDP-P-3021-6
Classic Maple	3022	N/A	N/A	IDP-P-3022-6
Wild Cherry	3024	N/A	N/A	IDP-P-3024-6
Dark Weathered Oak	4001	N/A	N/A	IDP-P-4001-6
Light Weathered Oak	4002	N/A	N/A	IDP-P-4002-6
White Weathered Oak	4003	N/A	N/A	IDP-P-4003-6
Neutral Weathered Oak	4005	N/A	N/A	IDP-P-4005-6
Basket Oak	6062	N/A	N/A	IDP-P-6062-6
Sugar Maple	6064	N/A	N/A	IDP-P-6064-6
Applewood	6109	N/A	N/A	IDP-P-6109-6
Dark Walnut	6113	N/A	N/A	IDP-P-6113-6
Schoolhouse Pine	6116	N/A	N/A	IDP-P-6116-6
Rich Teak	6118	N/A	N/A	IDP-P-6118-6
Walnut	6120	N/A	N/A	IDP-P-6120-6
Traditional Oak	6135	N/A	N/A	IDP-P-6135-6
Boathouse	6164	N/A	N/A	IDP-P-6164-6
Rosewood	6168	N/A	N/A	IDP-P-6168-6
Classic Teak	6169	N/A	N/A	IDP-P-6169-6
Midnight Oak	6170	N/A	N/A	IDP-P-6170-6
Zebrano II	6173	N/A	N/A	IDP-P-6173-6
Light Concrete II	0023	IDP-T-0023	N/A	N/A
Dark Concrete	0024	IDP-T-0024	N/A	N/A
Beige Stone	0027	IDP-T-0027	N/A	N/A
Steel	0028	IDP-T-0028	N/A	N/A
Aluminum	1001	IDP-T-1001	N/A	N/A
Acid Green	1002	IDP-T-1002	N/A	N/A
Impulse Yellow	1003	IDP-T-1003	N/A	N/A
Vibrant Orange	1004	IDP-T-1004	N/A	N/A
Dynamic Red	1005	IDP-T-1005	N/A	N/A
Turquoise Boost	1006	IDP-T-1006	N/A	N/A
Eclectic Blue	1007	IDP-T-1007	N/A	N/A
Urban Black	1008	IDP-T-1008	N/A	N/A
Pink Emotion	1009	IDP-T-1009	N/A	N/A
San Marino	7037	IDP-T-7037	N/A	N/A
Verona	7038	IDP-T-7038	N/A	N/A
White Carrara	7101	IDP-T-7101	N/A	N/A
Grey Sandstone	7102	IDP-T-7102	N/A	N/A
Brecon Slate	7122	IDP-T-7122	N/A	N/A
Natural Sandstone	7124	IDP-T-7124	N/A	N/A
Natural Limestone	7125	IDP-T-7125	N/A	N/A
Coliseum	7128	IDP-T-7128	N/A	N/A
Egyptian Stone	7154	IDP-T-7154	N/A	N/A
Royal Marble	7160	IDP-T-7160	N/A	N/A
Maple	2001	N/A	IDP-P-2001-3	N/A
Indian Laurel	2006	N/A	IDP-P-2006-3	N/A
Mahogany	2008	N/A	IDP-P-2008-3	N/A

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE Tarkett Collection

SPACE: Wood - Leather - Zen - Line - Sequence - Damask - Wave

EFFECTIVE July 18, 2011

SPACE: Wood - Leather - Zen - Line - Sequence - Damask - Wave	Reference 15 SPACE: Wood - Leather - Zen - Line - Sequence - Damask - Wave
Price per Carton	
Price per Carton/Sq Ft	Full Cartons Only
Thickness	.157" (4mm) nominal
Width	19.68"
Length	19.68" x 19.68" nominal
Quantity per carton (approximate)	43.06 sq. ft. per carton
Weight	48 lbs. per ctn.
Product Code	SPC-T Color Number
How to Order	<p style="text-align: center;">Order by Product Code and Color Number</p> <p style="text-align: center;"><i>(Ex. To order Space Line 4.0mm Thickness in Tiles, Color Riddley; Use SPC-T 8001)</i></p> <p style="text-align: center;">Order in Full Cartons</p>

SPACE: Wood - Leather - Zen - Line - Sequence - Damask - Wave
Color Descriptions - Color Numbers-Ordering Codes

Color Description	Color Number	Ordering Codes for Space
Beech	1001	SPC-T 1001
New Oak	0001	SPC-T 0001
Ipe	1003	SPC-T-1003
Wenge	1002	SPC-T-1002
Santa Fe	2001	SPC-T-2001
Java	2002	SPC-T-2002
Timber	7014	SPC-T-7014
Riddley	8001	SPC-T-8001
Obsidian	8002	SPC-T-8002
Sand Castle	8003	SPC-T-8003
Autumn Mist	8004	SPC-T-8004
Mizu	8005	SPC-T-8005
Denim	8006	SPC-T-8006
Gray Tweed	8007	SPC-T-8007
Pyrite	8008	SPC-T-8008
Prairie	8009	SPC-T-8009
Curry	8010	SPC-T-8010
Igneous	7001	SPC-T-7001
Safari	7002	SPC-T-7002
Pumpkin Seed	7003	SPC-T-7003
Stonehedge	7004	SPC-T-7004
Greystone	7005	SPC-T-7005
Cinder	7006	SPC-T-7006
Silhouette	7007	SPC-T-7007
Stonewashed	7008	SPC-T-7008
Wicker	7018	SPC-T-7018

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE by Tarkett Collection
TRAINING - Heterogeneous Multi-Purpose Sheet Flooring

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 19

TRAINING	Reference 17 Training - 5.0 mm Thickness Roll Solid Color	Reference 17 Training - 5.0mm Thickness Roll Wood Grain	Recommended Corresponding Weld Rod
Price per Square Yard			N/A
**Price per Sq Ft/Roll			N/A
Price per Carton	N/A	N/A	
	<i>Rolls with ordering codes below are standard non-stock items with no minimums; except they are sold only in full rolls, consult Johnsonite for availability.</i>	Wood Grain Standard Stocked Item	
Cut Roll Charge	No Cuts	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Coils Only
Thickness	.197" gauge (5.0mm)	.197" gauge (5.0mm)	.160" gauge (4mm)
Width	6' 6" nominal	6' 6" nominal	--
Length	Approx. 67' 3"	Approx. 67' 3"	--
Quantity per full roll (approximate)	49 sq yds per roll (approximate)	49 sq yds per roll (approximate)	165 lineal feet
Weight	7.8 lbs per sq yd	7.8 lbs per sq yd	2 lbs. per coil
Product Code	TRN-R Color Number	TRN-R Color Number	Use Full Part Number (listed below)
How to Order	Order by Product Code and Color Number <i>(Ex. To order Training Solid Color 5.0mm Thickness in Rolls, Color Grey: Use TRN-R 1009)</i> Order in Square Yards	Order by Product Code and Color Number <i>(Ex. To order Training Woodgrain 5.0mm Thickness in Rolls, Color Beech: Use TRN-R 9001)</i> Order in Square Yards	To order solid color weld rod which corresponds to the Training, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to Training 5.0mm roll color 1009 Grey use 1287183. Order in Full Coils

TRAINING Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod Part Numbers				
Color Description	Color Number	Ordering Codes for Training - Solid Colors	Ordering Codes for Training - Wood Grain	Ordering Part Numbers for Solid Color Weld Rod
Grey	8009	TRN-R 8009	N/A	1287183
Red	8011	TRN-R 8011	N/A	1291808
Orange	8012	TRN-R 8012	N/A	1287139
Field Green	8002	TRN-R 8002	N/A	1291365
Forest Green	8014	TRN-R 8014	N/A	1287316
Teal	8015	TRN-R 8015	N/A	1287317
Royal Blue	8016	TRN-R 8016	N/A	1291367
Sky Blue	8017	TRN-R 8017	N/A	1287172
Beech	9001	N/A	TRN-R 9001	1291363
Golden Maple	9002	N/A	TRN-R 9002	1291368

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

JOHNSONITE by Tarkett Collection

Tarkolay

****Note: Square Foot Pricing for approximate reference only**

EFFECTIVE July 18, 2011

Page 20

<i>Tarkolay - Underlayment for Resilient Flooring</i>	<i>Reference 18 Tarkolay</i>
Price per Square Yard	
**Price per Sq Ft/Roll	
Cut Roll Charge	No Cuts
Thickness	.051" (1.3mm)
Width	6'6" (2m)
Length	Approx. 148'
Quantity per full roll (approximate)	approx. 107 sq yd
Weight	2.1 lbs per sq. yd.
Product Code	TRK-R-001
How to Order	<p align="center">Order by Product Code and Color Number</p> <p align="center"><i>(Ex. To order Tarkolay Solid Color .051" Thickness in Rolls, Color White: Use TRK-R-001)</i></p> <p align="center">Order in Square Yards</p>

TARKOLAY-Ordering Code		
Color Description	Color Number	Ordering Codes for Tarkolay
White	001	TRK-R-001

JOHNSONITE Tarkett Collection

ETRUSCO, TOSCANO & ALLEGRO - Harmonium XF

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 21

ETRUSCO, TOSCANO, ALLEGRO Harmonium XF	Reference 19 Etrusco - Roll 2.5mm Thickness	Reference 20-A Toscano - Roll 2.5mm Thickness	Reference 20-B Toscano - Tile 2.5mm Thickness	Reference 21 Allegro - Roll 2.5 mm Thickness	Recommended Corresponding Solid Color Weld Rod
Price per Square Yard			N/A		N/A
**Price per Sq Ft/Roll			N/A		N/A
Price per Carton	N/A	N/A		N/A	
**Price per Carton/Sq Ft					
Note: Cut roll charges are NON-CANCELABLE	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Cartons Only	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Coils Only
Thickness	.100" gauge (2.5mm)	.100" gauge (2.5mm)	.100" gauge (2.5mm)	.100" gauge (2.5mm)	.160" (4mm)
Width	6' 6" nominal	6' 6" nominal	19.49"	6' 6" nominal	--
Length	65 to 100 feet (nominal)	65 to 100 feet (nominal)	19.49"	65 to 100 feet (nominal)	--
Quantity per full roll (approximate) or carton	71 sq yds per roll (approximate)	71 sq yds per roll (approximate)	20 Tiles (52.76 sq ft per carton)	71 sq yds per roll (approximate)	165 lineal feet
Weight	5.5 lbs per sq yd	5.5 lbs per sq yd	25.9 lbs per carton	5.5 lbs per sq yd	2 lbs. per coil
Product Code	ETR-R Color Number	TSC-R Color Number	TSC-T Color Number	ALG-R Color Number	Use Full Part Number (listed below)
How to Order	Order by Product Code, Color Number, and Thickness (Ex. To order Etrusco 2.5mm Thickness in Rolls, Color Crescent Moon: Use ETR-R 002 2.5 Order in Square Yards	Order by Product Code, Color Number, and Thickness (Ex. To order Toscano 2.5mm Thickness in Rolls, Color Fossil: Use TSC-R 502 2.5 Order in Square Yards	Order by Product Code, Color Number, and Thickness (Ex. To order Toscano 2.5mm Thickness in Tiles, Color 502 Tiger Eye: Use TSC-T 502 2.5 Order in Full Cartons	Order by Product Code, Color Number, and Thickness (Ex. To order Allegro 2.5mm Thickness in Rolls, Color Gold Nugget: Use ALG-R 120 2.5 Order in Square Yards	To order solid color weld rod which corresponds to the Etrusco or Toscano rolls, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to Etrusco 2.5mm color 002 Crescent Moon use 1751002. Order in Full Coils

Etrusco & Toscano Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod Part Numbers

Color Description	Color Number	Ordering Codes for Etrusco 2.5mm Thickness Rolls	Ordering Codes for Toscano 2.5mm Thickness Rolls	Ordering Codes for Toscano 2.5mm Thickness Tile	Ordering Codes for Allegro 2.5mm Thickness Rolls	Ordering Part Numbers for Solid Color Weld Rod
Crescent Moon	002	ETR-R 002	N/A	N/A	N/A	1751002
Amber	036	ETR-R 036	N/A	N/A	N/A	1751036
Tangelo	037	ETR-R 037	N/A	N/A	N/A	1751037
Cardinal	041	ETR-R 041	N/A	N/A	N/A	1751041
Lotus	049	ETR-R 049	N/A	N/A	N/A	1751049
Clover	050	ETR-R 050	N/A	N/A	N/A	1751050
Danube	051	ETR-R 051	N/A	N/A	N/A	1751051
Patriot	066	ETR-R 066	N/A	N/A	N/A	1751066
Turtle Bay	095	ETR-R 095	N/A	N/A	N/A	1751095
Nighttime	098	ETR-R 098	N/A	N/A	N/A	1751098
Gold Nugget	120	N/A	N/A	N/A	ALG-R 120	1751120
Durango	121	N/A	N/A	N/A	ALG-R 121	1751121
Colorado	140	N/A	N/A	N/A	ALG-R 140	1751140
Olympia	150	N/A	N/A	N/A	ALG-R 150	1751150
Niagara	160	N/A	N/A	N/A	ALG-R 160	1751160
Riverfront	170	N/A	N/A	N/A	ALG-R 170	1751467
Fossil	502	N/A	TSC-R 502	TSC - T 502	N/A	1751502
Tiger Eye	524	N/A	TSC-R 524	N/A	N/A	1751524
Moonscape	907	ETR-R 907	N/A	N/A	N/A	1751907

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for recommended adhesive application chart

JOHNSONITE Tarkett Collection

VENETO - Harmonium XF

EFFECTIVE July 18, 2011

****Note: Square Foot Pricing for approximate reference only**

Page 22

Veneto	<i>Reference 22-A</i> Veneto - Roll 2.5mm Thickness	<i>Reference 22-B</i> Veneto - Tile 2.5mm Thickness	<i>Reference 23</i> Veneto - Roll 2.0mm Thickness	Recommended Corresponding Solid Color Weld Rod
Price per Square Yard		N/A		N/A
**Price per Sq Ft/Roll		N/A		N/A
Price per Carton	N/A		N/A	
**Price per Carton/Sq Ft	NA		N/A	N/A
			<i>2mm rolls with ordering codes (pg. 23) are standard non-stock items with no minimums; except they are sold only in full rolls, consult Johnsonite for availability.</i>	
Cut Roll Charge <i>Note: Cut roll charges are NON-CANCELABLE</i>	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Cartons Only	\$50.00 cut charge per cut / 1 cut per sku (72 hour notice)	Full Coils Only
Thickness	.100" gauge (2.5mm)	.100" gauge (2.5mm)	.080" gauge (2mm)	.160" (4mm)
Width	6' 6" nominal	19.49"	6' 6" nominal	
Length	65 to 100 feet (nominal)	19.49"	65 to 100 feet (nominal)	--
Quantity per full roll (approximate) or carton	71 sq yds per roll (approximate)	20 Tiles (52.76 sq ft per carton)	71 sq yds per roll (approximate)	165 lineal feet
Weight	5.5 lbs per sq yd	25.9 lbs. per ctn.	4.5 lbs per sq yd	2 lbs. per coil
Product Code	VEN-R Color Number - 2.5	VEN-T Color Number	VEN-R Color Number - 2.0	Use Full Part Number (listed below)
How to Order	Order by Product Code, Color Number, and Thickness <i>(Ex. To order Veneto 2.5mm Thickness in Rolls, Color Azalea: Use VEN-R 642 - 2.5)</i> Order in Square Yards	Order by Product Code, Color Number, and Thickness <i>(Ex. To order Veneto 2.5mm Thickness in Tiles, Color Limestone: Use VEN-T 600)</i> Order in Full Cartons	Order by Product Code, Color Number, and Thickness <i>(Ex. To order Veneto 2mm Thickness in Rolls, Color Limestone: Use VEN-R 600 - 2.0)</i> Order in Square Yards	To order solid color weld rod which corresponds to the Veneto rolls or tiles, use Part Number of Solid Color Weld Rod listed below. (Ex. To order solid color weld rod to correspond to Veneto color 600 Limestone use 1750622. Order in Full Coils

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

See Page 23 for Veneto 2.0 and 2.5mm Thickness Color Availability

JOHNSONITE Tarkett Collection
VENETO - Harmonium XF

EFFECTIVE July 18, 2011

Page 23

Veneto Color Descriptions-Color Numbers-Ordering Codes and Recommended Corresponding Solid Color Weld Rod Part Numbers

Color Description	Color Number	Reference 22-A Ordering Codes for Veneto 2.5mm Thickness Rolls	Reference 22-B Ordering Codes for Veneto 2.5mm Thickness Tiles		Reference 23 Ordering Codes for Veneto 2.0mm Thickness Rolls	Ordering Part Numbers for Weld Rod
			STANDARD STOCKED COLORS Tiles listed below with ordering codes are standard stocked items with no minimums; except they are sold only in full cartons.	STANDARD NON STOCKED COLORS Tiles listed below with ordering codes are standard non-stock items --a MINIMUM of 10 cartons MAY APPLY-sold only in full cartons, consult Johnsonite for availability.	2mm rolls with ordering codes are standard non-stock items with no minimums; except they are sold only in full rolls, consult Johnsonite for availability.	
Cloud Nine	601	VEN-R 601 - 2.5		VEN-T 601 - 2.5	VEN-R 601 - 2.0	1751601
Carlsbad	604	VEN-R 604 - 2.5	VEN - T 604 - 2.5		VEN-R 604 - 2.0	1751604
Serengeti	607	VEN-R 607 - 2.5		VEN-T 607 - 2.5	VEN-R 607 - 2.0	1751607
Northern Lights	608	VEN-R 608 - 2.5	VEN-T 608 - 2.5		VEN-R 608 - 2.0	1751608
Bituminous	610	VEN-R 610 - 2.5		VEN-T 610 - 2.5	VEN-R 610 - 2.0	1751610
Moonstone	611	VEN-R 611 - 2.5		VEN-T 611 - 2.5	VEN-R 611 - 2.0	1751313
Dandelion	612	VEN-R 612 - 2.5		VEN-T 612 - 2.5	VEN-R 612 - 2.0	1751612
Honeysuckle	615	VEN-R 615 - 2.5		VEN-T 615 - 2.5	VEN-R 615 - 2.0	1751615
Feldspar	616	VEN-R 616 - 2.5		VEN-T 616 - 2.5	VEN-R 616 - 2.0	1751313
Quartz	617	VEN-R 617 - 2.5		VEN-T 617 - 2.5	N/A	1751617
Hendrix	618	VEN-R 618 - 2.5		VEN-T 618 - 2.5	VEN-R 618 - 2.0	1751618
Camelian	619	VEN-R 619 - 2.5		VEN-T 619 - 2.5	VEN-R 619 - 2.0	175619
Sierra	621	VEN-R 621 - 2.5		VEN-T 621 - 2.5	VEN-R 621 - 2.0	1751621
Geode	622	VEN-R 622 - 2.5	VEN-T 622 - 2.5		VEN-R 622 - 2.0	1751119
Peridot	623	VEN-R 623 - 2.5	VEN-T 623 - 2.5		N/A	1751119
Azurite	624	VEN-R 624 - 2.5	VEN-T 624 - 2.5		VEN-R 624 - 2.0	1751611
Arizona Tan	625	VEN-R 625 - 2.5	VEN-T 625 - 2.5		VEN-R 625 - 2.0	1751625
Sunflower	628	VEN-R 628 - 2.5		VEN-T 628 - 2.5	VEN-R 628 - 2.0	1751628
Garnet	632	VEN-R 632 - 2.5	VEN - T 632 - 2.5		VEN-R 632 - 2.0	1751632
Daisy	634	VEN-R 634 - 2.5	VEN - T 634 - 2.5		VEN-R 634 - 2.0	1751634
Daylily	636	VEN-R 636 - 2.5		VEN-T 636 - 2.5	VEN-R 636 - 2.0	1751636
Towpath Trail	641	VEN-R 641 - 2.5		VEN-T 641 - 2.5	VEN-R 641 - 2.0	1751641
Azalea	642	VEN-R 642 - 2.5		VEN-T 642 - 2.5	VEN-R 642 - 2.0	1751642
Ladybug	645	VEN-R 645 - 2.5		VEN-T 645 - 2.5	VEN-R 645 - 2.0	1751645
Thistle	649	VEN-R 649 - 2.5		VEN-T 649 - 2.5	VEN-R 649 - 2.0	1751649
Rainforest	650	VEN-R 650 - 2.5		VEN-T 650 - 2.5	VEN-R 650 - 2.0	1751650
Twi Night	662	VEN-R 662 - 2.5		VEN-T 662 - 2.5	VEN-R 662 - 2.0	1751662
Lighthouse	663	VEN-R 663 - 2.5	VEN - T 663 - 2.5		VEN-R 663 - 2.0	1751660
Tidal	664	VEN-R 664 - 2.5		VEN-T 664 - 2.5	VEN-R 664 - 2.0	1751664
Peninsula	665	VEN-R 665 - 2.5	VEN-T 665 - 2.5		VEN-R 665 - 2.0	1751665
Raindrop	666	VEN-R 666 - 2.5		VEN-T 666 - 2.5	VEN-R 666 - 2.0	1751664
Rapids	669	VEN-R 669 - 2.5		VEN-T 669 - 2.5	VEN-R 669 - 2.0	1751669
Blue Agave	670	VEN-R 670 - 2.5		VEN-T 670 - 2.5	VEN-R 670 - 2.0	1751670
Silver Lining	671	VEN-R 671 - 2.5		VEN-T 671 - 2.5	VEN-R 671 - 2.0	1751671
Twilight	672	VEN-R 672 - 2.5		VEN-T 672 - 2.5	VEN-R 672 - 2.0	1751672
Comet	673	VEN-R 673 - 2.5	VEN-T 673 - 2.5		VEN-R 673 - 2.0	1751673
Falling Star	674	VEN-R 674 - 2.5	VEN-T 674 - 2.5		VEN-R 674 - 2.0	1751674
Bermuda	677	VEN-R 677 - 2.5		VEN-T 677 - 2.5	VEN-R 677 - 2.0	1751677
Mesa	679	VEN-R 679 - 2.5		VEN-T 679 - 2.5	VEN-R 679 - 2.0	1751679
Cascade	684	VEN-R 684 - 2.5	VEN-T 684 - 2.5		VEN-R 684 - 2.0	1751684
Iced Slate	685	VEN-R 685 - 2.5	VEN-T 685 - 2.5		VEN-R 685 - 2.0	1751685
Deep Space	686	VEN-R 686 - 2.5		VEN-T 686 - 2.5	VEN-R 686 - 2.0	1751686
Downpour	688	VEN-R 688 - 2.5		VEN-T 688 - 2.5	VEN-R 688 - 2.0	1751068
Smokey Mountain	692	VEN-R 692 - 2.5	VEN - T 692 - 2.5		VEN-R 692 - 2.0	1751692
Marsh	695	VEN-R 695 - 2.5		VEN-T 695 - 2.5	VEN-R 695 - 2.0	1751695
Kilauea	744	VEN-R 744 - 2.5		VEN-T 744 - 2.5	VEN-R 744 - 2.0	1751744
Split Pea	750	VEN-R 750 - 2.5		VEN-T 750 - 2.5	VEN-R 750 - 2.0	1751750
Spring Meadow	751	VEN-R 751 - 2.5	VEN-T 751 - 2.5		VEN-R 751 - 2.0	1751751
Barrington	752	VEN-R 752 - 2.5		VEN-T 752 - 2.5	VEN-R 752 - 2.0	1751752
Sherwood	753	VEN-R 753 - 2.5		VEN-T 753 - 2.5	VEN-R 753 - 2.0	1751753
Mirage	793	VEN-R 793 - 2.5		VEN-T 793 - 2.5	VEN-R 793 - 2.0	1751793
Burlap	911	VEN-R 911 - 2.5	VEN-T 911 - 2.5		N/A	1751625
Tumeric	919	VEN-R 919 - 2.5		VEN-T 919 - 2.5	N/A	1751919
Green Tea	950	VEN-R 950 - 2.5		VEN-T 950 - 2.5	N/A	1751950

ADHESIVES: For warranties to apply use only Johnsonite/Tarkett approved adhesives as detailed in our most recent written installation instructions at www.johnsonite.com. See page 25 for Recommended Adhesive Application Chart

Cold Weld Reference 24

Cold Weld

Product Code	Unit	Coverage	Weight per Unit	Price per Unit
CWL-4.5	10 tubes per carton - 4.5 fluid oz. per tube	175-200 lineal feet	45 fluid oz. per carton	
full cartons only				

Tarkolay Reference 25

Tarkolay

Product Code	Thickness	Width x Length	Approx. Quantity per Roll	Weight	Price per Sq Yard
TRK-R-001	.051" (1.3mm)	6' 6" x 148' approximate	107 sq. yd. approx.	2.1 lbs per sq. yd	

Adhesives Reference 26

Adhesives - FULL CARTONS ONLY

See page 25 for complete recommended Adhesive Application Chart

Product Code	Unit	Units per Ctn	Coverage Per Unit	Weight per Unit	Price per Gallon	Total Price
Spray Smart 130	22 oz. cans	6	150-185 sq ft / can	Per Ctn 11	Can	
Spray Smart 150	22 oz. cans	6	160 - 190 sq ft / can	Per Ctn 11	Can	

925 Resilient Flooring Adhesive

925-4	4 Gallon Pail	1	(1 pail covers approx. 600 sq. ft.)	Per Pail 38	Gallon	
925-1	1 Gallon Can	4	(1 gallon covers approx. 150 sq. ft.)	Per Gallon 10	Gallon	

905 Releasable Adhesive

905-4	4 Gallon Pail	1	(1 pail covers approx. 900 sq. ft.)	Per Pail 38	Gallon	
905-1	1 Gallon Can	4	(1 gallon covers approx. 225 sq. ft.)	Per Gallon 10	Gallon	

950 Linoleum Sheet Adhesive

950-4	4 Gallon Pail	1	(1 pail covers approx. 440 sq. ft.)	Per Pail 43	Gallon	
950-1	1 Gallon Cans	4	(1 gallon covers approx. 110 sq. ft.)	Per Gallon 11	Gallon	

955 Linoleum Tile Adhesive

955-4	4 Gallon Pail	1	(1 pail covers approx. 500 to 700 sq. ft)	Per Pail 40	Gallon	
955-1	1 Gallon Cans	4	(1 gallon covers approx. 125 to 175 sq ft.)	Per Gallon 10	Gallon	

975 Two-Part Urethane Adhesive

975-2	2 Gallon Pail	1	(2 gallons covers approx. 280 sq. ft.)	Per Unit 26	Gallon Unit	
975-1	1 Gallon Unit	1	(1 gallon covers approx. 140 sq. ft.)	Per Unit 13	Gallon Unit	

906 Conductive Adhesive

906-2	2 Gallon Pail	1	(2 gallons cover approx. 250 sq. ft.)	Per Unit 20	Gallon	
906-1	1 Gallon Can	4	(1 gallon covers approx. 125 sq. ft.)	Per Unit 10	Gallon	

#32954727 Tarkett Copper Foil

	Self adhesive 100 lin. Ft. per roll Use w/960 for grounding Statiflor		Roll	1	Roll	
--	--	--	------	---	------	--

JOHNSONITE RECOMMENDED ADHESIVE APPLICATION CHART FOR TARKETT COLLECTION

SKU	Adhesive Description	Products	POROUS SUBSTRATES		NON-POROUS SUBSTRATES	
			Trowel Size	Coverage Per Gal.	Trowel Size	Covergae Per Gal.
905	Releasable Adhesive	Inertia, Rubber Floor Tile, Triumph, Space	1/32 x 1/16 x 1/32 fine	250-300 sq. ft.	1/32 x 1/16 x 1/32 fine	250-300 sq. ft.
906	Conductive Adhesive	Granit SD Tiles and Rolls Toro SC Tiles and Rolls	1/16 x 1/16 x 1/16 SQ	125-150 sq. ft.	N/A	Porous Only
925	Resilient Flooring Adhesive	Acczent, Aria, Granit, Granit Acoustiflor, Granit Multisafe, Granit SD Rolls, Granit Safe-T, I.D. Premier Tiles and Planks, Melodia, Optima, Stella Toro SC Rolls	1/16 x 1/16 x 1/16 V	150-175 sq. ft.	1/32 x 1/16 x 1/32 fine	250-300 sq. ft.
		Training	1/16 x 1/16 x 1/16 SQ	125-150 sq. ft.	1/16 x 1/16 x 1/16 SQ	125-150 sq. ft.
950	Linoleum Sheet Adhesive	Linoleum Sheet	3/32 x 3/32 x 3/32 V	100-125 sq. ft.	1/16 x 1/16 x 1/16 SQ	125-150 sq. ft.
955	Linoleum Tile Adhesive	Linoleum Tile	1/16 x 1/16 x 1/16 SQ	125-150 sq. ft.	1/16 x 1/16 x 1/16 V	150-175 sq. ft.
975	Two-Part Urethane Adhesive	Linoleum Sheet, Training	1/16 x 1/16 x 1/16 SQ	125-150 sq. ft.	1/16 x 1/16 x 1/16 SQ	125-150 sq. ft.
		Acczent, Aria, Granit, Granit Acoustiflor, Granit Multisafe, Granit Safe-T, Granit SD Sheet, I.D. Premier Tiles and Planks, Linoleum Tiles, Melodia, Optima Stella, and Toro SC Sheet	1/32 x 1/16 x 1/32 fine	225-250 sq. ft.	1/32 x 1/16 x 1/32 fine	225-250 sq. ft.
CWL	Cold Weld Liquid	Acczent, Aria, Granit, Granit Acoustiflor, Granit SD Rolls, Melodia Rolls, Optima Rolls, Stella Toro SC Rolls	4.5 ounce tube	175-200 lf. per tube	4.5 ounce tube	175-200 lf. per tube per tube

JOHNSONITE RECOMMENDED SPRAY SMART APPLICATION CHART FOR TARKETT COLLECTION

Spray Smart 130 Resilient Flooring Spray Adhesive	Acczent, Aria Sheet & Tile, Contract Plus Sheet & Tile, Granit Sheet & Tile, Granit Multisafe, Granit Safe T, Melodia Sheet & Tile, Optima Sheet & Tile, Stella	no trowel	150 - 185 sq. ft. per can	no trowel	150 - 185 sq. ft. per can
Spray Smart 150 Specialty Flooring Spray Adhesive	Granit Acoustiflor, ID Premier Plank & Tile, Space, Training	no trowel	160 - 190 sq. ft. per can	no trowel	160 - 190 sq. ft. per can